

## ACTIV INTENSE

WM 0716051

Order number: 0716051

Version 4.1

Revision Date 22.01.2026

Print Date 11.03.2026

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : ACTIV INTENSE  
UFI : EVH4-W0AX-G001-JKNP

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Cleaning agent  
Restricted to professional users.

#### 1.3 Details of the supplier of the safety data sheet

Company : Tana Chemie GmbH  
Rheinallee 96  
55120 Mainz  
Telephone : +49613196403  
Telefax : +4961319642526  
E-mail address : Produktsicherheit@werner-mertz.com  
Responsible/issuing person  
Contact person : Product development / product safety

#### 1.4 Emergency telephone

EU: 112

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Eye irritation, Category 2 H319: Causes serious eye irritation.

#### 2.2 Label elements

##### Labeling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H319 Causes serious eye irritation.

Precautionary Statements : P102 Keep out of reach of children.

##### Prevention:

P280 Wear eye protection/ face protection.

##### Response:

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Werner & Mertz  
Professional

## ACTIV INTENSE

WM 0716051

Order number: 0716051

Version 4.1

Revision Date 22.01.2026

Print Date 11.03.2026

P337 + P313  
**Disposal:**  
P501

rinsing. Immediately call a POISON CENTER/  
doctor.  
If eye irritation persists: Get medical advice/  
attention.  
Dispose of container into the collection of  
recyclables only when it is completely empty.

Safety data sheet available on request.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
sodium carbonate	497-19-8 207-838-8 011-005-00-2 01-2119485498-19	Eye Irrit. 2; H319	>= 25 - < 30
disodium carbonate, compound with hydrogen peroxide (2:3)	15630-89-4 239-707-6 01-2119457268-30	Acute Tox. 4; H302 Ox. Sol. 3; H272 Eye Dam. 1; H318  specific concentration limit Eye Irrit. 2; H319 > 7,5 - < 25 % Eye Dam. 1; H318 >= 25 %	>= 7,5 - < 10
Alcohols, C12-14, ethoxylated (7 EO)	68439-50-9 500-213-3	Acute Tox. 4; H302 Eye Dam. 1; H318 Aquatic Chronic 3; H412  M-Factor (Acute aquatic toxicity): 1	>= 5 - < 10

## ACTIV INTENSE

WM 0716051

Order number: 0716051

Version 4.1

Revision Date 22.01.2026

Print Date 11.03.2026

		specific concentration limit Eye Dam. 1; H318 > 10 % Eye Irrit. 2; H319 > 1 - 10 %	
Sulfuric acid, mono-C12-14-alkyl esters, sodium salts	85586-07-8 287-809-4 01-2119489463-28	Eye Dam. 1; H318 Acute Tox. 4; H302 Skin Irrit. 2; H315 Aquatic Chronic 3; H412 <hr/> specific concentration limit Eye Irrit. 2; H319 10 - < 20 % Eye Dam. 1; H318 ≥ 20 %	≥ 3 - < 5
Alcohols, C12-14. ethoxylated	68439-50-9 500-213-3	Eye Irrit. 2; H319 Aquatic Acute 1; H400 Aquatic Chronic 3; H412 <hr/> M-Factor (Acute aquatic toxicity): 1	≥ 1 - < 2,5
Silicic acid, sodium salt	1344-09-8 215-687-4 01-2119448725-31	Eye Dam. 1; H318 Skin Irrit. 2; H315	≥ 1 - < 3

### SECTION 4: First aid measures

#### 4.1 Description of first-aid measures

- General advice : Move out of dangerous area.  
Consult a physician.  
Show this material safety data sheet to the doctor in attendance.
- If inhaled : Move to fresh air.  
If symptoms persist, call a physician.
- In case of skin contact : Take off contaminated clothing and shoes immediately.  
Wash off with soap and plenty of water.  
If symptoms persist, call a physician.
- In case of eye contact : Protect unharmed eye.  
If easy to do, remove contact lens, if worn.  
Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.  
If eye irritation persists, consult a specialist.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
Obtain medical attention.

## ACTIV INTENSE

WM 0716051

Order number: 0716051

Version 4.1

Revision Date 22.01.2026

Print Date 11.03.2026

### 4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Irritation
- Risks : No information available.

### 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : For specialist advice physicians should contact the Poisons Information Service.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### 5.2 Special hazards arising from the substance or mixture

- Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : No hazardous combustion products are known

### 5.3 Advice for firefighters

- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

- Personal precautions : Use personal protective equipment.  
Avoid dust formation.  
Avoid breathing dust.  
Ensure adequate ventilation.

### 6.2 Environmental precautions

- Environmental precautions : Do not flush into surface water or sanitary sewer system.

### 6.3 Methods and material for containment and cleaning up

- Methods for cleaning up : Neutralize with acid.  
Pick up and arrange disposal without creating dust.  
Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For personal protection see section 8., Treat recovered material as described in the section "Disposal considerations"., Refer to section 15 for specific national regulation.

## ACTIV INTENSE

WM 0716051

Order number: 0716051

Version 4.1

Revision Date 22.01.2026

Print Date 11.03.2026

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

- Advice on safe handling : Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Dispose of rinse water in accordance with local and national regulations.
- Advice on protection against fire and explosion : Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
- Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

#### 7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Store in original container. Store in cool place. Store at room temperature in the original container.
- Further information on storage stability : Keep in a dry place.  
No decomposition if stored and applied as directed.

#### 7.3 Specific end use(s)

- Specific use(s) : Cleaning agent

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of exposure	Potential health effects	Value
sodium carbonate	Workers	Inhalation	Long-term local effects	10 mg/m3
	Consumers	Inhalation	Acute local effects	5 mg/m3
disodium carbonate, compound with hydrogen peroxide (2:3)	Workers	Skin contact	Acute local effects	12,8 mg/cm2
	Workers	Inhalation	Long-term local effects	5 mg/m3
	Consumers	Skin contact	Acute local effects	6,4 mg/cm2
Sulfuric acid, mono-C12-14-alkyl esters, sodium	Workers	Inhalation	Long-term systemic effects	285 mg/m3

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Werner & Mertz  
Professional

## ACTIV INTENSE

WM 0716051

Order number: 0716051

Version 4.1

Revision Date 22.01.2026

Print Date 11.03.2026

salts				
	Workers	Skin contact	Long-term systemic effects	4060 mg/kg
	Consumers	Inhalation	Long-term systemic effects	85 mg/m <sup>3</sup>
	Consumers	Skin contact	Long-term systemic effects	2440 mg/kg
	Consumers	Ingestion	Long-term systemic effects	24 mg/kg
Silicic acid, sodium salt	Workers	Skin contact	Long-term systemic effects	1,59 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	5,61 mg/m <sup>3</sup>
	Consumers	Skin contact	Long-term systemic effects	0,8 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	1,38 mg/m <sup>3</sup>
	Consumers	Ingestion	Long-term systemic effects	0,8 mg/kg bw/day

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
disodium carbonate, compound with hydrogen peroxide (2:3)	Fresh water	0,035 mg/l
	Sea water	0,035 mg/l
Sulfuric acid, mono-C12-14-alkyl esters, sodium salts	Fresh water	0,131 mg/l
	Sea water	0,0131 mg/l
	STP	1,35 mg/l
	Fresh water sediment	4,61 mg/kg dry weight (d.w.)
	Sea sediment	0,461 mg/kg dry weight (d.w.)
	Soil	0,846 mg/kg dry weight (d.w.)

## ACTIV INTENSE

WM 0716051

Order number: 0716051

Version 4.1

Revision Date 22.01.2026

Print Date 11.03.2026

Silicic acid, sodium salt	Fresh water	7,5 mg/l
	Sea water	1 mg/l
	intermittent release	7,5 mg/l
	STP	348 mg/l

### 8.2 Exposure controls

#### Personal protective equipment

Eye/face protection : If splashes are likely to occur, wear:  
Tightly fitting safety goggles

Hand protection

Material : For prolonged or repeated contact use protective gloves.  
It is suggested the usage of chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374.  
As alternative, a different type of gloves might be used if, accordingly to the recommendations of the producer, guarantee the same level of protection.

Remarks : Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).

Skin and body protection : not required under normal use

Respiratory protection : Not required; except in case of aerosol formation.  
Recommended Filter type:  
ABEK-P3-filter

---

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

## ACTIV INTENSE

WM 0716051

Order number: 0716051

Version 4.1

Revision Date 22.01.2026

Print Date 11.03.2026

Physical state	: powder
Color	: white
Odor	: odorized
Melting point/freezing point	: No data available
Boiling point/boiling range	: No information available.
Flammability (solid, gas)	: No data available
Flammability (liquids)	: No data available
Lower explosion limit	: No data available
Upper explosion limit	: No data available
Flash point	: does not flash
Ignition temperature	: No data available
Decomposition temperature	: No data available
pH	: ca. 10,5, 1 % at 20 °C
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Water solubility	: soluble
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Vapor pressure	: No data available
Density	: ca. 0,80 g/cm <sup>3</sup>
Relative density	: No data available
Relative vapor density	: No data available
Particle characteristics	: No data available

### 9.2 Other information

none

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Stable under recommended storage conditions.  
No dangerous reaction known under conditions of normal use.

### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.  
No decomposition if used as directed.

### 10.4 Conditions to avoid

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Werner & Mertz  
Professional

## ACTIV INTENSE

WM 0716051

Order number: 0716051

Version 4.1

Revision Date 22.01.2026

Print Date 11.03.2026

Conditions to avoid : Heat.

### 10.5 Incompatible materials

Materials to avoid : No data available

### 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Our company is strongly against animal testing.

Our company does not place any orders for animal testing for the finished product or the ingredients.

However, as a result of EU legislation (REACH Regulation), the manufacturers of ingredients or EU importers are obliged to test ingredients with regard to their effects on human health and the environment before they are brought onto the market. Some of the tests made necessary by this took place decades ago.

#### Acute toxicity

Acute toxicity : Not Rated

#### Components:

##### sodium carbonate

###### 497-19-8:

Acute oral toxicity : LD50 (Rat): 2.800 mg/kg

LD50 Oral (Rat): 4.090 mg/kg

Acute inhalation toxicity : LC50 (Rat): 2.300 mg/m<sup>3</sup>

Exposure time: 2 h

Method: OECD Test Guideline 403

LC50 (Mouse): 1,2 mg/l

Exposure time: 2 h

Acute dermal toxicity : LD50 Dermal (Rabbit): > 2.000 mg/kg

LD50 Dermal (Rat): > 2.000 mg/kg

##### disodium carbonate, compound with hydrogen peroxide (2:3)

###### 15630-89-4:

Acute oral toxicity : LD50 Oral (Rat): 1.034 mg/kg

Acute dermal toxicity : LD50 Dermal (Rabbit): > 2.000 mg/kg

Method: see user defined free text

##### Alcohols, C12-14, ethoxylated (7 EO)

###### 68439-50-9:

Acute oral toxicity : LD50 Oral (Rat): 300 - 2.000 mg/kg

Acute dermal toxicity : LD50 Dermal (Rabbit): > 2.000 mg/kg

## ACTIV INTENSE

WM 0716051

Order number: 0716051

Version 4.1

Revision Date 22.01.2026

Print Date 11.03.2026

### Sulfuric acid, mono-C12-14-alkyl esters, sodium salts

#### 85586-07-8:

Acute oral toxicity : LD50 (Rat): 1.800 mg/kg  
Acute dermal toxicity : (Rabbit): > 2.000 mg/kg

### Alcohols, C12-14. ethoxylated

#### 68439-50-9:

Acute oral toxicity : LD50 Oral (Rat): > 2.000 mg/kg

### Silicic acid, sodium salt

#### 1344-09-8:

Acute oral toxicity : LD50 Oral (Rat): 3.400 mg/kg  
Acute inhalation toxicity : LC50 (Rat): 2,06 mg/l  
Exposure time: 4 h  
Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg

### Skin corrosion/irritation

#### Product:

Remarks : According to the classification criteria of the European Union, the product is not considered as being a skin irritant.

### Components:

#### sodium carbonate

#### 497-19-8:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

### Sulfuric acid, mono-C12-14-alkyl esters, sodium salts

#### 85586-07-8:

Species : Rabbit  
Result : Skin irritation

### Silicic acid, sodium salt

#### 1344-09-8:

Result : Skin irritation

### Serious eye damage/eye irritation

#### Product:

Remarks : Product dust may be irritating to eyes, skin and respiratory system.  
Causes serious eye irritation.

## ACTIV INTENSE

WM 0716051

Order number: 0716051

Version 4.1

Revision Date 22.01.2026

Print Date 11.03.2026

### Components:

#### sodium carbonate

##### 497-19-8:

Species : Rabbit  
Result : Eye irritation

#### Sulfuric acid, mono-C12-14-alkyl esters, sodium salts

##### 85586-07-8:

Species : Rabbit  
Result : irritating

#### Silicic acid, sodium salt

##### 1344-09-8:

Method : OECD Test Guideline 405  
Result : Causes serious eye damage.

### Respiratory or skin sensitization

#### Product:

Remarks : No data available

### Components:

#### sodium carbonate

##### 497-19-8:

Result : Not a skin sensitizer.

### Germ cell mutagenicity

Germ cell mutagenicity : Not Rated

### Components:

#### Alcohols, C12-14, ethoxylated (7 EO)

##### 68439-50-9:

Genotoxicity in vitro : Test Type: Ames test  
Result: negative

#### Sulfuric acid, mono-C12-14-alkyl esters, sodium salts

##### 85586-07-8:

Genotoxicity in vitro : Test Type: Ames test  
Method: OECD Test Guideline 471  
Result: negative

Carcinogenicity : Not Rated

Reproductive toxicity : Not Rated

STOT-single exposure : The substance or mixture is not classified as specific target organ toxicant, single exposure.

## ACTIV INTENSE

WM 0716051

Order number: 0716051

Version 4.1

Revision Date 22.01.2026

Print Date 11.03.2026

STOT-repeated exposure : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### Repeated dose toxicity

#### Components:

**Sulfuric acid, mono-C12-14-alkyl esters, sodium salts**

**85586-07-8:**

NOAEL : 488 mg/kg

Aspiration toxicity : Not Rated

### 11.2 Information on other hazards

#### Endocrine disrupting properties

##### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### Further information

##### Product:

Remarks : No data available

---

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Components:

**sodium carbonate**

**497-19-8:**

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 300 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 200 - 227 mg/l  
Exposure time: 48 h

EC50 (Daphnia): 264 mg/l  
Exposure time: 48 h

EC50 (Ceriodaphnia dubia (water flea)): 200 - 227 mg/l  
Exposure time: 48 h  
Test Type: semi-static test

**disodium carbonate, compound with hydrogen peroxide (2:3)**

**15630-89-4:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 70,7 mg/l  
Exposure time: 96 h

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Werner & Mertz  
Professional

## ACTIV INTENSE

WM 0716051

Order number: 0716051

Version 4.1

Revision Date 22.01.2026

Print Date 11.03.2026

NOEC (Pimephales promelas (fathead minnow)): 7,4 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia pulex (Water flea)): 4,9 mg/l  
Exposure time: 48 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 2 mg/l  
Species: Daphnia pulex (Water flea)

### Alcohols, C12-14, ethoxylated (7 EO), Alcohols, C12-14. ethoxylated

#### 68439-50-9:

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): > 1 - 10 mg/l  
Exposure time: 96 h  
Test Type: flow-through test  
Method: OECD Test Guideline 203

LC50 (Fish): > 1 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 1 - 10 mg/l  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201

EC10 (Desmodesmus subspicatus (green algae)): 0,1 - 1 mg/l  
Exposure time: 72 h  
Test Type: static test

M-Factor (Acute aquatic toxicity) : 1

Toxicity to microorganisms : EC50 (Bacteria): 140 mg/l

Toxicity to soil dwelling organisms : 220 mg/kg  
Species: Eisenia fetida (earthworms)

Plant toxicity : 10 mg/l  
Species: Lepidium sativum (cress)  
Method: see user defined free text

### Sulfuric acid, mono-C12-14-alkyl esters, sodium salts

#### 85586-07-8:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 3,6 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 4,7 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 20 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC : 0,6 mg/l

## ACTIV INTENSE

WM 0716051

Order number: 0716051

Version 4.1

Revision Date 22.01.2026

Print Date 11.03.2026

Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : > 1,357 mg/l  
Exposure time: 42 d  
Species: Pimephales promelas (fathead minnow)

### Alcohols, C12-14, ethoxylated

#### 68439-50-9:

Toxicity to fish : LC50 (Fish): 1,2 mg/l  
Exposure time: 96 h  
NOEC (Fish): > 0,1 - 1 mg/l  
Exposure time: 30 d

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia): 0,53 mg/l

M-Factor (Acute aquatic toxicity) : 1

### Silicic acid, sodium salt

#### 1344-09-8:

Toxicity to fish : LC50 (Brachydanio rerio): 1.108 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
LC50 (Danio rerio (zebra fish)): > 100 mg/l  
Exposure time: 96 h  
Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1.700 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Toxicity to microorganisms : EC0 (Pseudomonas putida): > 1.000 mg/l  
Exposure time: 48 h

## 12.2 Persistence and degradability

### Components:

#### Alcohols, C12-14, ethoxylated (7 EO), Alcohols, C12-14, ethoxylated

#### 68439-50-9:

Biodegradability : Result: Readily biodegradable.  
Biodegradation: > 70 %  
Exposure time: 28 d  
Method: OECD 301 A  
Result: rapidly biodegradable  
Biodegradation: > 60 %  
Exposure time: 28 d  
Method: OECD 301 B

#### Sulfuric acid, mono-C12-14-alkyl esters, sodium salts

#### 85586-07-8:

Biodegradability : Result: Readily biodegradable.  
Biodegradation: > 60 %  
Exposure time: 28 d  
Method: OECD 301 B

## ACTIV INTENSE

WM 0716051

Order number: 0716051

Version 4.1

Revision Date 22.01.2026

Print Date 11.03.2026

Result: rapidly biodegradable  
Biodegradation: > 90 %  
Exposure time: 28 d  
Method: OECD 301 D

### Alcohols, C12-14. ethoxylated

68439-50-9:

Biodegradability : Result: rapidly biodegradable

### 12.3 Bioaccumulative potential

#### Components:

#### Sulfuric acid, mono-C12-14-alkyl esters, sodium salts

85586-07-8:

Bioaccumulation : Remarks: No bioaccumulation is to be expected (log Pow <= 4).

Partition coefficient: n-  
octanol/water : log Pow: -2,42

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

#### Product:

Additional ecological information : There is no data available for this product.

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : Do not dispose of waste into sewer.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
In accordance with local and national regulations.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

## ACTIV INTENSE

WM 0716051

Order number: 0716051

Version 4.1

Revision Date 22.01.2026

Print Date 11.03.2026

Waste Code

European Waste Catalog  
20 01 29\*

According to the European Waste Catalog, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

### SECTION 14: Transport information

#### 14.1 UN number or ID number

**ADR**

Not dangerous goods

**RID**

Not dangerous goods

**IMDG**

Not dangerous goods

**IATA**

Not dangerous goods

#### 14.2 UN proper shipping name

Not regulated as a dangerous good

#### 14.3 Transport hazard class(es)

**ADR**

Not dangerous goods

**RID**

Not dangerous goods

**IMDG**

Not dangerous goods

**IATA**

Not dangerous goods

#### 14.4 Packing group

**ADR**

Not dangerous goods

**RID**

Not dangerous goods

**IMDG**

Not dangerous goods

**IATA**

Not dangerous goods

#### 14.5 Environmental hazards

**ADR**

Not dangerous goods

**RID**

Not dangerous goods

**IMDG**

Not regulated as a dangerous good

**IATA**

Not dangerous goods

#### 14.6 Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regulations.

For personal protection see section 8.

#### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## ACTIV INTENSE

WM 0716051

Order number: 0716051

Version 4.1

Revision Date 22.01.2026

Print Date 11.03.2026

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable
- REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Not applicable
- Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. : Not applicable
- TA Luft List (Germany) : Total dust: Not applicable  
: Inorganic substances in powdered form: Not applicable  
: Inorganic substances in vapor or gaseous form: Not applicable  
: Organic Substances: Not applicable  
: Carcinogenic substances: Not applicable  
: mutagenic: Not applicable  
: Toxic to reproduction: Not applicable
- Volatile organic compounds (VOC) content : Directive 2010/75/EU of 24 November 2010 on industrial and livestock rearing emissions (integrated pollution prevention and control)  
Update: Not applicable
- according to Detergents Regulation EC 648/2004 : 5 - <15% non-ionic surfactants, oxygen-based bleaching agents, zeolites, <5% anionic surfactants, soap, polycarboxylates, enzymes, optical brighteners, perfumes, PROTEASE, AMYLASE, MANNANASE

#### 15.2 Chemical Safety Assessment

### SECTION 16: Other information

#### Full text of H-Statements

- H272 : May intensify fire; oxidizer.  
H302 : Harmful if swallowed.  
H315 : Causes skin irritation.  
H318 : Causes serious eye damage.  
H319 : Causes serious eye irritation.  
H400 : Very toxic to aquatic life.  
H412 : Harmful to aquatic life with long lasting effects.

#### Full text of other abbreviations

- Acute Tox. : Acute toxicity  
Aquatic Acute : Short-term (acute) aquatic hazard  
Aquatic Chronic : Long-term (chronic) aquatic hazard  
Eye Dam. : Serious eye damage  
Eye Irrit. : Eye irritation  
Ox. Sol. : Oxidizing solids

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



## ACTIV INTENSE

WM 0716051

Order number: 0716051

Version 4.1

Revision Date 22.01.2026

Print Date 11.03.2026

Skin Irrit. : Skin irritation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### Classification of the mixture:

Eye Irrit. 2 H319

#### Classification procedure:

Expert judgment and weight of evidence determination.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REG\_EU / EN

50000005791