

APESIN ACTIVDES HYGIENE

WM 0715040

Order number: 0715040

Version 2.4

Revision Date 18.09.2026

Print Date 22.09.2026

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : APESIN ACTIVDES HYGIENE
UFI : E704-Q0EX-2001-7CM5

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Biocidal product
Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Company : Tana Chemie GmbH
Rheinallee 96
55120 Mainz
Telephone : +49613196403
Telefax : +4961319642526
E-mail address : Produktsicherheit@werner-mertz.com
Responsible/issuing person
Contact person : Product development / product safety

1.4 Emergency telephone

EU: 112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Eye irritation, Category 2 H319: Causes serious eye irritation.

2.2 Label elements

Labeling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H319 Causes serious eye irritation.

Precautionary Statements : P102 Keep out of reach of children.

Prevention:
P280 Wear eye protection/ face protection.

Response:
P301 + P312 IF SWALLOWED: Call a POISON CENTER/
doctor if you feel unwell.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for
several minutes. Remove contact lenses, if
present and easy to do. Continue rinsing.

APESIN ACTIVDES HYGIENE

WM 0715040

Order number: 0715040

Version 2.4

Revision Date 18.09.2026

Print Date 22.09.2026

P337 + P313

If eye irritation persists: Get medical advice/
attention.

Additional Labeling:

Safety data sheet available on request.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
sodium carbonate	497-19-8 207-838-8 011-005-00-2 01-2119485498-19	Eye Irrit. 2; H319	>= 20 - < 25
disodium carbonate, compound with hydrogen peroxide (2:3)	15630-89-4 239-707-6 01-2119457268-30	Acute Tox. 4; H302 Ox. Sol. 3; H272 Eye Dam. 1; H318 specific concentration limit Eye Irrit. 2; H319 > 7,5 - < 25 % Eye Dam. 1; H318 >= 25 %	>= 15 - < 20
Silicic acid, sodium salt	1344-09-8 215-687-4 01-2119448725-31	Eye Dam. 1; H318 Skin Irrit. 2; H315	>= 5 - < 10
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts	68411-30-3 270-115-0 01-2119489428-22	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 3; H412	>= 3 - < 5
Alcohols, C12-15, branched and linear, ethoxylated	106232-83-1 500-294-5	Eye Dam. 1; H318 Aquatic Chronic 3; H412	>= 1 - < 2,5

APESIN ACTIVDES HYGIENE

WM 0715040

Order number: 0715040

Version 2.4

Revision Date 18.09.2026

Print Date 22.09.2026

Acute Tox. 4; H302

SECTION 4: First aid measures

4.1 Description of first-aid measures

- General advice : Move out of dangerous area.
Consult a physician.
Show this material safety data sheet to the doctor in attendance.
- If inhaled : Move to fresh air.
If symptoms persist, call a physician.
- In case of skin contact : Take off contaminated clothing and shoes immediately.
Wash off with soap and plenty of water.
If symptoms persist, call a physician.
- In case of eye contact : Protect unharmed eye.
If easy to do, remove contact lens, if worn.
Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
If eye irritation persists, consult a specialist.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
Obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Irritation
- Risks : No information available.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : For specialist advice physicians should contact the Poisons Information Service.

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

5.2 Special hazards arising from the substance or mixture

- Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : No hazardous combustion products are known

5.3 Advice for firefighters

- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.

APESIN ACTIVDES HYGIENE

WM 0715040

Order number: 0715040

Version 2.4

Revision Date 18.09.2026

Print Date 22.09.2026

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Avoid dust formation.
Avoid breathing dust.
Ensure adequate ventilation.

6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Neutralize with acid.
Pick up and arrange disposal without creating dust.
Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8., Treat recovered material as described in the section "Disposal considerations"., Refer to section 15 for specific national regulation.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke.
Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in original container. Store in cool place. Store at room temperature in the original container. To maintain product quality, do not store in heat or direct sunlight.

Further information on storage stability : Keep in a dry place.
No decomposition if stored and applied as directed.
Protect from frost, heat and sunlight.

7.3 Specific end use(s)

APESIN ACTIVDES HYGIENE

WM 0715040

Order number: 0715040

Version 2.4

Revision Date 18.09.2026

Print Date 22.09.2026

Specific use(s) : Biocidal product

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of exposure	Potential health effects	Value
sodium carbonate	Workers	Inhalation	Long-term local effects	10 mg/m3
	Consumers	Inhalation	Acute local effects	5 mg/m3
disodium carbonate, compound with hydrogen peroxide (2:3)	Workers	Skin contact	Acute local effects	12,8 mg/cm2
	Workers	Inhalation	Long-term local effects	5 mg/m3
	Consumers	Skin contact	Acute local effects	6,4 mg/cm2
Silicic acid, sodium salt	Workers	Skin contact	Long-term systemic effects	1,59 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	5,61 mg/m3
	Consumers	Skin contact	Long-term systemic effects	0,8 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	1,38 mg/m3
	Consumers	Ingestion	Long-term systemic effects	0,8 mg/kg bw/day
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts	Workers	Skin contact	Long-term systemic effects	170 mg/kg
	Workers	Inhalation	Long-term systemic effects	12 mg/m3
	Workers	Inhalation	Long-term local effects	12 mg/m3
	Consumers	Skin contact	Long-term systemic effects	85 mg/kg
	Consumers	Inhalation	Long-term systemic	3 mg/m3

APESIN ACTIVDES HYGIENE

WM 0715040

Order number: 0715040

Version 2.4

Revision Date 18.09.2026

Print Date 22.09.2026

			effects	
	Consumers	Ingestion	Long-term systemic effects	0,85 mg/kg
	Consumers	Inhalation	Long-term local effects	3 mg/m3
	Workers	Dermal	Chronic effects	85 mg/kg
	Workers	Inhalation	Chronic effects	6 mg/m3
	Consumers	Dermal	Chronic effects	42,5 mg/kg
	Consumers	Inhalation	Chronic effects	1,5 mg/m3
	Consumers	Oral	Chronic effects	0,425 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
disodium carbonate, compound with hydrogen peroxide (2:3)	Fresh water	0,035 mg/l
	Sea water	0,035 mg/l
Silicic acid, sodium salt	Fresh water	7,5 mg/l
	Sea water	1 mg/l
	intermittent release	7,5 mg/l
	STP	348 mg/l
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts	Fresh water	0,268 mg/l
	Sea water	0,0268 mg/l
	Fresh water sediment	8,1 mg/kg
	Sea sediment	8,1 mg/kg
	Soil	35 mg/kg
	intermittent release	0,0167 mg/l
	STP	3,43 mg/l

8.2 Exposure controls

Personal protective equipment

Eye/face protection : If splashes are likely to occur, wear:

Tightly fitting safety goggles

APESIN ACTIVDES HYGIENE

WM 0715040

Order number: 0715040

Version 2.4

Revision Date 18.09.2026

Print Date 22.09.2026

Hand protection

- Material : For prolonged or repeated contact use protective gloves.
- It is suggested the usage of chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374.
- As alternative, a different type of gloves might be used if, accordingly to the recommendations of the producer, guarantee the same level of protection.

- Remarks : Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).

- Skin and body protection : not required under normal use

- Respiratory protection : Not required; except in case of aerosol formation.

Recommended Filter type:

ABEK-P3-filter

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- Physical state : powder
- Color : white
- Odor : pleasant
- Melting point/freezing point : No data available
- Boiling point/boiling range : No data available
- Flammability (solid, gas) : No data available
- Flammability (liquids) : No data available
- Lower explosion limit : No data available
- Upper explosion limit : No data available
- Flash point : does not flash

APESIN ACTIVDES HYGIENE

WM 0715040

Order number: 0715040

Version 2.4

Revision Date 18.09.2026

Print Date 22.09.2026

Ignition temperature	: No data available
Decomposition temperature	: No data available
pH	: ca. 10,5, 1 % at 20 °C
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Water solubility	: completely soluble
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Vapor pressure	: No data available
Density	: 0,67 g/cm ³
Relative density	: No data available
Relative vapor density	: No data available
Particle characteristics	: No data available

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions.
No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.
No decomposition if used as directed.

10.4 Conditions to avoid

Conditions to avoid : Protect from frost, heat and sunlight.

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Our company is strongly against animal testing.
Our company does not place any orders for animal testing for the finished product or the ingredients.

APESIN ACTIVDES HYGIENE

WM 0715040

Order number: 0715040

Version 2.4

Revision Date 18.09.2026

Print Date 22.09.2026

However, as a result of EU legislation (REACH Regulation), the manufacturers of ingredients or EU importers are obliged to test ingredients with regard to their effects on human health and the environment before they are brought onto the market. Some of the tests made necessary by this took place decades ago.

Acute toxicity

Product:

Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg
Method: Calculation method

Components:

sodium carbonate

497-19-8:

Acute oral toxicity : LD50 (Rat): 2.800 mg/kg
LD50 Oral (Rat): 4.090 mg/kg

Acute inhalation toxicity : LC50 (Rat): 2.300 mg/m3
Exposure time: 2 h
Method: OECD Test Guideline 403

LC50 (Mouse): 1,2 mg/l
Exposure time: 2 h

Acute dermal toxicity : LD50 Dermal (Rabbit): > 2.000 mg/kg
LD50 Dermal (Rat): > 2.000 mg/kg

disodium carbonate, compound with hydrogen peroxide (2:3)

15630-89-4:

Acute oral toxicity : LD50 Oral (Rat): 1.034 mg/kg

Acute dermal toxicity : LD50 Dermal (Rabbit): > 2.000 mg/kg
Method: see user defined free text

Silicic acid, sodium salt

1344-09-8:

Acute oral toxicity : LD50 Oral (Rat): 3.400 mg/kg

Acute inhalation toxicity : LC50 (Rat): 2,06 mg/l
Exposure time: 4 h

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts

68411-30-3:

Acute oral toxicity : LD50 Oral (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 401
Test substance: see user defined free text
Target Organs: Gastrointestinal tract
Symptoms: Diarrhea, Drowsiness, Breathing difficulties

LD50 (Rat, male and female): 1.080 mg/kg
Method: OECD Test Guideline 401

APESIN ACTIVDES HYGIENE

WM 0715040

Order number: 0715040

Version 2.4

Revision Date 18.09.2026

Print Date 22.09.2026

Acute dermal toxicity : LD50 Dermal (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 402
Symptoms: Crusting

Alcohols, C12-15, branched and linear, ethoxylated

106232-83-1:

Acute oral toxicity : LD50 Oral (Rat): 300 - 2.000 mg/kg

Acute dermal toxicity : LD50 Dermal (Rat): > 2.000 mg/kg

Skin corrosion/irritation

Product:

Remarks : According to the classification criteria of the European Union, the product is not considered as being a skin irritant.

Components:

sodium carbonate

497-19-8:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Silicic acid, sodium salt

1344-09-8:

Result : Skin irritation

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts

68411-30-3:

Species : Rabbit
Method : OECD Test Guideline 404
Result : irritating

Alcohols, C12-15, branched and linear, ethoxylated

106232-83-1:

Species : Rabbit
Result : No skin irritation

Serious eye damage/eye irritation

Product:

Remarks : Product dust may be irritating to eyes, skin and respiratory system.
Causes serious eye irritation.

Components:

sodium carbonate

497-19-8:

Species : Rabbit
Result : Eye irritation

APESIN ACTIVDES HYGIENE

WM 0715040

Order number: 0715040

Version 2.4

Revision Date 18.09.2026

Print Date 22.09.2026

Silicic acid, sodium salt

1344-09-8:

Method : OECD Test Guideline 405
Result : Causes serious eye damage.

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts

68411-30-3:

Species : Rabbit
Method : OECD Test Guideline 405
Result : Risk of serious damage to eyes.

Alcohols, C12-15, branched and linear, ethoxylated

106232-83-1:

Species : Rabbit
Result : Irritating to eyes.

Respiratory or skin sensitization

Product:

Remarks : No data available

Components:

sodium carbonate

497-19-8:

Result : Not a skin sensitizer.

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts

68411-30-3:

Test Type : Maximization Test
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Did not cause sensitization on laboratory animals.

Germ cell mutagenicity : Not Rated

Carcinogenicity : Not Rated

Reproductive toxicity : Not Rated

STOT-single exposure : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

STOT-repeated exposure : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

APESIN ACTIVDES HYGIENE

WM 0715040

Order number: 0715040

Version 2.4

Revision Date 18.09.2026

Print Date 22.09.2026

Components:

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts

68411-30-3:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts

68411-30-3:

Species : Rat
NOAEL : 125 mg/kg
LOAEL : 250 mg/kg
Application Route : Oral
Exposure time : 28 d
Target Organs : Blood, Liver, Heart
Symptoms : Diarrhea

Species : Rat
NOAEL : 40 mg/kg
LOAEL : 115 mg/kg
Application Route : Oral
Exposure time : 180 d
Target Organs : Blood, Kidney
Symptoms : Diarrhea

Species : Rat
NOAEL : 85 mg/kg
LOAEL : 145 mg/kg
Application Route : Oral
Exposure time : 270 d
Target Organs : Blood

Aspiration toxicity : Not Rated

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Further information

Product:

Remarks : No data available

APESIN ACTIVDES HYGIENE

WM 0715040

Order number: 0715040

Version 2.4

Revision Date 18.09.2026

Print Date 22.09.2026

SECTION 12: Ecological information

12.1 Toxicity

Components:

sodium carbonate

497-19-8:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 300 mg/l
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 200 - 227 mg/l
aquatic invertebrates Exposure time: 48 h

EC50 (Daphnia): 264 mg/l
Exposure time: 48 h

EC50 (Ceriodaphnia dubia (water flea)): 200 - 227 mg/l
Exposure time: 48 h
Test Type: semi-static test

disodium carbonate, compound with hydrogen peroxide (2:3)

15630-89-4:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 70,7 mg/l
Exposure time: 96 h

NOEC (Pimephales promelas (fathead minnow)): 7,4 mg/l
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia pulex (Water flea)): 4,9 mg/l
aquatic invertebrates Exposure time: 48 h

Toxicity to daphnia and other : NOEC: 2 mg/l
aquatic invertebrates (Chronic toxicity) Species: Daphnia pulex (Water flea)

Silicic acid, sodium salt

1344-09-8:

Toxicity to fish : LC50 (Brachydanio rerio): 1.108 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

LC50 (Danio rerio (zebra fish)): > 100 mg/l
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 1.700 mg/l
aquatic invertebrates Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to microorganisms : EC0 (Pseudomonas putida): > 1.000 mg/l
Exposure time: 48 h

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts

68411-30-3:

Toxicity to fish : LC50 (Fish): 1,67 mg/l
Exposure time: 96 h
Method: OPPTS 850.1500

APESIN ACTIVDES HYGIENE

WM 0715040

Order number: 0715040

Version 2.4

Revision Date 18.09.2026

Print Date 22.09.2026

		NOEC (Pimephales promelas (fathead minnow)): 0,63 mg/l Exposure time: 196 d
		NOEC (Oncorhynchus mykiss (rainbow trout)): 0,23 mg/l Exposure time: 72 d
Toxicity to daphnia and other aquatic invertebrates	:	LC50 (Daphnia): 2,4 mg/l Exposure time: 48 h Method: Directive 67/548/EEC, Annex V, C.2.
		NOEC (Daphnia): > 1,41 mg/l Exposure time: 21 d Method: OECD Test Guideline 211
		EC50 (Daphnia magna (Water flea)): 2,9 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EbC50 (Pseudokirchneriella subcapitata (green algae)): 47,3 mg/l Exposure time: 72 h
		(Chlorella vulgaris (Fresh water algae)): 3,1 mg/l Exposure time: 15 d Test Type: static test
		EC50 (Pseudokirchneriella subcapitata (green algae)): 29 mg/l Exposure time: 96 h
Toxicity to microorganisms	:	EC50 (Bacteria): 550 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209
Toxicity to fish (Chronic toxicity)	:	> 0,1 - 1 mg/l Exposure time: 28 d Species: Lepomis macrochirus (Bluegill sunfish)
		NOEC: 0,268 mg/l Exposure time: 96 d Species: Fish
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: > 1 - 10 mg/l
		NOEC: 2,9 mg/l Exposure time: 32 d
Plant toxicity	:	NOEC: 100 mg/kg Species: Sorghum bicolor (sorghum) Method: OECD 208

Alcohols, C12-15, branched and linear, ethoxylated

106232-83-1:

Toxicity to fish	:	LC50 (Fish): > 1 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia): > 1 mg/l Exposure time: 48 h

APESIN ACTIVDES HYGIENE

WM 0715040

Order number: 0715040

Version 2.4

Revision Date 18.09.2026

Print Date 22.09.2026

NOEC (Daphnia): 0,1 - 1 mg/l

Toxicity to algae/aquatic plants : EC50 (algae): > 1 mg/l
Exposure time: 72 h

12.2 Persistence and degradability

Components:

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts

68411-30-3:

Biodegradability : Test Type: aerobic
Result: rapidly biodegradable
Exposure time: 28 d
Kinetic:
: > 60 %
Method: OECD 301 B
Remarks: The surfactant(s) contained in this mixture complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Result: Readily biodegradable.
Exposure time: 28 d
Kinetic:
: 85 %
Method: OECD 301 B

Result: Readily biodegradable.
Exposure time: 122 d
Kinetic:
: 70 - 99 %

Alcohols, C12-15, branched and linear, ethoxylated

106232-83-1:

Biodegradability : Result: Readily biodegradable.
Biodegradation: > 60 %
Exposure time: 14 d

Biochemical Oxygen Demand (BOD) : 696 mg/g

Chemical Oxygen Demand (COD) : 1.616 mg/g

12.3 Bioaccumulative potential

Components:

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts

68411-30-3:

Bioaccumulation : Species: Pimephales promelas (fathead minnow)
Exposure time: 192 h
Bioconcentration factor (BCF): 87
Method: see user defined free text
Remarks: Does not significantly accumulate in organisms.

APESIN ACTIVDES HYGIENE

WM 0715040

Order number: 0715040

Version 2.4

Revision Date 18.09.2026

Print Date 22.09.2026

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Components:

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts

68411-30-3:

Assessment : Not persistent, bioaccumulative, and toxic (PBT).. Not very persistent and very bioaccumulative (vPvB).

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Components:

68411-30-3:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological information : There is no data available for this product.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Do not dispose of waste into sewer.
Do not contaminate ponds, waterways or ditches with chemical or used container.
In accordance with local and national regulations.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

Waste Code : European Waste Catalog
20 01 29*
According to the European Waste Catalog, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

APESIN ACTIVDES HYGIENE

WM 0715040

Order number: 0715040

Version 2.4

Revision Date 18.09.2026

Print Date 22.09.2026

SECTION 14: Transport information

14.1 UN number or ID number

ADR

Not dangerous goods

RID

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADR

Not dangerous goods

RID

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.4 Packing group

ADR

Not dangerous goods

RID

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.5 Environmental hazards

ADR

Not dangerous goods

RID

Not dangerous goods

IMDG

Not regulated as a dangerous good

IATA

Not dangerous goods

14.6 Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regulations.

For personal protection see section 8.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous : Not applicable

APESIN ACTIVDES HYGIENE

WM 0715040

Order number: 0715040

Version 2.4

Revision Date 18.09.2026

Print Date 22.09.2026

chemicals

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. : Not applicable

TA Luft List (Germany) : Total dust: Not applicable
: Inorganic substances in powdered form: Not applicable
: Inorganic substances in vapor or gaseous form: Not applicable
: Organic Substances: Not applicable
: Carcinogenic substances: Not applicable
: mutagenic: Not applicable
: Toxic to reproduction: Not applicable

according to Detergents Regulation EC 648/2004 : 15 - <30% oxygen-based bleaching agents, 5 - <15% zeolites, <5% phosphonates, anionic surfactants, non-ionic surfactants, soap, optical brighteners, perfumes

15.2 Chemical Safety Assessment

There is no data available for this product.

SECTION 16: Other information

Full text of H-Statements

H272 : May intensify fire; oxidizer.
H302 : Harmful if swallowed.
H315 : Causes skin irritation.
H318 : Causes serious eye damage.
H319 : Causes serious eye irritation.
H412 : Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity
Aquatic Chronic : Long-term (chronic) aquatic hazard
Eye Dam. : Serious eye damage
Eye Irrit. : Eye irritation
Ox. Sol. : Oxidizing solids
Skin Irrit. : Skin irritation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk;

APESIN ACTIVDES HYGIENE

WM 0715040

Order number: 0715040

Version 2.4

Revision Date 18.09.2026

Print Date 22.09.2026

IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Eye Irrit. 2

H319

Classification procedure:

The skin and/or eye classification of this product was derived using bridging principles (such as dilution, interpolation within one hazard category or substantially similar mixtures; with or without expert judgement) following Article 9(3) and Article 9(4) of Regulation (EC) No 1272/2008.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REG_EU / EN

500000004939