

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



## APESIN FOOD

WM 0714912

Order number: 0714912

Version 3.4

Revision Date 10.09.2026

Print Date 12.09.2026

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : APESIN FOOD  
UFI : EFP2-90KC-J00Y-16TH

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Cleaning agent  
Restricted to professional users.

#### 1.3 Details of the supplier of the safety data sheet

Company : Tana Chemie GmbH  
Rheinallee 96  
55120 Mainz  
Telephone : +49613196403  
Telefax : +4961319642526  
E-mail address : Produktsicherheit@werner-mertz.com  
Responsible/issuing person  
Contact person : Product development / product safety

#### 1.4 Emergency telephone

EU: 112

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Corrosive to Metals, Category 1 H290: May be corrosive to metals.  
Skin corrosion, Category 1A H314: Causes severe skin burns and eye damage.  
Serious eye damage, Category 1 H318: Causes serious eye damage.

#### 2.2 Label elements

##### Labeling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal Word : Danger  
Hazard Statements : H290 May be corrosive to metals.  
H314 Causes severe skin burns and eye damage.  
Precautionary Statements : P102 Keep out of reach of children.  
**Prevention:**

## APESIN FOOD

WM 0714912

Order number: 0714912

Version 3.4

Revision Date 10.09.2026

Print Date 12.09.2026

P260 Do not breathe spray.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**  
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.  
P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER/ doctor.

**Disposal:**  
P501 Dispose of container into the collection of recyclables only when it is completely empty.

Hazardous ingredients which must be listed on the label:  
methanesulphonic acid

Safety data sheet available on request.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Components

| Chemical name                                                               | CAS-No.<br>EC-No.<br>Index-No.<br>Registration number    | Classification                                                                                                               | Concentration<br>(% w/w) |
|-----------------------------------------------------------------------------|----------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| methanesulphonic acid                                                       | 75-75-2<br>200-898-6<br>607-145-00-4<br>01-2119491166-34 | Skin Corr. 1B; H314<br>Met. Corr. 1; H290<br>Acute Tox. 4; H302<br>Acute Tox. 4; H312<br>STOT SE 3; H335<br>Eye Dam. 1; H318 | >= 5 - < 10              |
| Sulfonic acids, C14-16-alkane<br>hydroxy and C14-16-alkene, sodium<br>salts | 68439-57-6<br>270-407-8931-534-0<br>01-2119513401-57     | Skin Irrit. 2; H315<br>Eye Dam. 1; H318<br><br>specific concentration<br>limit                                               | >= 5 - < 10              |

## APESIN FOOD

WM 0714912

Order number: 0714912

Version 3.4

Revision Date 10.09.2026

Print Date 12.09.2026

|                     |                                                            |                                                                                                                                                                                                                    |            |
|---------------------|------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
|                     |                                                            | Skin Irrit. 2; H315<br>≥ 5 %<br>Eye Irrit. 2; H319<br>> 5 - 38 %<br>Eye Dam. 1; H318<br>> 38 %                                                                                                                     |            |
| I-(+)-lactic acid   | 79-33-4<br>201-196-2<br>607-743-00-5<br>01-2119474164-39   | Skin Corr. 1C; H314<br>Eye Dam. 1; H318<br><br>specific concentration<br>limit<br>Skin Irrit. 2; H315<br>3 - < 5 %<br>Eye Dam. 1; H318<br>≥ 3 %<br>Eye Irrit. 2; H319<br>1 - < 3 %<br>Skin Corr. 1C; H314<br>≥ 5 % | ≥ 5 - < 10 |
| 1-butoxypropan-2-ol | 5131-66-8<br>225-878-4<br>603-052-00-8<br>01-2119475527-28 | Eye Irrit. 2; H319<br>Skin Irrit. 2; H315<br><br>specific concentration<br>limit<br>Eye Irrit. 2; H319<br>> 20 %<br>Skin Irrit. 2; H315<br>> 20 %                                                                  | ≥ 5 - < 10 |

### SECTION 4: First aid measures

#### 4.1 Description of first-aid measures

- General advice : Move out of dangerous area.  
Consult a physician.  
Show this material safety data sheet to the doctor in attendance.
- If inhaled : Move to fresh air.  
If symptoms persist, call a physician.
- In case of skin contact : Take off contaminated clothing and shoes immediately.  
Wash off with soap and plenty of water.  
Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.  
Protect unharmed eye.  
Continue rinsing eyes during transport to hospital.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.  
Do NOT induce vomiting.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
Take victim immediately to hospital.

## APESIN FOOD

WM 0714912

Order number: 0714912

Version 3.4

Revision Date 10.09.2026

Print Date 12.09.2026

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : corrosive effects

Risks : No information available.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : For specialist advice physicians should contact the Poisons Information Service.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : No hazardous combustion products are known

### 5.3 Advice for firefighters

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.  
Ensure adequate ventilation.  
Evacuate personnel to safe areas.

### 6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Neutralize with chalk, alkali solution or ammonia.  
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.

## APESIN FOOD

WM 0714912

Order number: 0714912

Version 3.4

Revision Date 10.09.2026

Print Date 12.09.2026

### 6.4 Reference to other sections

For personal protection see section 8., Treat recovered material as described in the section "Disposal considerations"., Refer to section 15 for specific national regulation.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

- Advice on safe handling : Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
To avoid spills during handling keep bottle on a metal tray.  
Dispose of rinse water in accordance with local and national regulations.
- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke.  
Wash hands before breaks and at the end of workday.

### 7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Store in original container. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store at room temperature in the original container.
- Further information on storage stability : No decomposition if stored and applied as directed.  
Protect from frost.

### 7.3 Specific end use(s)

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

**Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:**

| Substance name        | End Use   | Routes of exposure | Potential health effects   | Value       |
|-----------------------|-----------|--------------------|----------------------------|-------------|
| methanesulphonic acid | Workers   | Inhalation         | Long-term local effects    | 2,89 mg/m3  |
|                       | Workers   | Inhalation         | Long-term systemic effects | 19,44 mg/kg |
|                       | Workers   | Skin contact       | Long-term systemic effects | 19,44 mg/kg |
|                       | Consumers | Inhalation         | Long-term systemic effects | 1,44 mg/kg  |

## APESIN FOOD

WM 0714912

Order number: 0714912

Version 3.4

Revision Date 10.09.2026

Print Date 12.09.2026

|                                                                       |           |              |                                      |                   |
|-----------------------------------------------------------------------|-----------|--------------|--------------------------------------|-------------------|
|                                                                       | Consumers | Inhalation   | Acute systemic effects               | 1,44 mg/kg        |
|                                                                       | Consumers | Skin contact | Long-term systemic effects           | 8,33 mg/kg        |
|                                                                       | Workers   | Inhalation   | Long-term systemic effects           | 6,76 mg/m3        |
|                                                                       | Consumers | Ingestion    | Long-term systemic effects           | 8,33 mg/kg        |
|                                                                       | Consumers | Inhalation   | Long-term local effects              | 1,73 mg/m3        |
|                                                                       | Workers   | Inhalation   | Long-term exposure                   | 0,7 mg/m3         |
|                                                                       | Consumers | Inhalation   | Long-term local effects              | 0,42 mg/m3        |
| Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | Workers   | Skin contact | Long-term exposure, Systemic effects | 2158,33 mg/kg     |
|                                                                       | Workers   | Inhalation   | Long-term exposure, Systemic effects | 152,22 mg/m3      |
|                                                                       | Consumers | Skin contact | Long-term exposure, Systemic effects | 1295 mg/kg        |
|                                                                       | Consumers | Inhalation   | Long-term exposure, Systemic effects | 45,04 mg/m3       |
|                                                                       | Consumers | Ingestion    | Long-term exposure, Systemic effects | 12,95 mg/kg       |
| 1-butoxypropan-2-ol                                                   | Workers   | Inhalation   | Long-term systemic effects           | 147 mg/m3         |
|                                                                       | Workers   | Skin contact | Long-term systemic effects           | 52 mg/kg bw/day   |
|                                                                       | Consumers | Inhalation   | Long-term systemic effects           | 43 mg/m3          |
|                                                                       | Consumers | Dermal       | Long-term systemic effects           | 22 mg/kg bw/day   |
|                                                                       | Consumers | Ingestion    | Long-term systemic effects           | 12,5 mg/kg bw/day |

**Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:**

| Substance name        | Environmental Compartment | Value      |
|-----------------------|---------------------------|------------|
| methanesulphonic acid | Fresh water               | 0,012 mg/l |

## APESIN FOOD

WM 0714912

Order number: 0714912

Version 3.4

Revision Date 10.09.2026

Print Date 12.09.2026

|                                                                       |                          |               |
|-----------------------------------------------------------------------|--------------------------|---------------|
|                                                                       | Sea water                | 0,0012 mg/l   |
|                                                                       | Fresh water sediment     | 0,0251 mg/kg  |
|                                                                       | Soil                     | 0,00183 mg/kg |
|                                                                       | Intermittent use/release | 0,12 mg/l     |
|                                                                       | Sewage treatment plant   | 100 mg/l      |
| Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | Fresh water              | 0,042 mg/l    |
|                                                                       | Sea water                | 0,0042 mg/l   |
|                                                                       | Fresh water sediment     | 2,025 mg/l    |
|                                                                       | Sea sediment             | 0,2025 mg/l   |
|                                                                       | Soil                     | 0,0061 mg/l   |
|                                                                       | STP                      | 4 mg/l        |
| 1-butoxypropan-2-ol                                                   | Fresh water              | 0,525 mg/l    |
|                                                                       | Sea water                | 0,0525 mg/l   |
|                                                                       | Fresh water sediment     | 2,36 mg/kg    |
|                                                                       | Sea sediment             | 0,236 mg/kg   |
|                                                                       | Soil                     | 0,16 mg/kg    |
|                                                                       | STP                      | 10 mg/l       |
|                                                                       | intermittent release     | 5,25 mg/l     |

### 8.2 Exposure controls

#### Personal protective equipment

Eye/face protection : Tightly fitting safety goggles

Hand protection

Material : Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374.

Remarks : Take note of the information given by the producer concerning permeability and break through times, and of special workplace

## APESIN FOOD

WM 0714912

Order number: 0714912

Version 3.4

Revision Date 10.09.2026

Print Date 12.09.2026

conditions (mechanical strain, duration of contact).

Skin and body protection : Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Remove and wash contaminated clothing before re-use.

Respiratory protection : Not required; except in case of aerosol formation.

Recommended Filter type:

ABEK-P3-filter

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

|                                        |                              |
|----------------------------------------|------------------------------|
| Physical state                         | : liquid                     |
| Color                                  | : light yellow               |
| Odor                                   | : characteristic             |
| Melting point/freezing point           | : No data available          |
| Boiling point/boiling range            | : No data available          |
| Flammability (solid, gas)              | : No data available          |
| Flammability (liquids)                 | : No data available          |
| Lower explosion limit                  | : No data available          |
| Upper explosion limit                  | : No data available          |
| Flash point                            | : does not flash             |
| Ignition temperature                   | : No data available          |
| Decomposition temperature              | : No data available          |
| pH                                     | : ca. 0,3, 100 %<br>at 20 °C |
| Viscosity, dynamic                     | : No data available          |
| Viscosity, kinematic                   | : No data available          |
| Water solubility                       | : No data available          |
| Solubility in other solvents           | : No data available          |
| Partition coefficient: n-octanol/water | : No data available          |
| Vapor pressure                         | : No data available          |

## APESIN FOOD

WM 0714912

Order number: 0714912

Version 3.4

Revision Date 10.09.2026

Print Date 12.09.2026

Density : ca. 1,048 g/cm<sup>3</sup> at 20 °C

Relative density : No data available

Relative vapor density : No data available

Particle characteristics : No data available

### 9.2 Other information

none

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Stable under recommended storage conditions.  
No dangerous reaction known under conditions of normal use.

### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.  
No decomposition if used as directed.

### 10.4 Conditions to avoid

Conditions to avoid : Protect from frost.

### 10.5 Incompatible materials

Materials to avoid : No data available

### 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Our company is strongly against animal testing.  
Our company does not place any orders for animal testing for the finished product or the ingredients.  
However, as a result of EU legislation (REACH Regulation), the manufacturers of ingredients or EU importers are obliged to test ingredients with regard to their effects on human health and the environment before they are brought onto the market. Some of the tests made necessary by this took place decades ago.

#### Acute toxicity

##### Product:

Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg  
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2.000 mg/kg  
Method: Calculation method

## APESIN FOOD

WM 0714912

Order number: 0714912

Version 3.4

Revision Date 10.09.2026

Print Date 12.09.2026

### Components:

#### **methanesulphonic acid**

##### **75-75-2:**

- Acute oral toxicity : LD50 Oral (Rat): 200 mg/kg  
LD50 Oral (Rat): 649 mg/kg
- Acute inhalation toxicity : LC0 (Mouse): > 1,88 mg/l  
Exposure time: 1 h  
LC0 (Rat): 0,74 mg/l  
Exposure time: 6 h
- Acute dermal toxicity : LD50 Dermal (Rabbit): < 2.000 mg/kg

#### **Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts**

##### **68439-57-6:**

- Acute oral toxicity : LD50 Oral (Rat): > 2.000 mg/kg  
Method: OECD Test Guideline 401
- Acute inhalation toxicity : LC50 (Rat): 52 mg/l  
Exposure time: 4 h  
Method: OECD Test Guideline 403
- Acute dermal toxicity : LD50 Dermal (Rabbit): 6.300 mg/kg  
Method: OECD Test Guideline 402

#### **l-(+)-lactic acid**

##### **79-33-4:**

- Acute oral toxicity : LD50 (Mouse): 4.875 mg/kg  
LD50 Oral (Guinea pig): 1.810 mg/kg  
LD50 Oral (Rat, female): 3.543 mg/kg  
Method: US EPA Test Guideline OPP 81-1  
LD50 Oral (Rat, male): 4.936 mg/kg
- Acute inhalation toxicity : LC50 (Rat, male and female): 7,94 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403
- Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

#### **1-butoxypropan-2-ol**

##### **5131-66-8:**

- Acute oral toxicity : LD50 Oral (Rat, male and female): 3.300 mg/kg  
Method: OECD Test Guideline 423  
LD50 (Rat): > 2.000 mg/kg
- Acute inhalation toxicity : LC50 (Rat, male and female): 651 mg/l  
Exposure time: 4 h

## APESIN FOOD

WM 0714912

Order number: 0714912

Version 3.4

Revision Date 10.09.2026

Print Date 12.09.2026

LC50 (Rat): 3,5 mg/l  
Exposure time: 4 h  
Test atmosphere: vapor

Acute dermal toxicity : LD50 Dermal (Rat, male and female): > 2.000 mg/kg  
Method: OECD Test Guideline 402

### Skin corrosion/irritation

#### Product:

Remarks : Extremely corrosive and destructive to tissue.

#### Components:

##### methanesulphonic acid

###### 75-75-2:

Result : Causes severe burns.

##### Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts

###### 68439-57-6:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Irritating to skin.

##### I-(+)-lactic acid

###### 79-33-4:

Result : Corrosive after 1 to 4 hours of exposure

### Serious eye damage/eye irritation

#### Product:

Remarks : May cause irreversible eye damage.

#### Components:

##### methanesulphonic acid

###### 75-75-2:

Result : Causes serious eye damage.

##### Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts

###### 68439-57-6:

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Risk of serious damage to eyes.

##### I-(+)-lactic acid

###### 79-33-4:

Species : Chicken eye  
Result : Causes serious eye damage.

## APESIN FOOD

WM 0714912

Order number: 0714912

Version 3.4

Revision Date 10.09.2026

Print Date 12.09.2026

### Respiratory or skin sensitization

#### Product:

Remarks : No data available

#### Components:

**Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts**

##### **68439-57-6:**

Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : Did not cause sensitization on laboratory animals.

#### **I-(+)-lactic acid**

##### **79-33-4:**

Species : Guinea pig  
Result : Not a skin sensitizer.

Germ cell mutagenicity : Not Rated

Carcinogenicity : Not Rated

Reproductive toxicity : Not Rated

STOT-single exposure : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### Repeated dose toxicity

#### Components:

**Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts**

##### **68439-57-6:**

Species : Rat  
NOAEL : 259 mg/kg  
Application Route : Dermal  
Exposure time : 2 Years

#### **I-(+)-lactic acid**

##### **79-33-4:**

Species : Rat  
LOAEL : 886 mg/kg  
Application Route : Dermal

Application Route : Oral

Aspiration toxicity : Not Rated

## APESIN FOOD

WM 0714912

Order number: 0714912

Version 3.4

Revision Date 10.09.2026

Print Date 12.09.2026

### 11.2 Information on other hazards

#### Endocrine disrupting properties

**Product:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### Further information

**Product:**

Remarks : No data available

## SECTION 12: Ecological information

### 12.1 Toxicity

**Components:**

**methanesulphonic acid**

**75-75-2:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 10 - 100 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203

LC50 (Cyprinodon variegatus (sheepshead minnow)): > 10.000 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10 - 100 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Selenastrum capricornutum (green algae)): 10 - 100 mg/l  
Exposure time: 72 h  
Test Type: Growth inhibition  
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC20 (activated sludge): > 1.000 mg/l  
Exposure time: 0,5 h  
Method: ISO 8192

**Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts**

**68439-57-6:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 4,2 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : (Daphnia magna (Water flea)): 4,53 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



## APESIN FOOD

WM 0714912

Order number: 0714912

Version 3.4

Revision Date 10.09.2026

Print Date 12.09.2026

Toxicity to algae/aquatic plants : (Skeletonema costatum (marine diatom)): 5,2 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 (Bacteria): 230 mg/l  
Method: OECD Test Guideline 209

Sediment toxicity : 2025 mg/l  
Duration: 10 d

### I-(+)-lactic acid

#### 79-33-4:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 130 mg/l  
Exposure time: 96 h

LC50 (Danio rerio (zebra fish)): 320 mg/l  
Exposure time: 48 h

LC50 (Oncorhynchus mykiss (rainbow trout)): 130 mg/l  
Exposure time: 96 h  
Method: EPA-660/3-75-009

LC50 (Danio rerio (zebra fish)): 195 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 130 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
GLP: yes

EC50 (Daphnia pulex (Water flea)): 240 mg/l  
Exposure time: 48 h

EC50 (Daphnia magna (Water flea)): 250 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Scenedesmus capricornutum (fresh water algae)): 3.500 mg/l  
EC50 (Pseudokirchneriella subcapitata (algae)): > 2.800 mg/l  
Exposure time: 72 h

NOEC (Pseudokirchneriella subcapitata (green algae)): 1.900 mg/l  
Exposure time: 70 h

EC50 (Raphidocelis subcapitata (freshwater green alga)): > 3.500 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l  
Exposure time: 3 h

Toxicity to fish (Chronic toxicity) : Lowest Observed Effect Concentration: 2,18 mg/l  
Exposure time: 90 d  
Species: Fish

Toxicity to terrestrial organisms : LC50: 2.250 mg/kg>  
Exposure time: 14 d

## APESIN FOOD

WM 0714912

Order number: 0714912

Version 3.4

Revision Date 10.09.2026

Print Date 12.09.2026

Species: *Colinus virginianus* (Bobwhite quail)

### 1-butoxypropan-2-ol

#### 5131-66-8:

Toxicity to fish

: LC50 (*Poecilia reticulata* (guppy)): 560 - 1.000 mg/l  
Exposure time: 96 h

NOEC (*Poecilia reticulata* (guppy)): 180 mg/l  
Exposure time: 96 h

LC50 (Fish): 1.000 mg/l  
Exposure time: 96 h

LC50 (*Pimephales promelas* (fathead minnow)): > 100 mg/l  
Exposure time: 96 h

EC50 (Fish): < 320 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other  
aquatic invertebrates

: EC50 (*Daphnia magna* (Water flea)): > 1.000 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

NOEC (*Daphnia magna* (Water flea)): 560 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants

: EC50 (*Pseudokirchneriella subcapitata* (microalgae)): > 1.000 mg/l  
Exposure time: 96 h  
Test Type: Cell multiplication inhibition test

NOEC (*Selenastrum capricornutum*): 560 mg/l  
Exposure time: 96 h

Toxicity to microorganisms

: EC50 (Bacteria): > 1.000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

## 12.2 Persistence and degradability

### Components:

#### methanesulphonic acid

##### 75-75-2:

Biodegradability

: Result: rapidly biodegradable  
Biodegradation: > 99 %  
Exposure time: 28 d

#### Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts

##### 68439-57-6:

Biodegradability

: Result: rapidly biodegradable  
Biodegradation: > 80 %  
Method: OECD 301 B  
Remarks: According to the results of tests of biodegradability this product is considered as being readily biodegradable.

Chemical Oxygen Demand  
(COD)

: 790 mg/g

Dissolved organic carbon (DOC)

: 190 mg/g

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



## APESIN FOOD

WM 0714912

Order number: 0714912

Version 3.4

Revision Date 10.09.2026

Print Date 12.09.2026

### **L-(+)-lactic acid**

#### **79-33-4:**

Biodegradability : Result: rapidly biodegradable

Biochemical Oxygen Demand (BOD) : 450 mg/g  
Incubation time: 5 d

600 mg/g  
Incubation time: 20 d

Chemical Oxygen Demand (COD) : 900 mg/g

ThOD : 1.067 mg/g

### **1-butoxypropan-2-ol**

#### **5131-66-8:**

Biodegradability : Biodegradation: 90 %  
Exposure time: 28 d  
Method: OECD 301 E  
Remarks: Readily biodegradable, according to appropriate OECD test.

## **12.3 Bioaccumulative potential**

### Components:

#### **methanesulphonic acid**

##### **75-75-2:**

Partition coefficient: n-octanol/water : log Pow: -2,38

### **L-(+)-lactic acid**

#### **79-33-4:**

Bioaccumulation : Remarks: Product does not contain substances which are persistent, bioaccumulative, and toxic (PBT) at levels of 0.1% or higher.  
Product does not contain substances which are very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### **1-butoxypropan-2-ol**

#### **5131-66-8:**

Bioaccumulation : Bioconcentration factor (BCF): < 100  
Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 3,2

log Pow: 1,2 (20 °C)  
pH: 7

## **12.4 Mobility in soil**

### Components:

#### **methanesulphonic acid**

##### **75-75-2:**

## APESIN FOOD

WM 0714912

Order number: 0714912

Version 3.4

Revision Date 10.09.2026

Print Date 12.09.2026

Distribution among environmental compartments : Koc: 1  
Remarks: Highly mobile in soils

### 12.5 Results of PBT and vPvB assessment

**Product:**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Endocrine disrupting properties

**Product:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

**Product:**

Additional ecological information : There is no data available for this product.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : Do not dispose of waste into sewer.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
In accordance with local and national regulations.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

Waste Code : European Waste Catalog  
20 01 29\*  
According to the European Waste Catalog, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADR : 3265  
IMDG : 3265  
IATA : 3265

### 14.2 UN proper shipping name

ADR : CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.  
(methanesulphonic acid)

IMDG : CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.  
(methanesulphonic acid)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



## APESIN FOOD

WM 0714912

Order number: 0714912

Version 3.4

Revision Date 10.09.2026

Print Date 12.09.2026

**IATA** : Corrosive liquid, acidic, organic, n.o.s.

### 14.3 Transport hazard class(es)

**ADR** : 8

**IMDG** : 8

**IATA** : 8

### 14.4 Packing group

#### **ADR**

Classification Code : C3

Packaging group : III

Hazard Identification Number : 80

Labels : 8

Tunnel restriction code : (E)

#### **IMDG**

Packaging group : III

Labels : 8

EmS Number : F-A, S-B

#### **IATA**

**(Cargo)** : Corrosive liquid, acidic, organic, n.o.s.

Packaging group : III

Labels : 8

### 14.5 Environmental hazards

#### **ADR**

Environmentally hazardous : no

#### **IMDG**

Marine pollutant : no

#### **IATA**

Environmentally hazardous : no

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

For personal protection see section 8.

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : See Annex XVII to Regulation (EC) no 1907/2006 for Conditions of restriction

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving : Not applicable

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



## APESIN FOOD

WM 0714912

Order number: 0714912

Version 3.4

Revision Date 10.09.2026

Print Date 12.09.2026

dangerous substances.

TA Luft List (Germany) : Total dust: Not applicable  
: Inorganic substances in powdered form: Not applicable  
: Inorganic substances in vapor or gaseous form: Not applicable  
: Organic Substances: : portionClass 1: 7 %  
: Carcinogenic substances: Not applicable  
: mutagenic: Not applicable  
: Toxic to reproduction: Not applicable

Volatile organic compounds (VOC) content : Directive 2010/75/EU of 24 November 2010 on industrial and livestock rearing emissions (integrated pollution prevention and control)  
Update: Percent volatile: 10,64 %

Regulation (EU) No 528/2012 of the European Parliament and of the Council of 22 May 2012 concerning the making available on the market and use of biocidal products

Registration number : BC-VN051320-34

according to Detergents : 5 - <15% anionic surfactants, LACTIC ACID  
Regulation EC 648/2004

### 15.2 Chemical Safety Assessment

#### SECTION 16: Other information

##### Full text of H-Statements

H290 : May be corrosive to metals.  
H302 : Harmful if swallowed.  
H312 : Harmful in contact with skin.  
H314 : Causes severe skin burns and eye damage.  
H315 : Causes skin irritation.  
H318 : Causes serious eye damage.  
H319 : Causes serious eye irritation.  
H335 : May cause respiratory irritation.

##### Full text of other abbreviations

Acute Tox. : Acute toxicity  
Eye Dam. : Serious eye damage  
Eye Irrit. : Eye irritation  
Met. Corr. : Corrosive to Metals  
Skin Corr. : Skin corrosion  
Skin Irrit. : Skin irritation  
STOT SE : Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



## APESIN FOOD

WM 0714912

Order number: 0714912

Version 3.4

Revision Date 10.09.2026

Print Date 12.09.2026

Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### Classification of the mixture:

|               |      |
|---------------|------|
| Met. Corr. 1  | H290 |
| Skin Corr. 1A | H314 |
| Eye Dam. 1    | H318 |

#### Classification procedure:

|                        |
|------------------------|
| Calculation method     |
| On basis of test data. |
| On basis of test data. |

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REG\_EU / EN

500000004796