

## GREASE SPEED

WM 1209686

Order number: 0709686

Version 9.1

Revision Date 21.01.2026

Print Date 11.03.2026

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : GREASE SPEED  
UFI : DTS1-A0AH-X00M-195R

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Cleaning agent  
Restricted to professional users.

#### 1.3 Details of the supplier of the safety data sheet

Company : Tana Chemie GmbH  
Rheinallee 96  
55120 Mainz  
Telephone : +49613196403  
Telefax : +4961319642526  
E-mail address : Produktsicherheit@werner-mertz.com  
Responsible/issuing person  
Contact person : Product development / product safety

#### 1.4 Emergency telephone

EU: 112

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Skin corrosion, Category 1B H314: Causes severe skin burns and eye damage.

#### 2.2 Label elements

##### Labeling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H314 Causes severe skin burns and eye damage.

Precautionary Statements : P102 Keep out of reach of children.

**Prevention:**  
P260 Do not breathe spray.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**  
P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



## GREASE SPEED

WM 1209686

Order number: 0709686

Version 9.1

Revision Date 21.01.2026

Print Date 11.03.2026

P305 + P351 + P338 contaminated clothing. Rinse skin with water.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER/ doctor.

P310  
**Disposal:**  
P501

Dispose of container into the collection of recyclables only when it is completely empty.

Hazardous ingredients which must be listed on the label:  
sodium hydroxide

### Additional Labeling:

Safety data sheet available on request.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Chemical nature : Aqueous surfactant solution.

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Sodium metasilicate, pentahydrate	10213-79-3 01-2119449811-37	Met. Corr. 1; H290 Skin Corr. 1B; H314 Eye Dam. 1; H318 STOT SE 3; H335	>= 1 - < 3
sodium hydroxide	1310-73-2 215-185-5 011-002-00-6 01-2119457892-27	Met. Corr. 1; H290 Skin Corr. 1A; H314 Eye Dam. 1; H318  specific concentration limit Skin Corr. 1A; H314 >= 5 % Skin Corr. 1B; H314 2 - < 5 % Skin Irrit. 2; H315	>= 1 - < 2

## GREASE SPEED

WM 1209686

Order number: 0709686

Version 9.1

Revision Date 21.01.2026

Print Date 11.03.2026

		0,5 - < 2 % Eye Irrit. 2; H319 0,5 - < 2 %	
Quaternary C12-14 alkyl methyl amine ethoxylate methyl chloride	1554325-20-0	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318	>= 1 - < 3

### SECTION 4: First aid measures

#### 4.1 Description of first-aid measures

- General advice : Move out of dangerous area.  
Consult a physician.  
Show this material safety data sheet to the doctor in attendance.
- If inhaled : Move to fresh air.  
Consult a physician after significant exposure.
- In case of skin contact : Take off contaminated clothing and shoes immediately.  
Wash off with soap and plenty of water.  
Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.  
Protect unharmed eye.  
Continue rinsing eyes during transport to hospital.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.  
Do NOT induce vomiting.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
Take victim immediately to hospital.

#### 4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : corrosive effects  
Irritation
- Risks : No information available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : For specialist advice physicians should contact the Poisons Information Service.

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### 5.2 Special hazards arising from the substance or mixture

- Specific hazards during fire : Do not allow run-off from fire fighting to enter drains or water

## GREASE SPEED

WM 1209686

Order number: 0709686

Version 9.1

Revision Date 21.01.2026

Print Date 11.03.2026

fighting

courses.

Hazardous combustion products : No hazardous combustion products are known

### 5.3 Advice for firefighters

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.  
Ensure adequate ventilation.  
Evacuate personnel to safe areas.

### 6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Neutralize with acid.  
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For personal protection see section 8., Treat recovered material as described in the section "Disposal considerations"., Refer to section 15 for specific national regulation.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of aerosol.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
To avoid spills during handling keep bottle on a metal tray.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke.  
Wash hands before breaks and at the end of workday.

## GREASE SPEED

WM 1209686

Order number: 0709686

Version 9.1

Revision Date 21.01.2026

Print Date 11.03.2026

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in original container. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store at room temperature in the original container.

Further information on storage stability : No decomposition if stored and applied as directed.

### 7.3 Specific end use(s)

Specific use(s) : Cleaning agent

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of exposure	Potential health effects	Value
Sodiumsilicate, pentahydrate, Silicic acid (H <sub>2</sub> SiO <sub>3</sub> ), disodium salt, pentahydrate, Sodium silicate pentahydrate	Consumers	Oral	Long-term systemic effects	0,74 mg/kg
	Workers	Inhalation	Long-term systemic effects	6,22 mg/m <sup>3</sup>
	Consumers	Inhalation	Long-term systemic effects	1,55 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	1,49 mg/kg
sodium hydroxide	Consumers	Skin contact	Long-term systemic effects	0,74 mg/kg
	Workers	Inhalation	Long-term local effects	1,0 mg/m <sup>3</sup>
	Workers	Inhalation	Long-term systemic effects, Long-term local effects	1,5 mg/m <sup>3</sup>
	Workers	Inhalation	Short-term exposure, Local effects, Systemic effects	3 mg/m <sup>3</sup>
	Consumers	Inhalation	Long-term local effects, Long-term systemic	0,6 mg/m <sup>3</sup>

**GREASE SPEED**

**WM 1209686**

**Order number: 0709686**

Version 9.1

Revision Date 21.01.2026

Print Date 11.03.2026

			effects	
	Consumers	Inhalation	Short-term exposure, Local effects, Systemic effects	1,2 mg/m3
	Consumers	Ingestion	Long-term local effects, Long-term systemic effects	25 mg/m3

**Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:**

Substance name	Environmental Compartment	Value
Sodiumsilicate, pentahydrate, Silicic acid (H <sub>2</sub> SiO <sub>3</sub> ), disodium salt, pentahydrate, Sodium silicate pentahydrate	Fresh water	7,5 mg/l
	Sea water	1 mg/l
	intermittent release	7,5 mg/l
	STP	1000 mg/l

**8.2 Exposure controls**

**Personal protective equipment**

Eye/face protection : Tightly fitting safety goggles

Hand protection

Material : Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374.

Remarks : Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).

Skin and body protection : Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Remove and wash contaminated clothing before re-use.

Respiratory protection : Not required; except in case of aerosol formation.

## GREASE SPEED

WM 1209686

Order number: 0709686

Version 9.1

Revision Date 21.01.2026

Print Date 11.03.2026

Recommended Filter type:

ABEK-P3-filter

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Physical state	: liquid
Color	: colorless
Odor	: characteristic
Melting point/freezing point	: No data available
Boiling point/boiling range	: No data available
Flammability (solid, gas)	: No data available
Flammability (liquids)	: No data available
Lower explosion limit	: No data available
Upper explosion limit	: No data available
Flash point	: does not flash
Ignition temperature	: No data available
Decomposition temperature	: No data available
pH	: ca. 13,0, 100 % at 20 °C
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Water solubility	: soluble
Solubility in other solvents	: No data available
Partition coefficient: n- octanol/water	: No data available
Vapor pressure	: No data available
Density	: ca. 1,045 g/cm <sup>3</sup> at 20 °C
Relative density	: No data available
Relative vapor density	: No data available
Particle characteristics	: No data available

#### 9.2 Other information

none

## GREASE SPEED

WM 1209686

Order number: 0709686

Version 9.1

Revision Date 21.01.2026

Print Date 11.03.2026

### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

Stable under recommended storage conditions.  
No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

No decomposition if stored and applied as directed.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.  
No decomposition if used as directed.

#### 10.4 Conditions to avoid

Conditions to avoid : No data available

#### 10.5 Incompatible materials

Materials to avoid : No data available

#### 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

### SECTION 11: Toxicological information

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Our company is strongly against animal testing.  
Our company does not place any orders for animal testing for the finished product or the ingredients.  
However, as a result of EU legislation (REACH Regulation), the manufacturers of ingredients or EU importers are obliged to test ingredients with regard to their effects on human health and the environment before they are brought onto the market. Some of the tests made necessary by this took place decades ago.

#### Acute toxicity

##### Product:

Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg  
Method: Calculation method

##### Components:

#### Sodium metasilicate, pentahydrate

##### 10213-79-3:

Acute oral toxicity : LD50 (Rat): 1.152 - 1.349 mg/kg

Acute inhalation toxicity : LC50 (Rat): 2,06 mg/l

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg

#### sodium hydroxide

##### 1310-73-2:

Acute oral toxicity : LD50 Oral (Rat): 2.000 mg/kg

## GREASE SPEED

WM 1209686

Order number: 0709686

Version 9.1

Revision Date 21.01.2026

Print Date 11.03.2026

### Quaternary C12-14 alkyl methyl amine ethoxylate methyl chloride

#### 1554325-20-0:

Acute oral toxicity : LD50 (Rat): > 300 - 2.000 mg/kg

### Skin corrosion/irritation

#### Product:

Remarks : Extremely corrosive and destructive to tissue.

#### Components:

##### sodium hydroxide

#### 1310-73-2:

Result : Corrosive

### Quaternary C12-14 alkyl methyl amine ethoxylate methyl chloride

#### 1554325-20-0:

Result : Skin irritation

### Serious eye damage/eye irritation

#### Product:

Remarks : May cause irreversible eye damage.

#### Components:

##### sodium hydroxide

#### 1310-73-2:

Result : Corrosive

### Quaternary C12-14 alkyl methyl amine ethoxylate methyl chloride

#### 1554325-20-0:

Result : Risk of serious damage to eyes.

### Respiratory or skin sensitization

#### Product:

Remarks : No data available

#### Components:

### Quaternary C12-14 alkyl methyl amine ethoxylate methyl chloride

#### 1554325-20-0:

Result : Does not cause skin sensitization.

### Germ cell mutagenicity

Germ cell mutagenicity : Not Rated

## GREASE SPEED

WM 1209686

Order number: 0709686

Version 9.1

Revision Date 21.01.2026

Print Date 11.03.2026

### Components:

#### Quaternary C12-14 alkyl methyl amine ethoxylate methyl chloride

##### 1554325-20-0:

Genotoxicity in vitro	:	Test Type: Ames test Result: negative
Carcinogenicity	:	Not Rated
Reproductive toxicity	:	Not Rated
STOT-single exposure	:	The substance or mixture is not classified as specific target organ toxicant, single exposure.
STOT-repeated exposure	:	The substance or mixture is not classified as specific target organ toxicant, repeated exposure.
Aspiration toxicity	:	Not Rated

### 11.2 Information on other hazards

#### Endocrine disrupting properties

##### Product:

Assessment	:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
------------	---	---

#### Further information

##### Product:

Remarks	:	No data available
---------	---	-------------------

---

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Components:

##### Sodiumsilicate, pentahydrate, Silicic acid (H<sub>2</sub>SiO<sub>3</sub>), disodium salt, pentahydrate, Sodium silicate pentahydrate

##### 10213-79-3:

Toxicity to fish	:	LC50 (Brachydanio rerio): 210 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 1.700 mg/l Exposure time: 48 h

##### sodium hydroxide

##### 1310-73-2:

Toxicity to fish	:	LC50 (Fish): 33 - 189 mg/l Exposure time: 96 h
------------------	---	---

## GREASE SPEED

WM 1209686

Order number: 0709686

Version 9.1

Revision Date 21.01.2026

Print Date 11.03.2026

- LC50 (Gambusia affinis (Mosquito fish)): 125 mg/l  
Exposure time: 96 h
- LC50 (Poecilia reticulata (guppy)): 76 mg/l  
Exposure time: 24 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia): 40,4 mg/l
- EC50 (Daphnia magna (Water flea)): 76 mg/l  
Exposure time: 24 h
- EC50 (Ceriodaphnia (water flea)): 40,4 mg/l  
Exposure time: 48 h  
Test Type: Immobilization
- Toxicity to microorganisms : EC50 (Photobacterium phosphoreum): 22 mg/l  
Exposure time: 15 min

### Quaternary C12-14 alkyl methyl amine ethoxylate methyl chloride

1554325-20-0:

- Toxicity to fish : LC50 (Fish): > 10 - 100 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia): > 1 - 10 mg/l  
Exposure time: 48 h
- Toxicity to algae/aquatic plants : EC50 : > 1 - 10 mg/l  
Exposure time: 72 h

## 12.2 Persistence and degradability

### Product:

- Biodegradability : Remarks: The surfactant(s) contained in this preparation complies (comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.

### Components:

#### sodium hydroxide

1310-73-2:

- Biodegradability : Result: Biodegradable  
Remarks: The methods for determining the biological degradability are not applicable to inorganic substances.

#### Quaternary C12-14 alkyl methyl amine ethoxylate methyl chloride

1554325-20-0:

- Biodegradability : Result: rapidly biodegradable  
Method: OECD 301 D

## 12.3 Bioaccumulative potential

### Components:

#### sodium hydroxide

1310-73-2:

- Bioaccumulation : Species: Fish  
Remarks: No bioaccumulation is to be expected (log Pow <= 4).

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



## GREASE SPEED

WM 1209686

Order number: 0709686

Version 9.1

Revision Date 21.01.2026

Print Date 11.03.2026

### Quaternary C12-14 alkyl methyl amine ethoxylate methyl chloride

1554325-20-0:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

##### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

##### Components:

### Quaternary C12-14 alkyl methyl amine ethoxylate methyl chloride

1554325-20-0:

Assessment : Not persistent, bioaccumulative, and toxic (PBT).. Not very persistent and very bioaccumulative (vPvB).

#### 12.6 Endocrine disrupting properties

##### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### 12.7 Other adverse effects

##### Product:

Additional ecological information : There is no data available for this product.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : Do not dispose of waste into sewer.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
In accordance with local and national regulations.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

Waste Code : European Waste Catalog  
20 01 29\*  
According to the European Waste Catalog, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

## GREASE SPEED

WM 1209686

Order number: 0709686

Version 9.1

Revision Date 21.01.2026

Print Date 11.03.2026

### SECTION 14: Transport information

#### 14.1 UN number or ID number

ADR : 1760  
IMDG : 1760  
IATA : 1760

#### 14.2 UN proper shipping name

ADR : CORROSIVE LIQUID, N.O.S.  
(sodium hydroxide)  
IMDG : CORROSIVE LIQUID, N.O.S.  
(sodium hydroxide)  
IATA : Corrosive liquid, n.o.s.

#### 14.3 Transport hazard class(es)

ADR : 8  
IMDG : 8  
IATA : 8

#### 14.4 Packing group

ADR  
Classification Code : C9  
Packaging group : II  
Hazard Identification Number : 80  
Labels : 8  
Tunnel restriction code : (E)  
IMDG  
Packaging group : II  
Labels : 8  
EmS Number : F-A, S-B  
IATA  
(Cargo) : Corrosive liquid, n.o.s.  
Packaging group : II  
Labels : 8

#### 14.5 Environmental hazards

ADR  
Environmentally hazardous : no

IMDG  
Marine pollutant : no  
IATA  
Environmentally hazardous : no

#### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

For personal protection see section 8.

#### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## GREASE SPEED

WM 1209686

Order number: 0709686

Version 9.1

Revision Date 21.01.2026

Print Date 11.03.2026

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Not applicable

: Directive 96/82/EC does not apply

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. : Not applicable

TA Luft List (Germany) : Total dust: Not applicable  
: Inorganic substances in powdered form: Not applicable  
: Inorganic substances in vapor or gaseous form: Not applicable  
: Organic Substances: Not applicable  
: Carcinogenic substances: Not applicable  
: mutagenic: Not applicable  
: Toxic to reproduction: Not applicable

Volatile organic compounds (VOC) content : Directive 2010/75/EU of 24 November 2010 on industrial and livestock rearing emissions (integrated pollution prevention and control)  
Update: Not applicable

according to Detergents Regulation EC 648/2004 : <5% cationic surfactants, non-ionic surfactants

#### 15.2 Chemical Safety Assessment

There is no data available for this product.

### SECTION 16: Other information

#### Full text of H-Statements

H290 : May be corrosive to metals.  
H302 : Harmful if swallowed.  
H314 : Causes severe skin burns and eye damage.  
H315 : Causes skin irritation.  
H318 : Causes serious eye damage.  
H335 : May cause respiratory irritation.

#### Full text of other abbreviations

Acute Tox. : Acute toxicity  
Eye Dam. : Serious eye damage  
Met. Corr. : Corrosive to Metals  
Skin Corr. : Skin corrosion  
Skin Irrit. : Skin irritation  
STOT SE : Specific target organ toxicity - single exposure

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Werner & Mertz  
Professional

## GREASE SPEED

WM 1209686

Order number: 0709686

Version 9.1

Revision Date 21.01.2026

Print Date 11.03.2026

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### Classification of the mixture:

Skin Corr. 1B

H314

#### Classification procedure:

Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REG\_EU / EN

500000000965