

NOWA NEUTRAL 200 L F/NL/P/E/D

WM 1303865

Order number: 0403865

Version 9.2

Revision Date 21.01.2026

Print Date 11.03.2026

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : NOWA NEUTRAL 200 L F/NL/P/E/D
UFI : RP8D-J04P-X008-326V

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Cleaning agent
Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Company : Tana Chemie GmbH
Rheinallee 96
55120 Mainz
Telephone : +49613196403
Telefax : +4961319642526
E-mail address : Produktsicherheit@werner-mertz.com
Responsible/issuing person
Contact person : Product development / product safety

1.4 Emergency telephone

EU: 112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Eye irritation, Category 2 H319: Causes serious eye irritation.

Skin sensitization, Category 1 H317: May cause an allergic skin reaction.

2.2 Label elements

Labeling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

Precautionary Statements : P102 Keep out of reach of children.

Prevention:
P280 Wear protective gloves/ eye protection/ face protection.
Response:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



NOWA NEUTRAL 200 L F/NL/P/E/D

WM 1303865

Order number: 0403865

Version 9.2

Revision Date 21.01.2026

Print Date 11.03.2026

P333 + P313	If skin irritation or rash occurs: Get medical advice/ attention.
P337 + P313	If eye irritation persists: Get medical advice/ attention.
Disposal: P501	Dispose of container into the collection of recyclables only when it is completely empty.

Hazardous ingredients which must be listed on the label:

2-methyl-2H-isothiazol-3-one
1,2-benzisothiazol-3(2H)-one

Safety data sheet available on request.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Aqueous surfactant solution.

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3 500-234-8 01-2119488639-16	Skin Irrit. 2; H315 Eye Dam. 1; H318 specific concentration limit Eye Irrit. 2; H319 5 - < 10 % Eye Dam. 1; H318 >= 10,0 % Skin Irrit. 2; H315 >= 10 %	>= 5 - < 10
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	147170-44-3 931-296-8 01-2119488533-30	Eye Dam. 1; H318 Aquatic Chronic 3; H412 specific concentration	>= 1 - < 2,5

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Werner & Mertz
Professional

NOWA NEUTRAL 200 L F/NL/P/E/D

WM 1303865

Order number: 0403865

Version 9.2

Revision Date 21.01.2026

Print Date 11.03.2026

		<p>limit Eye Irrit. 2; H319 > 4 - 10 % Eye Dam. 1; H318 > 10,0 % Acute Tox. 5; H303, H313 > 30 %</p>	
2-methyl-2H-isothiazol-3-one	<p>2682-20-4 220-239-6 613-326-00-9</p>	<p>Acute Tox. 3; H301 Acute Tox. 2; H330 Skin Corr. 1B; H314 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Eye Dam. 1; H318 Acute Tox. 3; H311 Aquatic Chronic 1; H410</p> <hr/> <p>M-Factor (Acute aquatic toxicity): 1010 M-Factor (Chronic aquatic toxicity): 11</p> <hr/> <p>specific concentration limit Skin Sens. 1; H317 ≥ 0,0015 % Skin Corr. 1B; H314 ≥ 5 % Skin Irrit. 2; H315 1 - < 5 % Eye Dam. 1; H318 ≥ 3 % Eye Irrit. 2; H319 1 - < 3 % Aquatic Acute 1; H400 ≥ 25 % Aquatic Chronic 2; H411 ≥ 25 % Aquatic Chronic 3; H412 2,5 - < 25 % Skin Sens. 1A; H317 ≥ 0,0015 %</p>	<p>≥ 0,0025 - < 0,025</p>
1,2-benzisothiazol-3(2H)-one	<p>2634-33-5 220-120-9 613-088-00-6 01-2120761540-60</p>	<p>Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Acute Tox. 2; H330 Acute Tox. 4; H302 Skin Irrit. 2; H315 Aquatic Chronic 1; H410</p> <hr/> <p>M-Factor (Acute aquatic toxicity): 11 M-Factor (Chronic</p>	<p>≥ 0,0025 - < 0,025</p>

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



NOWA NEUTRAL 200 L F/NL/P/E/D

WM 1303865

Order number: 0403865

Version 9.2

Revision Date 21.01.2026

Print Date 11.03.2026

		aquatic toxicity): 11	
		specific concentration limit	
		Skin Sens. 1A; H317	
		>= 0,036 %	
		Skin Irrit. 2; H315	
		>= 10 %	
		Eye Dam. 1; H318	
		>= 3 %	
		Eye Irrit. 2; H319	
		1 - < 3 %	
		Aquatic Acute 1; H400	
		>= 25 %	
		Aquatic Chronic 2;	
		H411	
		>= 25 %	
		Aquatic Chronic 3;	
		H412	
		2,5 - < 25 %	
		Acute toxicity estimate	
		Acute oral toxicity:	
		500,0 mg/kg	
		450 mg/kg	
		Acute inhalation toxicity	
		(dust/mist): 0,21 mg/l	

SECTION 4: First aid measures

4.1 Description of first-aid measures

- General advice : Move out of dangerous area.
Consult a physician.
Show this material safety data sheet to the doctor in attendance.
- If inhaled : Move to fresh air.
If symptoms persist, call a physician.
- In case of skin contact : Take off contaminated clothing and shoes immediately.
Wash off with soap and plenty of water.
If symptoms persist, call a physician.
- In case of eye contact : Protect unharmed eye.
If easy to do, remove contact lens, if worn.
Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
If eye irritation persists, consult a specialist.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
Obtain medical attention.

NOWA NEUTRAL 200 L F/NL/P/E/D

WM 1303865

Order number: 0403865

Version 9.2

Revision Date 21.01.2026

Print Date 11.03.2026

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Allergic reactions
Irritation
- Risks : No information available.
- May cause an allergic skin reaction.
Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : For specialist advice physicians should contact the Poisons Information Service.

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

5.2 Special hazards arising from the substance or mixture

- Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : No hazardous combustion products are known

5.3 Advice for firefighters

- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

- Personal precautions : Use personal protective equipment.
Ensure adequate ventilation.

6.2 Environmental precautions

- Environmental precautions : Do not flush into surface water or sanitary sewer system.

6.3 Methods and material for containment and cleaning up

- Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



NOWA NEUTRAL 200 L F/NL/P/E/D

WM 1303865

Order number: 0403865

Version 9.2

Revision Date 21.01.2026

Print Date 11.03.2026

6.4 Reference to other sections

For personal protection see section 8., Treat recovered material as described in the section "Disposal considerations"., Refer to section 15 for specific national regulation.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid contact with skin and eyes.
For personal protection see section 8.
Persons with a history of skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in original container. Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container.

Further information on storage stability : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Cleaning agent

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of exposure	Potential health effects	Value
Alcohols, C12-14, ethoxylated, sulfates, sodium salts, Poly(oxy-1,2-ethanediyl), .alpha.-sulfo-.omega.-hydroxy-, C12-14-alkyl ethers,	Workers	Inhalation	Long-term systemic effects	175 mg/m3

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Werner & Mertz
Professional

NOWA NEUTRAL 200 L F/NL/P/E/D

WM 1303865

Order number: 0403865

Version 9.2

Revision Date 21.01.2026

Print Date 11.03.2026

sodium salts				
	Consumers	Inhalation	Long-term systemic effects	52 mg/m ³
	Consumers	Ingestion	Long-term systemic effects	15 mg/kg bw/day
	Consumers	Skin contact	Long-term local effects	0,079 mg/cm ²
	Workers	Skin contact	Long-term systemic effects	5830 mg/kg bw/day
	Consumers	Skin contact		2500 mg/kg bw/day
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	Workers	Inhalation	Long-term systemic effects	44 mg/m ³
	Workers	Skin contact	Long-term systemic effects	12,5 mg/kg
	Consumers	Ingestion	Long-term systemic effects	7,5 mg/kg
	Consumers	Skin contact	Long-term systemic effects	7,5 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Alcohols, C12-14, ethoxylated, sulfates, sodium salts, Poly(oxy-1,2-ethanediyl), .alpha.-sulfo-.omega.-hydroxy-, C12-14-alkyl ethers, sodium salts	Fresh water	0,129 mg/l
	Sea water	0,0129 mg/l
	Fresh water sediment	4,835 mg/kg dry weight (d.w.)
	Sea sediment	0,4835 mg/kg dry weight (d.w.)
	Soil	7,5 mg/kg dry weight (d.w.)
	STP	10000 mg/l

NOWA NEUTRAL 200 L F/NL/P/E/D

WM 1303865

Order number: 0403865

Version 9.2

Revision Date 21.01.2026

Print Date 11.03.2026

	intermittent release	0,071 mg/l
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	Fresh water	0,0135 mg/l
	Sea water	0,00135 mg/l
	STP	3000 mg/l
	Sea sediment	0,1 mg/kg
	Soil	0,8 mg/kg

8.2 Exposure controls

Personal protective equipment

Eye/face protection : If splashes are likely to occur, wear:
 Tightly fitting safety goggles

Hand protection

Material : For prolonged or repeated contact use protective gloves.
 It is suggested the usage of chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374.
 As alternative, a different type of gloves might be used if, accordingly to the recommendations of the producer, guarantee the same level of protection.

Remarks : Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).

Skin and body protection : not required under normal use

Respiratory protection : Not required; except in case of aerosol formation.
 Recommended Filter type:
 ABEK-P3-filter

NOWA NEUTRAL 200 L F/NL/P/E/D

WM 1303865

Order number: 0403865

Version 9.2

Revision Date 21.01.2026

Print Date 11.03.2026

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: liquid
Color	: colorless
Odor	: odorless
Melting point/freezing point	: No data available
Boiling point/boiling range	: No information available.
Flammability (solid, gas)	: No data available
Flammability (liquids)	: No data available
Lower explosion limit	: No data available
Upper explosion limit	: No data available
Flash point	: does not flash
Ignition temperature	: No data available
Decomposition temperature	: No data available
pH	: ca. 6,2, 100 % at 20 °C
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Water solubility	: soluble
Solubility in other solvents	: No data available
Partition coefficient: n- octanol/water	: No data available
Vapor pressure	: No data available
Density	: ca. 1,009 g/cm ³ at 20 °C
Relative density	: No data available
Relative vapor density	: No data available
Particle characteristics	: No data available

9.2 Other information

none

NOWA NEUTRAL 200 L F/NL/P/E/D

WM 1303865

Order number: 0403865

Version 9.2

Revision Date 21.01.2026

Print Date 11.03.2026

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions.
No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.
No decomposition if used as directed.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Our company is strongly against animal testing.
Our company does not place any orders for animal testing for the finished product or the ingredients.
However, as a result of EU legislation (REACH Regulation), the manufacturers of ingredients or EU importers are obliged to test ingredients with regard to their effects on human health and the environment before they are brought onto the market. Some of the tests made necessary by this took place decades ago.

Acute toxicity

Not classified due to lack of data.
Acute toxicity : Not Rated

Components:

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

Acute oral toxicity : LD50 Oral (Rat): 4.100 mg/kg
Method: OECD Test Guideline 401
GLP: no

LD50 Oral (Rat): 2.870 mg/kg
Method: OECD Test Guideline 401

LD50 (Rat): 7.400 mg/kg
Method: OECD Test Guideline 401

LD50 (Rat): 2.000 - 5.000 mg/kg
Method: OECD Test Guideline 401

LD50 (Rat): > 2.000 mg/kg

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Werner & Mertz
Professional

NOWA NEUTRAL 200 L F/NL/P/E/D

WM 1303865

Order number: 0403865

Version 9.2

Revision Date 21.01.2026

Print Date 11.03.2026

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 402
GLP: yes

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts

147170-44-3:

Acute oral toxicity : LD50 Oral: > 8.000 mg/kg
Method: OECD Test Guideline 401
LD50 (Rat): 2.335 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

2-methyl-2H-isothiazol-3-one

2682-20-4:

Acute oral toxicity : LD50 (Rat): 300 mg/kg
Acute inhalation toxicity : LC50 (Rat): 0,00053 mg/l
Exposure time: 4 h
Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

1,2-benzisothiazol-3(2H)-one

2634-33-5:

Acute oral toxicity : LD50 (Rat): 1.150 mg/kg
Acute toxicity estimate: 500,0 mg/kg
Method: Converted acute toxicity point estimate
LD50 (Rat): 1.193 mg/kg
LD50 (Rat, male and female): 784 mg/kg
Method: OECD Test Guideline 401
GLP: yes
LD50 (Rat): 490 mg/kg
LD50 (Rat): 670 mg/kg
Acute toxicity estimate: 450 mg/kg
Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008
Acute inhalation toxicity : LC50 (Rat): 0,25 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
LC50 (Rat): 0,5 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OPPTS 870.1300
GLP: yes
LC50 (Rat): 0,11 mg/l

NOWA NEUTRAL 200 L F/NL/P/E/D

WM 1303865

Order number: 0403865

Version 9.2

Revision Date 21.01.2026

Print Date 11.03.2026

Test atmosphere: dust/mist

Acute toxicity estimate: 0,21 mg/l

Test atmosphere: dust/mist

Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008

Acute dermal toxicity : LD50 (Rat): 4.115 mg/kg

LD50 (Rat, male and female): > 2.000 mg/kg

GLP: yes

LD50 Dermal (Rabbit): > 2.000 mg/kg

Skin corrosion/irritation

Not classified due to lack of data.

Product:

Remarks : According to the classification criteria of the European Union, the product is not considered as being a skin irritant.

Components:

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

Species : Rabbit
Assessment : Irritating to skin.
Method : OECD Test Guideline 404

1,2-benzisothiazol-3(2H)-one

2634-33-5:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Remarks : Causes serious eye irritation.

Components:

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

Species : Rabbit
Assessment : Risk of serious damage to eyes.
Method : OECD Test Guideline 405

1,2-benzisothiazol-3(2H)-one

2634-33-5:

Species : Rabbit
Method : OECD Test Guideline 405
Result : Causes serious eye damage.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Werner & Mertz
Professional

NOWA NEUTRAL 200 L F/NL/P/E/D

WM 1303865

Order number: 0403865

Version 9.2

Revision Date 21.01.2026

Print Date 11.03.2026

Species : Bovine cornea
Method : OECD Test Guideline 437
Result : Risk of serious damage to eyes.

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified due to lack of data.

Product:

Remarks : Causes sensitization.

Components:

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

Result : Does not cause skin sensitization.

2-methyl-2H-isothiazol-3-one

2682-20-4:

Routes of exposure : Dermal
Species : Guinea pig
Method : OECD Test Guideline 406
Result : May cause sensitization by skin contact.

Species : Mouse
Method : OECD Test Guideline 429
Result : Causes sensitization.

1,2-benzisothiazol-3(2H)-one

2634-33-5:

Routes of exposure : Dermal
Species : Guinea pig
Method : OECD Test Guideline 406
Result : May cause sensitization by skin contact.

Routes of exposure : Dermal
Species : Mouse
Method : OECD Test Guideline 429
Result : May cause sensitization by skin contact.

Germ cell mutagenicity

Not classified due to lack of data.

Germ cell mutagenicity : Not Rated

Components:

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

Genotoxicity in vitro : Method: OECD Test Guideline 471

NOWA NEUTRAL 200 L F/NL/P/E/D

WM 1303865

Order number: 0403865

Version 9.2

Revision Date 21.01.2026

Print Date 11.03.2026

Result: negative

Carcinogenicity

Not classified due to lack of data.

Carcinogenicity : Not Rated

Reproductive toxicity

Not classified due to lack of data.

Reproductive toxicity : Not Rated

STOT-single exposure

Not classified due to lack of data.

STOT-single exposure : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

Not classified due to lack of data.

STOT-repeated exposure : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts

147170-44-3:

Species : Rat, male and female
NOAEL : 300 mg/kg
Application Route : Oral
Exposure time : 90 d
Method : see user defined free text

Aspiration toxicity

Not classified due to lack of data.

Aspiration toxicity : Not Rated

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Further information

Product:

Remarks : No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Werner & Mertz
Professional

NOWA NEUTRAL 200 L F/NL/P/E/D

WM 1303865

Order number: 0403865

Version 9.2

Revision Date 21.01.2026

Print Date 11.03.2026

SECTION 12: Ecological information

12.1 Toxicity

Components:

Alcohols, C12-14, ethoxylated, sulfates, sodium salts, Poly(oxy-1,2-ethanediyl), .alpha.-sulfo-omega.-hydroxy-, C12-14-alkyl ethers, sodium salts

68891-38-3:

- Toxicity to fish :
- LC50 (Danio rerio (zebra fish)): 7,1 mg/l
Exposure time: 96 h
Test Type: flow-through test
Method: OECD Test Guideline 203
GLP: yes
 - LC50 (Fish): > 1 - 10 mg/l
Test Type: flow-through test
Method: OECD Test Guideline 203
 - LC50 (Leuciscus idus (Golden orfe)): 10 - 100 mg/l
Method: OECD Test Guideline 203
 - NOEC (Oncorhynchus mykiss (rainbow trout)): 0,14 mg/l
Exposure time: 28 d
Test Type: flow-through test
Method: OECD Test Guideline 204
 - LC50 (Brachydanio rerio (zebrafish)): 1 - 10 mg/l
Test Type: flow-through test
Method: OECD Test Guideline 203
 - LC50 (Brachydanio rerio (zebrafish)): 7,1 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates :
- EC50 (Daphnia pulex (Water flea)): 7,4 mg/l
Exposure time: 48 h
Test Type: Immobilization
Method: OECD Test Guideline 202
 - EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202
 - NOEC (Daphnia magna (Water flea)): 0,27 mg/l
Exposure time: 21 d
Test Type: flow-through test
Method: OECD Test Guideline 211
 - (Daphnia magna (Water flea)): 7,2 mg/l
Exposure time: 48 h
 - LC50 : 1,17 mg/l
Exposure time: 96 h
 - EC50 : 7,2 mg/l
Exposure time: 48 h

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Werner & Mertz
Professional

NOWA NEUTRAL 200 L F/NL/P/E/D

WM 1303865

Order number: 0403865

Version 9.2

Revision Date 21.01.2026

Print Date 11.03.2026

- Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 27,7 mg/l
Exposure time: 72 h
Test Type: Growth inhibition
Method: OECD Test Guideline 201
GLP: yes
- EC50 (Desmodesmus subspicatus (green algae)): > 10 - 100 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201
- NOEC : 0,95 mg/l
Test Type: Growth inhibition
Method: OECD Test Guideline 201
- NOEC (Desmodesmus subspicatus (green algae)): 0,93 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201
- ErC50 (algae): 27 mg/l
Exposure time: 72 h
- NOEC (algae): 0,93 mg/l
Exposure time: 72 h
- Toxicity to microorganisms : EC50 (Pseudomonas putida): > 10 g/l
Exposure time: 16 h
Test Type: Cell multiplication inhibition test
Method: DIN 38412
GLP: yes
- EC10 (Pseudomonas putida): > 10 g/l
Test Type: Cell multiplication inhibition test
- Toxicity to fish (Chronic toxicity) : NOEC: 1 - 10 mg/l
Species: Leuciscus idus (Golden orfe)
- NOEC: 0,14 mg/l
Exposure time: 28 d
Species: Oncorhynchus mykiss (rainbow trout)
Method: OECD Test Guideline 204
- NOEC: 0,2 mg/l
Exposure time: 28 d
Species: Fish
- NOEC: > 0,1 - 1 mg/l
Exposure time: 28 d
Species: Oncorhynchus mykiss (rainbow trout)
Method: OECD Test Guideline 204
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: > 0,1 - 1 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 211
- EC50: 0,37 mg/l
Exposure time: 21 d
- 0,74 mg/l

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Werner & Mertz
Professional

NOWA NEUTRAL 200 L F/NL/P/E/D

WM 1303865

Order number: 0403865

Version 9.2

Revision Date 21.01.2026

Print Date 11.03.2026

Exposure time: 21 d

NOEC: 0,27 mg/l

Exposure time: 21 d

Toxicity to soil dwelling organisms : NOEC: 750 mg/kg
Exposure time: 56 d
Species: Eisenia fetida (earthworms)
Method: OECD Test Guideline 222
Remarks: Information taken from reference works and the literature.

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts

147170-44-3:

Toxicity to fish : LC50 (Calamus penna): 1,11 mg/l
Exposure time: 96 h
Test Type: semi-static test
Method: OECD Test Guideline 203

EC10 (Fish): 1,11 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 6,5 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202

EC50 (Daphnia magna (Water flea)): 0,3 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 1,5 mg/l
Exposure time: 72 h
GLP: yes

Toxicity to microorganisms : EC0 (Bacteria): > 3.000 mg/l

Toxicity to fish (Chronic toxicity) : NOEC: 0,135 mg/l
Exposure time: 100 d
Species: Oncorhynchus mykiss (rainbow trout)
Method: OECD Test Guideline 210
GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,32 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 211
GLP: yes

2-methyl-2H-isothiazol-3-one

2682-20-4:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 6,0 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

NOEC (Pimephales promelas (fathead minnow)): 2,38 mg/l

Exposure time: 28 d

NOWA NEUTRAL 200 L F/NL/P/E/D

WM 1303865

Order number: 0403865

Version 9.2

Revision Date 21.01.2026

Print Date 11.03.2026

		LC50 (Lepomis macrochirus (Bluegill sunfish)): 12,4 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia): 1,68 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
		NOEC (Daphnia): 0,55 mg/l Exposure time: 21 d Method: OECD Test Guideline 211
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 0,157 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
		NOEC (Pseudokirchneriella subcapitata (green algae)): 0,03 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic toxicity)	:	10
		10
Toxicity to microorganisms	:	EC20 (activated sludge): 2,8 mg/l Exposure time: 3 h Method: DIN 38412
		EC50 (activated sludge): 34,6 mg/l Exposure time: 3 h Method: DIN 38412
		(Pseudomonas putida): 2,3 mg/l Exposure time: 16 h
Toxicity to fish (Chronic toxicity)	:	NOEC: 0,55 mg/l Exposure time: 28 d Species: Pimephales promelas (fathead minnow) Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 0,55 mg/l Exposure time: 21 d Species: Daphnia Method: OECD Test Guideline 211
M-Factor (Chronic aquatic toxicity)	:	1
		1

1,2-benzisothiazol-3(2H)-one

2634-33-5:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 16,0 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
		LC50 (Oncorhynchus mykiss (rainbow trout)): 2,18 mg/l Exposure time: 96 h Test Type: static test Analytical monitoring: yes Method: OECD Test Guideline 203

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Werner & Mertz
Professional

NOWA NEUTRAL 200 L F/NL/P/E/D

WM 1303865

Order number: 0403865

Version 9.2

Revision Date 21.01.2026

Print Date 11.03.2026

GLP: yes

LC50 (Cyprinodon variegatus (sheepshead minnow)): ca. 16,7 mg/l
Exposure time: 96 h
Test Type: static test
Analytical monitoring: yes
GLP: yes

NOEC (Oncorhynchus mykiss (rainbow trout)): 0,21 mg/l
Exposure time: 28 d
Method: OECD Test Guideline 215

NOEC (Oncorhynchus mykiss (rainbow trout)): 2,1 mg/l
Exposure time: 28 d

LC50 (Oncorhynchus mykiss (rainbow trout)): 1,6 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

LC50 (Oncorhynchus mykiss (rainbow trout)): 2,2 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia): 32,7 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

EC50 (Daphnia magna (Water flea)): 2,94 mg/l
Exposure time: 48 h
Test Type: static test
Analytical monitoring: yes
Method: OECD Test Guideline 202
GLP: yes

EC0 (Daphnia magna (Water flea)): 0,643 mg/l
Exposure time: 48 h
Test Type: static test
Analytical monitoring: yes
Method: OECD Test Guideline 202
GLP: yes

EC50 (Mysidopsis bahia (opossum shrimp)): 0,9893 mg/l
Exposure time: 96 h
Test Type: static test
Analytical monitoring: yes
GLP: yes

NOEC (Daphnia): 1,02 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

NOEC (Daphnia): 12 mg/l
Exposure time: 21 d

EC50 (Daphnia magna (Water flea)): 3,27 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC10 (Pseudokirchneriella subcapitata (green algae)): 0,04 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

EC50 (Pseudokirchneriella subcapitata (green algae)): 0,11 mg/l

NOWA NEUTRAL 200 L F/NL/P/E/D

WM 1303865

Order number: 0403865

Version 9.2

Revision Date 21.01.2026

Print Date 11.03.2026

Exposure time: 72 h
Method: OECD Test Guideline 201

EC50 (Selenastrum capricornutum (green algae)): 1,1 mg/l
Exposure time: 72 h
Analytical monitoring: yes
Method: OECD Test Guideline 201
GLP: yes

NOEC (Selenastrum capricornutum (green algae)): 0,04 mg/l
Exposure time: 72 h
Analytical monitoring: yes
Method: OECD Test Guideline 201
GLP: yes

EC100 (Pseudokirchneriella subcapitata (green algae)): 0,067 mg/l
Exposure time: 72 h

NOEC (Pseudokirchneriella subcapitata (green algae)): 0,4 mg/l
Exposure time: 72 h

ErC50 (Pseudokirchneriella subcapitata (green algae)): 0,11 mg/l
Exposure time: 72 h

NOEC (Skeletonema costatum (marine diatom)): 0,027 mg/l
Exposure time: 72 h

EC50 (Selenastrum capricornutum (green algae)): 0,11 mg/l
Exposure time: 72 h

NOEC (Selenastrum capricornutum (green algae)): 0,04 mg/l
Exposure time: 72 h

M-Factor (Acute aquatic toxicity) : 1
1

Toxicity to microorganisms : EC20 (activated sludge): 3,3 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209
EC50 (activated sludge): 13 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

Toxicity to fish (Chronic toxicity) : NOEC: 0,21 mg/l
Species: Oncorhynchus mykiss (rainbow trout)
Method: OECD Test Guideline 215

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 1,2 mg/l
Exposure time: 21 d
Species: Daphnia
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 1
1

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Werner & Mertz
Professional

NOWA NEUTRAL 200 L F/NL/P/E/D

WM 1303865

Order number: 0403865

Version 9.2

Revision Date 21.01.2026

Print Date 11.03.2026

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: The surfactant(s) contained in this preparation complies (comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.

Components:

Alcohols, C12-14, ethoxylated, sulfates, sodium salts, Poly(oxy-1,2-ethanediyl), .alpha.-sulfo.-omega.-hydroxy-, C12-14-alkyl ethers, sodium salts

68891-38-3:

Biodegradability : Test Type: aerobic
Result: rapidly biodegradable
Biodegradation: > 70 %
Exposure time: 28 d
Method: OECD 301 A

Test Type: anaerobic
Result: Biodegradable
Biodegradation: > 60 %
Exposure time: 41 d
Method: OECD 301 D

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts

147170-44-3:

Biodegradability : Test Type: aerobic
Concentration: 20 mg/l
Result: rapidly biodegradable
Biodegradation: 92 %
Exposure time: 28 d
Method: OECD 301 B

Test Type: anaerobic
Concentration: 102,4 mg/l
Biodegradation: 80 - 90 %
Exposure time: 60 d
Method: see user defined free text
GLP: yes

Chemical Oxygen Demand (COD) : 1.000.000 mg/l

2-methyl-2H-isothiazol-3-one

2682-20-4:

Biodegradability : Test Type: see user defined free text
Concentration: 1 mg/l
Result: Biodegradable
Biodegradation: 90 %
Exposure time: 14 d
Method: see user defined free text

1,2-benzisothiazol-3(2H)-one

2634-33-5:

Biodegradability : Test Type: Primary biodegradation
Result: Biodegradable
Biodegradation: > 90 %

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Werner & Mertz
Professional

NOWA NEUTRAL 200 L F/NL/P/E/D

WM 1303865

Order number: 0403865

Version 9.2

Revision Date 21.01.2026

Print Date 11.03.2026

Method: see user defined free text

12.3 Bioaccumulative potential

Components:

Alcohols, C12-14, ethoxylated, sulfates, sodium salts, Poly(oxy-1,2-ethanediyl), .alpha.-sulfo-omega-hydroxy-, C12-14-alkyl ethers, sodium salts

68891-38-3:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

2-methyl-2H-isothiazol-3-one

2682-20-4:

Bioaccumulation : Bioconcentration factor (BCF): 3,16

Partition coefficient: n-octanol/water

: log Pow: -0,32

1,2-benzisothiazol-3(2H)-one

2634-33-5:

Bioaccumulation : Species: Fish
Bioconcentration factor (BCF): 6,95
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water

: log Pow: 0,4

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Components:

Alcohols, C12-14, ethoxylated, sulfates, sodium salts, Poly(oxy-1,2-ethanediyl), .alpha.-sulfo-omega-hydroxy-, C12-14-alkyl ethers, sodium salts

68891-38-3:

Assessment : Not very persistent and very bioaccumulative (vPvB).. Not persistent, bioaccumulative, and toxic (PBT).

2-methyl-2H-isothiazol-3-one

2682-20-4:

Assessment : Not very persistent and very bioaccumulative (vPvB).. Not persistent, bioaccumulative, and toxic (PBT).

1,2-benzisothiazol-3(2H)-one

2634-33-5:

Assessment : Not very persistent and very bioaccumulative (vPvB).. Not persistent, bioaccumulative, and toxic (PBT).

NOWA NEUTRAL 200 L F/NL/P/E/D

WM 1303865

Order number: 0403865

Version 9.2

Revision Date 21.01.2026

Print Date 11.03.2026

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological information : There is no data available for this product.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Do not dispose of waste into sewer.
Do not contaminate ponds, waterways or ditches with chemical or used container.
In accordance with local and national regulations.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

Waste Code : European Waste Catalog
20 01 29*
According to the European Waste Catalog, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

SECTION 14: Transport information

14.1 UN number or ID number

ADR
Not dangerous goods
IMDG
Not dangerous goods
IATA
Not dangerous goods

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADR
Not dangerous goods
IMDG
Not dangerous goods
IATA
Not dangerous goods

14.4 Packing group

ADR
Not dangerous goods

NOWA NEUTRAL 200 L F/NL/P/E/D

WM 1303865

Order number: 0403865

Version 9.2

Revision Date 21.01.2026

Print Date 11.03.2026

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.5 Environmental hazards

ADR

Not dangerous goods

IMDG

Not regulated as a dangerous good

IATA

Not dangerous goods

14.6 Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regulations.

For personal protection see section 8.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : See Annex XVII to Regulation (EC) no 1907/2006 for Conditions of restriction

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. : Not applicable

TA Luft List (Germany) : Total dust: Not applicable
: Inorganic substances in powdered form: Not applicable
: Inorganic substances in vapor or gaseous form: : portionClass 3: 0,21 %
: Organic Substances: Not applicable
: Carcinogenic substances: Not applicable
: mutagenic: Not applicable
: Toxic to reproduction: Not applicable

Volatile organic compounds (VOC) content : Directive 2010/75/EU of 24 November 2010 on industrial and livestock rearing emissions (integrated pollution prevention and control)
Update: Not applicable

according to Detergents Regulation EC 648/2004 : 5 - <15% anionic surfactants, <5% amphoteric surfactants, METHYLISOTHIAZOLINONE, BENZISOTHIAZOLINONE

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



NOWA NEUTRAL 200 L F/NL/P/E/D

WM 1303865

Order number: 0403865

Version 9.2

Revision Date 21.01.2026

Print Date 11.03.2026

15.2 Chemical Safety Assessment

There is no data available for this product.

SECTION 16: Other information

Full text of H-Statements

H301	:	Toxic if swallowed.
H302	:	Harmful if swallowed.
H311	:	Toxic in contact with skin.
H314	:	Causes severe skin burns and eye damage.
H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H318	:	Causes serious eye damage.
H330	:	Fatal if inhaled.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.
H412	:	Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	:	Acute toxicity
Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Eye Dam.	:	Serious eye damage
Skin Corr.	:	Skin corrosion
Skin Irrit.	:	Skin irritation
Skin Sens.	:	Skin sensitization

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Eye Irrit. 2

H319

Classification procedure:

Calculation method

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Werner & Mertz
Professional

NOWA NEUTRAL 200 L F/NL/P/E/D

WM 1303865

Order number: 0403865

Version 9.2

Revision Date 21.01.2026

Print Date 11.03.2026

Skin Sens. 1

H317

Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REG_EU / EN

50000000816