NOWA TANIN

WM 0712887 **Order number: 0712887**

Version 12.0 Revision Date 15.10.2026 Print Date 15.10.2026

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	:	NOWA TANIN
UFI	:	94F5-E0EJ-700U-6WCW

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture	:	Cleaning agent
		Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Company	:	Tana Chemie GmbH Rheinallee 96 55120 Mainz
Telephone	:	+49613196403
Telefax	:	+4961319642526
E-mail address	:	Produktsicherheit@werner-mertz.com
Responsible/issuing person		
Contact person	:	Product development / product safety

1.4 Emergency telephone

EU: 112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Corrosive to Metals, Category 1	H290: May be corrosive to metals.
Skin corrosion, Category 1A	H314: Causes severe skin burns and eye damage.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Skin sensitization, Category 1	H317: May cause an allergic skin reaction.

2.2 Label elements

Labeling (REGULATION (EC) No 1272/2008)

Hazard pictograms :

Signal Word	:	Danger	
Hazard Statements	:	H290	May be corrosive to metals.
		H314	Causes severe skin burns and eye damage.

		H317	May cause an allergic skin reaction.
Precautionary Statements	:	P102	Keep out of reach of children.
		Prevention:	
		P260	Do not breathe spray.
		P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
		Response:	
		P301 + P330 + P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
		P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
		P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
		P310	Immediately call a POISON CENTER or doctor/ physician.
		Disposal:	
		P501	Dispose of container into the collection of recyclables only when it is completely empty.

Hazardous ingredients which must be listed on the label:

potassium hydroxide
Reaction product of Maleic anhydride, 2-Ethylhexylamine and Triethanolamine

Safety data sheet available on request.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Aqueous surfactant solution.

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
potassium hydroxide	1310-58-3 215-181-3	Acute Tox. 4; H302 Skin Corr. 1A; H314	>= 5 - < 10

	019-002-00-8 01-2119487136-33	Met. Corr. 1; H290 Eye Dam. 1; H318 --- specific concentration limit Skin Corr. 1A; H314 >= 5 % Skin Corr. 1B; H314 2 - < 5 % Skin Irrit. 2; H315 0,5 - < 2 % Eye Irrit. 2; H319 0,5 - < 2 % --- Acute toxicity estimate Acute oral toxicity: 500,0 mg/kg	
2-(2-butoxyethoxy)ethanol	112-34-5 203-961-6 603-096-00-8 01-2119475104-44	Eye Irrit. 2; H319	>= 5 - < 10
Alanine, N,N-bis(carboxymethyl)-, trisodium salt	164462-16-2 423-270-5423-270-5 01-0000016977-53	Met. Corr. 1; H290	>= 3 - < 5
sodium p-cumenesulphonate	15763-76-5 239-854-6 01-2119489411-37	Eye Irrit. 2; H319	>= 1 - < 3
Reaction product of Maleic anhydride, 2-Ethylhexylamine and Triethanolamine	1471311-93-9 939-488-3 01-2119980932-27	Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1B; H317	>= 1 - < 3

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice : Move out of dangerous area.
Consult a physician.
Show this material safety data sheet to the doctor in attendance.

If inhaled : Move to fresh air.
If symptoms persist, call a physician.

In case of skin contact : Take off contaminated clothing and shoes immediately.
Wash off with soap and plenty of water.
Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.

In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.
Protect unharmed eye.
Continue rinsing eyes during transport to hospital.

If swallowed : Clean mouth with water and drink afterwards plenty of water.
Do NOT induce vomiting.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.

Take victim immediately to hospital.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	:	corrosive effects Allergic reactions
Risks	:	No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment	:	For specialist advice physicians should contact the Poisons Information Service.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire fighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	:	No hazardous combustion products are known

5.3 Advice for firefighters

Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas.

6.2 Environmental precautions

Environmental precautions	:	Do not flush into surface water or sanitary sewer system.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Neutralize with acid. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8., Treat recovered material as described in the section "Disposal considerations"., Refer to section 15 for specific national regulation.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	Avoid formation of aerosol. Avoid contact with skin and eyes. For personal protection see section 8. Persons with a history of skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. To avoid spills during handling keep bottle on a metal tray.
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Store in original container. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store at room temperature in the original container.
Further information on storage stability	:	No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s)	:	Cleaning agent

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
2-(2-butoxyethoxy)ethanol	Not Assigned	TWA	10 ppm 67,5 mg/m3	2006/15/EC
	Further information: Indicative			
		STEL	15 ppm	2006/15/EC

			101,2 mg/m3	
	Further information: Indicative			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of exposure	Potential health effects	Value
potassium hydroxide	Workers	Inhalation	Long-term local effects	1 mg/m3
	Consumers	Inhalation	Long-term local effects	1 mg/m3
2-(2-butoxyethoxy)ethanol	Workers	Inhalation	Long-term local effects	67,5 mg/m3
	Workers	Inhalation	Acute local effects	101,2 mg/m3
	Workers	Dermal	Long-term systemic effects	83 mg/kg
	Consumers	Inhalation	Long-term systemic effects	40,5 mg/m3
	Consumers	Inhalation	Long-term local effects	40,5 mg/m3
	Consumers	Inhalation	Acute local effects	60,7 mg/m3
	Consumers	Dermal	Long-term systemic effects	50 mg/kg
	Consumers	Ingestion	Long-term systemic effects	5 mg/kg
	Consumers	Oral	Long-term systemic effects	6,25 mg/kg bw/day
Alanine, N,N-bis(carboxymethyl)-, trisodium salt	Workers	Inhalation	Acute systemic effects	40 mg/m3
	Workers	Inhalation	Acute local effects	40 mg/m3
	Workers	Inhalation	Long-term systemic effects	40 mg/m3
	Workers	Inhalation	Long-term local effects	4 mg/m3
	Consumers	Inhalation	Acute local effects	20 mg/m3
	Consumers	Inhalation	Acute systemic effects	20 mg/m3
	Consumers	Inhalation	Long-term systemic effects	20 mg/m3

	Consumers	Inhalation	Long-term local effects	2 mg/m3
	Consumers	Ingestion	Acute systemic effects	85 mg/kg
	Consumers	Ingestion	Long-term systemic effects	17 mg/kg
sodium p-cumenesulphonate	Consumers	Skin contact	Long-term systemic effects	3,8 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	13,2 mg/m3
	Consumers	Ingestion	Long-term systemic effects	3,8 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	6,6 mg/m3
	Consumers	Inhalation	Long-term local effects	0,048 mg/cm2
	Workers	Skin contact	Long-term systemic effects	7,6 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	53,6 mg/m3
	Workers	Inhalation	Long-term systemic effects	43,21 mg/m3
	Workers	Skin contact	Long-term systemic effects	24,5 mg/kg
	Consumers	Inhalation	Long-term systemic effects	12,78 mg/m3
	Consumers	Skin contact	Long-term systemic effects	14,7 mg/kg
	Consumers	Ingestion	Long-term systemic effects	14,7 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
2-(2-butoxyethoxy)ethanol	Fresh water	1,1 mg/l
	Sea water	0,11 mg/l
	Fresh water sediment	4,4 mg/kg
	Sea sediment	0,44 mg/kg

	Soil	0,32 mg/kg
	STP	200 mg/l
	intermittent release	11 mg/l
Alanine, N,N-bis(carboxymethyl)-, trisodium salt	Fresh water	2 mg/l
	Sea water	0,2 mg/l
	Fresh water sediment	24 mg/kg
	Soil	2,5 mg/kg
	STP	100 mg/l
	intermittent release	1 mg/l
sodium p-cumenesulphonate	Fresh water	0,23 mg/l
	STP	100 mg/l
	intermittent release	2,3 mg/l
	Fresh water sediment	0,862 mg/kg
	Sea sediment	0,0862 mg/kg
	Soil	0,037 mg/kg
	Fresh water	0,1 mg/l
	intermittent release	1 mg/l
	Sea water	0,01 mg/l
	Fresh water sediment	0,372 mg/kg dry weight (d.w.)
	Sea sediment	0,0372 mg/kg dry weight (d.w.)
	Soil	0,016 mg/kg dry weight (d.w.)
	Fresh water	0,1 mg/l
	Sea water	0,01 mg/l
	intermittent release	1 mg/l
	STP	100 mg/l
	Fresh water sediment	4,85 mg/kg

	Sea sediment	0,485 mg/kg
	Soil	0,909 mg/kg

8.2 Exposure controls

Personal protective equipment

Eye/face protection : Tightly fitting safety goggles

Hand protection

Material : Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374.

Remarks : Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).

Skin and body protection : Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Remove and wash contaminated clothing before re-use.

Respiratory protection : Not required; except in case of aerosol formation.

Recommended Filter type:

ABEK-P3-filter

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Color	:	colorless, light brown
Odor	:	characteristic
Melting point/freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available

Flammability (liquids)	:	No data available
Lower explosion limit	:	No data available
Upper explosion limit	:	No data available
Flash point	:	does not flash
Ignition temperature	:	No data available
Decomposition temperature	:	No data available
pH	:	ca. 13,7, 100 % at 20 °C
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Water solubility	:	soluble
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Vapor pressure	:	No data available
Density	:	ca. 1,081 g/cm3
Relative density	:	No data available
Relative vapor density	:	No data available
Particle characteristics	:	No data available

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions.
No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	Stable under recommended storage conditions. No decomposition if used as directed.

10.4 Conditions to avoid

Conditions to avoid	:	No data available

10.5 Incompatible materials

Materials to avoid	:	No data available

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Our company is strongly against animal testing.
Our company does not place any orders for animal testing for the finished product or the ingredients.
However, as a result of EU legislation (REACH Regulation), the manufacturers of ingredients or EU importers are obliged to test ingredients with regard to their effects on human health and the environment before they are brought onto the market. Some of the tests made necessary by this took place decades ago.

Acute toxicity

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 2.000 mg/kg Method: Calculation method

Components:

potassium hydroxide

1310-58-3:

Acute oral toxicity	:	LD50 (Rat): 273 mg/kg Acute toxicity estimate: 500,0 mg/kg Method: Converted acute toxicity point estimate LD50 Oral (Rat, male): 333 mg/kg Method: OECD Test Guideline 425

2-(2-butoxyethoxy)ethanol

112-34-5:

Acute oral toxicity	:	LD50 Oral (Rat, male): 2.410 mg/kg Method: OECD Test Guideline 401 LD50 (Rat): > 2.000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 29 ppm Exposure time: 2 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 Dermal (Rabbit, male): 2.764 mg/kg Method: OECD Test Guideline 402 LD50 (Rabbit): > 2.000 mg/kg

Alanine, N,N-bis(carboxymethyl)-, trisodium salt

164462-16-2:

Acute oral toxicity	:	LD50 Oral (Rat): > 2.000 mg/kg Method: Tested according to Directive 92/69/EEC.
Acute inhalation toxicity	:	LC50 (Rat): > 5 mg/l Exposure time: 4 h
Acute dermal toxicity	:	LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 402

sodium p-cumenesulphonate

15763-76-5:

Acute oral toxicity	:	LD50 Oral (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	:	LC50 (Rat): 5 mg/l Exposure time: 232 min LC50 (Rat): 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 2.000 mg/kg LD50 (Rabbit): > 2.000 - 5.000 mg/kg

Reaction product of Maleic anhydride, 2-Ethylhexylamine and Triethanolamine

1471311-93-9:

Acute oral toxicity	:	LD50: > 2.000 mg/kg Method: Calculation method
Acute dermal toxicity	:	LD50 (Rat): > 2.000 mg/kg

Skin corrosion/irritation

Product:

Remarks	:	Extremely corrosive and destructive to tissue.

Components:

potassium hydroxide

1310-58-3:

Result	:	Corrosive

Alanine, N,N-bis(carboxymethyl)-, trisodium salt

164462-16-2:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

sodium p-cumenesulphonate

15763-76-5:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation
Remarks	:	Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

Product:

Remarks	:	May cause irreversible eye damage.

Components:

potassium hydroxide

1310-58-3:

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	Corrosive

2-(2-butoxyethoxy)ethanol

112-34-5:

Result	:	Moderate eye irritation

Alanine, N,N-bis(carboxymethyl)-, trisodium salt

164462-16-2:

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	No eye irritation

sodium p-cumenesulphonate

15763-76-5:

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	Moderate eye irritation
Remarks	:	Causes serious eye irritation.

Respiratory or skin sensitization

Product:

Remarks	:	Causes sensitization.

Components:

potassium hydroxide

1310-58-3:

Species	:	Guinea pig
Result	:	Did not cause sensitization on laboratory animals.

Alanine, N,N-bis(carboxymethyl)-, trisodium salt

164462-16-2:

Test Type	:	Maximization Test
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Did not cause sensitization on laboratory animals.

sodium p-cumenesulphonate

15763-76-5:

Test Type	:	Buehler Test
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Did not cause sensitization on laboratory animals.

Germ cell mutagenicity

Germ cell mutagenicity : Not Rated

Components:

potassium hydroxide

1310-58-3:

Genotoxicity in vitro	:	Test Type: Ames test Test system: Salmonella typhimurium Result: negative

Alanine, N,N-bis(carboxymethyl)-, trisodium salt

164462-16-2:

Genotoxicity in vitro	:	Test Type: Ames test Method: OECD Test Guideline 471 Result: negative Test Type: Micronucleus test Method: Mutagenicity (micronucleus test) Result: negative Method: OECD Test Guideline 476 Result: negative
Genotoxicity in vivo	:	Method: OECD Test Guideline 474

sodium p-cumenesulphonate

15763-76-5:

Genotoxicity in vitro	:	Result: negative
Genotoxicity in vivo	:	Remarks: negative

Carcinogenicity

Carcinogenicity : Not Rated

Components:

sodium p-cumenesulphonate

15763-76-5:

Species	:	Rat
Application Route	:	Dermal
Exposure time	:	2 Years
Activity duration	:	5 h
Method	:	OECD Test Guideline 453
Result	:	no increase in tumors observed
Remarks	:	Information taken from reference works and the literature.

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

Reproductive toxicity : Not Rated

STOT-single exposure

STOT-single exposure : The substance or mixture is not classified as specific target organ toxicant, single exposure.

Components:

sodium p-cumenesulphonate

15763-76-5:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

STOT-repeated exposure : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Components:

sodium p-cumenesulphonate

15763-76-5:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

Alanine, N,N-bis(carboxymethyl)-, trisodium salt

164462-16-2:

Species	:	Rat
NOAEL	:	262 mg/kg
Application Route	:	Oral
Symptoms	:	Kidney disorders

sodium p-cumenesulphonate

15763-76-5:

Species	:	Rat
NOAEL	:	763 mg/kg
Application Route	:	Oral
Target Organs	:	Cardio-vascular system

Species	:	Mouse
NOAEL	:	440 mg/kg
LOAEL	:	1.300 mg/kg
Application Route	:	Dermal
Method	:	OECD Test Guideline 411
Target Organs	:	Skin

Aspiration toxicity : Not Rated

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to

have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Further information

Product:

Remarks : No data available

SECTION 12: Ecological information

12.1 Toxicity

Components:

potassium hydroxide

1310-58-3:

Toxicity to fish	:	(Pimephales promelas (fathead minnow)): 880 mg/l Exposure time: 96 h Test Type: static test LC50 (Gambusia affinis (Mosquito fish)): 80 mg/l Exposure time: 96 h LC50 (Poecilia reticulata (guppy)): 165 mg/l Exposure time: 24 h LC50 (Oncorhynchus mykiss (rainbow trout)): 45,4 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 660 mg/l Exposure time: 48 h Test Type: static test EC50 (Ceriodaphnia dubia (water flea)): 40,4 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 : 1.337 mg/l Exposure time: 120 h
Toxicity to microorganisms	:	EC50 (Photobacterium phosphoreum): 22 mg/l Exposure time: 15 min
Toxicity to soil dwelling organisms	:	LC50: 850 mg/kg Exposure time: 90 d

2-(2-butoxyethoxy)ethanol

112-34-5:

Toxicity to fish	:	LC50 (Lepomis macrochirus (Bluegill sunfish)): 1.300 mg/l Exposure time: 96 h LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 2.850 mg/l Exposure time: 24 h Method: DIN 38412

		EC50 (Daphnia magna Straus (Water flea)): > 1.101 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	IC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 201
Toxicity to microorganisms	:	EC10 (Bacteria): 1.170 mg/l Exposure time: 16 h EC10 (activated sludge): > 1.995 mg/l Exposure time: 30 min Test Type: Respiration inhibition Method: OECD Test Guideline 209 EC50 (activated sludge): > 1.995 mg/l Exposure time: 3 h Test Type: Respiration inhibition

Alanine, N,N-bis(carboxymethyl)-, trisodium salt

164462-16-2:

Toxicity to fish	:	LC50 (Brachydanio rerio): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (microalgae)): > 100 mg/l Exposure time: 72 h Test Type: static test
Toxicity to microorganisms	:	EC20 (activated sludge): > 1.000 mg/l Exposure time: 0,5 h Method: OECD Test Guideline 209
Toxicity to fish (Chronic toxicity)	:	NOEC: > 100 mg/l Exposure time: 28 d Species: Oncorhynchus mykiss (rainbow trout) Method: OECD Test Guideline 204
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: > 100 mg/l Species: Daphnia magna (Water flea) Method: OECD Test Guideline 202
Toxicity to soil dwelling organisms	:	LC50: 142 mg/kg Exposure time: 14 d Species: Eisenia fetida (earthworms)
Plant toxicity	:	EC50: 794 mg/kg Test period: 19 d Species: Avena sativa (oats) Method: OECD 208

sodium p-cumenesulphonate

15763-76-5:

Toxicity to fish	:	LC50 (Cyprinus carpio (Carp)): > 100 mg/l Exposure time: 96 h

Method: OECD Test Guideline 203

LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h
Test Type: static test

LC50 (Danio rerio (zebra fish)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201

EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
Exposure time: 96 h
Test Type: static test

EC50 (Raphidocelis subcapitata (freshwater green alga)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

EC10 (Raphidocelis subcapitata (freshwater green alga)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to microorganisms	:	EC10 (activated sludge): > 1.000 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209

1471311-93-9:

Toxicity to fish	:	(Leuciscus idus (Golden orfe)): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	(Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	(Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h
Toxicity to microorganisms	:	EC10 (Pseudomonas putida): > 1.000 mg/l Exposure time: 16 h

12.2 Persistence and degradability

Product:

Biodegradability	:	Remarks: The surfactant(s) contained in this preparation complies (comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.

Components:

potassium hydroxide

1310-58-3:

Biodegradability	:	Result: Biodegradable Remarks: The methods for determining the biological degradability are not applicable to inorganic substances.

2-(2-butoxyethoxy)ethanol

112-34-5:

Biodegradability	:	Result: Readily biodegradable. Biodegradation: 76 % Exposure time: 28 d Method: OECD 301 D Result: rapidly biodegradable Biodegradation: 90 - 100 % Exposure time: 8 d Method: OECD 302 B Result: rapidly biodegradable Biodegradation: 90 - 100 % Exposure time: 14 d Method: OECD 301 E Result: rapidly biodegradable Biodegradation: ca. 85 % Exposure time: 28 d Method: OECD 301 C

Alanine, N,N-bis(carboxymethyl)-, trisodium salt

164462-16-2:

Biodegradability	:	Result: Readily biodegradable. Biodegradation: > 80 % Related to: see user defined free text Exposure time: 28 d Method: OECD 301 F Remarks: According to the results of tests of biodegradability this product is considered as being readily biodegradable.

sodium p-cumenesulphonate

15763-76-5:

Biodegradability	:	Test Type: aerobic Result: Readily biodegradable. Biodegradation: > 60 % Exposure time: 28 d Method: OECD 301 B

1471311-93-9:

Biodegradability	:	Biodegradation: > 70 % Exposure time: 28 d Method: OECD 301 A

12.3 Bioaccumulative potential

Components:

potassium hydroxide

1310-58-3:

Bioaccumulation	:	Remarks: Bioaccumulation is unlikely.

2-(2-butoxyethoxy)ethanol

112-34-5:

Bioaccumulation	:	Bioconcentration factor (BCF): 2
Partition coefficient: n-octanol/water	:	log Pow: 0,56

Alanine, N,N-bis(carboxymethyl)-, trisodium salt

164462-16-2:

Partition coefficient: n-octanol/water	:	log Pow: < -4 (25 °C) pH: 11,4 Method: Tested according to Directive 92/69/EEC.

sodium p-cumenesulphonate

15763-76-5:

Bioaccumulation	:	Bioconcentration factor (BCF): 3,16 Remarks: Bioaccumulation is unlikely.

12.4 Mobility in soil

Components:

2-(2-butoxyethoxy)ethanol

112-34-5:

Distribution among environmental compartments	:	Koc: ca. 50 Remarks: Highly mobile in soils

Alanine, N,N-bis(carboxymethyl)-, trisodium salt

164462-16-2:

Stability in soil	:	Remarks: Will not adsorb on soil.

sodium p-cumenesulphonate

15763-76-5:

Distribution among environmental compartments	:	Koc: 1,25 Method: Calculation method Remarks: Information taken from reference works and the literature.
Stability in soil	:	Remarks: Not expected to adsorb on soil.

12.5 Results of PBT and vPvB assessment

Product:

Assessment	:	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Components:

potassium hydroxide

1310-58-3:

Assessment : Not very persistent and very bioaccumulative (vPvB).. Not persistent, bioaccumulative, and toxic (PBT).

sodium p-cumenesulphonate

15763-76-5:

Assessment : Not persistent, bioaccumulative, and toxic (PBT).. Not very persistent and very bioaccumulative (vPvB).

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological information : There is no data available for this product.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Do not dispose of waste into sewer.
Do not contaminate ponds, waterways or ditches with chemical or used container.
In accordance with local and national regulations.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

Waste Code : European Waste Catalog
20 01 29*
According to the European Waste Catalog, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

SECTION 14: Transport information

14.1 UN number or ID number

ADR : 3267
IMDG : 3267
IATA : 3267

14.2 UN proper shipping name

ADR : CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.
(potassium hydroxide)

IMDG	:	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (potassium hydroxide)
IATA	:	Corrosive liquid, basic, organic, n.o.s.

14.3 Transport hazard class(es)

ADR	:	8
IMDG	:	8
IATA	:	8

14.4 Packing group

ADR		
Classification Code	:	C7
Packaging group	:	III
Hazard Identification Number	:	80
Labels	:	8
Tunnel restriction code	:	(E)
IMDG		
Packaging group	:	III
Labels	:	8
EmS Number	:	F-A, S-B
IATA		
(Cargo)	:	Corrosive liquid, basic, organic, n.o.s.
(Passenger)	:	Corrosive liquid, basic, organic, n.o.s.
Packaging group	:	III
Labels	:	8

14.5 Environmental hazards

ADR		
Environmentally hazardous	:	no
IMDG		
Marine pollutant	:	no
IATA		
Environmentally hazardous	:	no

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

For personal protection see section 8.

14.7 Maritime transport in bulk according to IMO instruments
Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals	:	Not applicable
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	See Annex XVII to Regulation (EC) no 1907/2006 for Conditions of restriction

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	112-34-5
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.	:	Not applicable
TA Luft List (Germany)	:	Total dust: Not applicable
	:	Inorganic substances in powdered form: Not applicable
	:	Inorganic substances in vapor or gaseous form: Not applicable
	:	Organic Substances: Not applicable
	:	Carcinogenic substances: Not applicable
	:	mutagenic: Not applicable
	:	Toxic to reproduction: Not applicable
Volatile organic compounds (VOC) content	:	Directive 2010/75/EU of 24 November 2010 on industrial and livestock rearing emissions (integrated pollution prevention and control) Update: Not applicable
according to Detergents Regulation EC 648/2004	:	<5% anionic surfactants, non-ionic surfactants

15.2 Chemical Safety Assessment

There is no data available for this product.

SECTION 16: Other information

Full text of H-Statements

H290	:	May be corrosive to metals.
H302	:	Harmful if swallowed.
H314	:	Causes severe skin burns and eye damage.
H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H318	:	Causes serious eye damage.
H319	:	Causes serious eye irritation.

Full text of other abbreviations

Acute Tox.	:	Acute toxicity
Eye Dam.	:	Serious eye damage
Eye Irrit.	:	Eye irritation
Met. Corr.	:	Corrosive to Metals
Skin Corr.	:	Skin corrosion
Skin Irrit.	:	Skin irritation
Skin Sens.	:	Skin sensitization
2006/15/EC	:	Europe. Indicative occupational exposure limit values
2006/15/EC / TWA	:	Limit Value - eight hours
2006/15/EC / STEL	:	Short term exposure limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian

Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:		**Classification procedure:**
Met. Corr. 1	H290	Calculation method
Skin Corr. 1A	H314	On basis of test data.
Eye Dam. 1	H318	On basis of test data.
Skin Sens. 1	H317	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REG_EU / EN