

## SANET BR 75

WM 1113084

Order number: 0713084

Version 9.0

Revision Date 09.09.2025

Print Date 11.03.2026

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : SANET BR 75  
UFI : RJ65-V0PM-9009-YV37

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Cleaning agent  
Restricted to professional users.

#### 1.3 Details of the supplier of the safety data sheet

Company : Tana Chemie GmbH  
Rheinallee 96  
55120 Mainz  
Telephone : +49613196403  
Telefax : +4961319642526  
E-mail address : Produktsicherheit@werner-mertz.com  
Responsible/issuing person  
Contact person : Product development / product safety

#### 1.4 Emergency telephone number

EU: 112

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Eye irritation, Category 2 H319: Causes serious eye irritation.  
Skin irritation, Category 2 H315: Causes skin irritation.  
Corrosive to metals, Category 1 H290: May be corrosive to metals.

#### 2.2 Label elements

##### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning  
Hazard statements : H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H290 May be corrosive to metals.  
Precautionary statements : P102 Keep out of reach of children.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Werner & Mertz  
Professional

## SANET BR 75

WM 1113084

Order number: 0713084

Version 9.0

Revision Date 09.09.2025

Print Date 11.03.2026

### Prevention:

P260 Do not breathe spray.  
P264 Wash hands thoroughly after handling.  
P280 Wear protective gloves/ eye protection/ face protection.

### Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.

Safety data sheet available on request.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Chemical nature : Aqueous surfactant solution.

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Phosphoric acid	7664-38-2 231-633-2 015-011-00-6 01-2119485924-24	Skin Corr. 1B; H314 Met. Corr. 1; H290 Acute Tox. 4; H302 Eye Dam. 1; H318  specific concentration limit Skin Corr. 1B; H314 ≥ 25 % Skin Irrit. 2; H315 10 - < 25 % Eye Irrit. 2; H319 10 - < 25 %	≥ 15 - < 20
Alcohols, C13-15, branched and linear, ethoxylated	157627-86-6 500-337-8	Acute Tox. 4; H302 Eye Dam. 1; H318 Aquatic Chronic 3;	≥ 1 - < 2,5

**SANET BR 75**

WM 1113084

Order number: 0713084

Version 9.0

Revision Date 09.09.2025

Print Date 11.03.2026

		H412 specific concentration limit Eye Dam. 1; H318 > 10 %	
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts	68411-30-3 270-115-0 01-2119489428-22	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 3; H412	>= 1 - < 2,5

**SECTION 4: First aid measures**

**4.1 Description of first aid measures**

- General advice : Move out of dangerous area.  
Consult a physician.  
Show this safety data sheet to the doctor in attendance.
- If inhaled : Move to fresh air.  
If symptoms persist, call a physician.
- In case of skin contact : Take off contaminated clothing and shoes immediately.  
Wash off with soap and plenty of water.  
If symptoms persist, call a physician.
- In case of eye contact : Protect unharmed eye.  
If easy to do, remove contact lens, if worn.  
Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.  
If eye irritation persists, consult a specialist.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
Obtain medical attention.

**4.2 Most important symptoms and effects, both acute and delayed**

- Symptoms : corrosive effects  
Irritation
- Risks : No information available.

**4.3 Indication of any immediate medical attention and special treatment needed**

- Treatment : For specialist advice physicians should contact the Poisons Information Service.

**SECTION 5: Firefighting measures**

**5.1 Extinguishing media**

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

## SANET BR 75

WM 1113084

Order number: 0713084

Version 9.0

Revision Date 09.09.2025

Print Date 11.03.2026

### 5.2 Special hazards arising from the substance or mixture

- Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : No hazardous combustion products are known

### 5.3 Advice for firefighters

- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

- Personal precautions : Use personal protective equipment.  
Ensure adequate ventilation.

### 6.2 Environmental precautions

- Environmental precautions : Do not flush into surface water or sanitary sewer system.

### 6.3 Methods and material for containment and cleaning up

- Methods for cleaning up : Neutralize with chalk, alkali solution or ammonia.  
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For personal protection see section 8., Treat recovered material as described in the section "Disposal considerations"., Refer to section 15 for specific national regulation.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

- Advice on safe handling : Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
To avoid spills during handling keep bottle on a metal tray.
- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke.  
Wash hands before breaks and at the end of workday.

## SANET BR 75

WM 1113084

Order number: 0713084

Version 9.0

Revision Date 09.09.2025

Print Date 11.03.2026

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in original container. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store at room temperature in the original container.

Further information on storage stability : No decomposition if stored and applied as directed.

### 7.3 Specific end use(s)

Specific use(s) : Cleaning agent

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
orthophosphoric acid, orthophosphoric acid (Solution)	Not Assigned	TWA	1 mg/m <sup>3</sup>	2000/39/EC
	Further information: Indicative			
		STEL	2 mg/m <sup>3</sup>	2000/39/EC
	Further information: Indicative			

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
orthophosphoric acid, orthophosphoric acid (Solution)	Workers	Inhalation	Long-term local effects	1 mg/m <sup>3</sup>
	Consumers	Inhalation	Long-term local effects	0,36 mg/m <sup>3</sup>
	Workers	Inhalation	Acute local effects	2 mg/m <sup>3</sup>
	Workers	Inhalation	Long-term systemic effects	10,7 mg/m <sup>3</sup>
	Consumers	Inhalation	Long-term systemic effects	4,57 mg/m <sup>3</sup>
	Consumers	Skin contact	Long-term systemic effects	0,1 mg/kg

## SANET BR 75

WM 1113084

Order number: 0713084

Version 9.0

Revision Date 09.09.2025

Print Date 11.03.2026

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts	Workers	Skin contact	Long-term systemic effects	170 mg/kg
	Workers	Inhalation	Long-term systemic effects	12 mg/m <sup>3</sup>
	Workers	Inhalation	Long-term local effects	12 mg/m <sup>3</sup>
	Consumers	Skin contact	Long-term systemic effects	85 mg/kg
	Consumers	Inhalation	Long-term systemic effects	3 mg/m <sup>3</sup>
	Consumers	Ingestion	Long-term systemic effects	0,85 mg/kg
	Consumers	Inhalation	Long-term local effects	3 mg/m <sup>3</sup>
	Workers	Dermal	Chronic effects	85 mg/kg
	Workers	Inhalation	Chronic effects	6 mg/m <sup>3</sup>
	Consumers	Dermal	Chronic effects	42,5 mg/kg
	Consumers	Inhalation	Chronic effects	1,5 mg/m <sup>3</sup>
	Consumers	Oral	Chronic effects	0,425 mg/kg

**Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:**

Substance name	Environmental Compartment	Value
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts	Fresh water	0,268 mg/l
	Marine water	0,0268 mg/l
	Fresh water sediment	8,1 mg/kg
	Marine sediment	8,1 mg/kg
	Soil	35 mg/kg
	intermittent release	0,0167 mg/l
	STP	3,43 mg/l

### 8.2 Exposure controls

**Personal protective equipment**

Eye/face protection : If splashes are likely to occur, wear:  
Tightly fitting safety goggles

## **SANET BR 75**

**WM 1113084**

**Order number: 0713084**

Version 9.0

Revision Date 09.09.2025

Print Date 11.03.2026

### Hand protection

- Material** : For prolonged or repeated contact use protective gloves.
- It is suggested the usage of chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374.
- As alternative, a different type of gloves might be used if, accordingly to the recommendations of the producer, guarantee the same level of protection.

- Remarks** : Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).

- Skin and body protection** : not required under normal use

- Respiratory protection** : Not required; except in case of aerosol formation.

Recommended Filter type:

ABEK-P3-filter

---

## **SECTION 9: Physical and chemical properties**

### **9.1 Information on basic physical and chemical properties**

- Physical state** : liquid
- Colour** : red
- Odour** : characteristic
- Melting point/freezing point** : No data available
- Boiling point/boiling range** : No data available
- Flammability (solid, gas)** : No data available
- Flammability (liquids)** : No data available
- Lower explosion limit** : No data available
- Upper explosion limit** : No data available
- Flash point** : does not flash

## SANET BR 75

WM 1113084

Order number: 0713084

Version 9.0

Revision Date 09.09.2025

Print Date 11.03.2026

Ignition temperature	: No data available
Decomposition temperature	: No data available
pH	: ca. 0,8, 100 % at 20 °C
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Water solubility	: soluble
Solubility in other solvents	: No data available
Partition coefficient: n- octanol/water	: No data available
Vapour pressure	: No data available
Density	: ca. 1,096 g/cm <sup>3</sup> at 20 °C
Relative density	: No data available
Relative vapour density	: No data available
Particle characteristics	: No data available

### 9.2 Other information

none

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Stable under recommended storage conditions.  
No dangerous reaction known under conditions of normal use.

### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.  
No decomposition if used as directed.

### 10.4 Conditions to avoid

Conditions to avoid : No data available

### 10.5 Incompatible materials

Materials to avoid : No data available

### 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Our company is strongly against animal testing.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Werner & Mertz  
Professional

## SANET BR 75

WM 1113084

Order number: 0713084

Version 9.0

Revision Date 09.09.2025

Print Date 11.03.2026

Our company does not place any orders for animal testing for the finished product or the ingredients. However, as a result of EU legislation (REACH Regulation), the manufacturers of ingredients or EU importers are obliged to test ingredients with regard to their effects on human health and the environment before they are brought onto the market. Some of the tests made necessary by this took place decades ago.

### Acute toxicity

#### Product:

Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg  
Method: Calculation method

### Components:

#### Phosphoric acid

##### 7664-38-2:

Acute oral toxicity : LD50 Oral (Rat): 2.600 mg/kg  
LD50 Oral (Rat): 1.250 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0,21 mg/l  
Exposure time: 4 h  
LC50 (Rat): 850 mg/l  
Exposure time: 2 h

Acute dermal toxicity : LD50 (Rabbit): 2.740 mg/kg

#### Alcohols, C13-15, branched and linear, ethoxylated

##### 157627-86-6:

Acute oral toxicity : LD50 Oral (Rat): > 2.000 mg/kg  
LD50 Oral (Rat): 300 - 5.000 mg/kg

#### Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts

##### 68411-30-3:

Acute oral toxicity : LD50 Oral (Rat): > 2.000 mg/kg  
Method: OECD Test Guideline 401  
Test substance: see user defined free text  
Target Organs: Gastrointestinal tract  
Symptoms: Diarrhoea, Drowsiness, Breathing difficulties  
LD50 (Rat, male and female): 1.080 mg/kg  
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 Dermal (Rat): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
Symptoms: Crusting

### Skin corrosion/irritation

#### Product:

Remarks : May cause skin irritation and/or dermatitis.

## SANET BR 75

WM 1113084

Order number: 0713084

Version 9.0

Revision Date 09.09.2025

Print Date 11.03.2026

### Components:

#### Phosphoric acid

##### 7664-38-2:

Species	:	Rabbit
Exposure time	:	24 h
Result	:	Corrosive

#### Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts

##### 68411-30-3:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	irritating

#### Serious eye damage/eye irritation

### Product:

Remarks : Vapours may cause irritation to the eyes, respiratory system and the skin.  
Causes serious eye irritation.

### Components:

#### Phosphoric acid

##### 7664-38-2:

Species	:	Rabbit
Result	:	Corrosive

#### Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts

##### 68411-30-3:

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	Risk of serious damage to eyes.

#### Respiratory or skin sensitisation

### Product:

Remarks : No data available

### Components:

#### Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts

##### 68411-30-3:

Test Type	:	Maximisation Test
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity : Not Rated

Carcinogenicity : Not Rated

Reproductive toxicity : Not Rated

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Werner & Mertz  
Professional

## SANET BR 75

WM 1113084

Order number: 0713084

Version 9.0

Revision Date 09.09.2025

Print Date 11.03.2026

STOT - single exposure : The substance or mixture is not classified as specific target organ toxicant, single exposure.

### STOT - repeated exposure

STOT - repeated exposure : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### Components:

#### Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts

##### 68411-30-3:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### Repeated dose toxicity

### Components:

#### Phosphoric acid

##### 7664-38-2:

Species : Rat  
NOAEL : 250 mg/kg  
Application Route : Oral  
Method : OECD 422

#### Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts

##### 68411-30-3:

Species : Rat  
NOAEL : 125 mg/kg  
LOAEL : 250 mg/kg  
Application Route : Oral  
Exposure time : 28 d  
Target Organs : Blood, Liver, Heart  
Symptoms : Diarrhoea

Species : Rat  
NOAEL : 40 mg/kg  
LOAEL : 115 mg/kg  
Application Route : Oral  
Exposure time : 180 d  
Target Organs : Blood, Kidney  
Symptoms : Diarrhoea

Species : Rat  
NOAEL : 85 mg/kg  
LOAEL : 145 mg/kg  
Application Route : Oral  
Exposure time : 270 d  
Target Organs : Blood

Aspiration toxicity : Not Rated

## SANET BR 75

WM 1113084

Order number: 0713084

Version 9.0

Revision Date 09.09.2025

Print Date 11.03.2026

### 11.2 Information on other hazards

#### Endocrine disrupting properties

**Product:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### Further information

**Product:**

Remarks : No data available

## SECTION 12: Ecological information

### 12.1 Toxicity

**Components:**

**orthophosphoric acid, orthophosphoric acid (Solution)**

**7664-38-2:**

Toxicity to fish	: LC0 (Gambusia affinis (Mosquito fish)): 138 mg/l Exposure time: 96 h  LC50 (Lepomis macrochirus (Bluegill sunfish)): 3 - 3,25 mg/l Exposure time: 96 h  LC50 (Lepomis macrochirus (Bluegill sunfish)): 98 - 106 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia (water flea)): 100 - 1.000 mg/l Exposure time: 96 h  EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201  NOEC (Desmodesmus subspicatus (green algae)): 100 mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201
Toxicity to microorganisms	: EC50 (activated sludge): 270 mg/l  EC50 (activated sludge): > 1.000 mg/l Exposure time: 3 h Method: OECD Test Guideline 209

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Werner & Mertz  
Professional

## SANET BR 75

WM 1113084

Order number: 0713084

Version 9.0

Revision Date 09.09.2025

Print Date 11.03.2026

### Alcohols, C13-15, branched and linear, ethoxylated, Alcohols, C13-15-branched and linear, ethoxylated (11 EO), Alcohols, C13-15-branched and linear, ethoxylated

#### 157627-86-6:

Toxicity to fish	:	LC50 (Brachydanio rerio): 1 - 10 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 1 - 10 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Scenedesmus subspicatus): 1 - 10 mg/l Exposure time: 72 h
Toxicity to microorganisms	:	EC10 (activated sludge): > 1.000 mg/l
Toxicity to fish (Chronic toxicity)	:	NOEC: 0,1 - 1 mg/l Species: Fish

### Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts

#### 68411-30-3:

Toxicity to fish	:	LC50 (Fish): 1,67 mg/l Exposure time: 96 h Method: OPPTS 850.1500  NOEC (Pimephales promelas (fathead minnow)): 0,63 mg/l Exposure time: 196 d  NOEC (Oncorhynchus mykiss (rainbow trout)): 0,23 mg/l Exposure time: 72 d
Toxicity to daphnia and other aquatic invertebrates	:	LC50 (Daphnia (water flea)): 2,4 mg/l Exposure time: 48 h Method: Directive 67/548/EEC, Annex V, C.2.  NOEC (Daphnia (water flea)): > 1,41 mg/l Exposure time: 21 d Method: OECD Test Guideline 211  EC50 (Daphnia magna (Water flea)): 2,9 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EbC50 (Pseudokirchneriella subcapitata (green algae)): 47,3 mg/l Exposure time: 72 h  (Chlorella vulgaris (Fresh water algae)): 3,1 mg/l Exposure time: 15 d Test Type: static test  EC50 (Pseudokirchneriella subcapitata (green algae)): 29 mg/l Exposure time: 96 h
Toxicity to microorganisms	:	EC50 (Bacteria): 550 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209
Toxicity to fish (Chronic toxicity)	:	> 0,1 - 1 mg/l Exposure time: 28 d Species: Lepomis macrochirus (Bluegill sunfish)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Werner & Mertz  
Professional

## SANET BR 75

WM 1113084

Order number: 0713084

Version 9.0

Revision Date 09.09.2025

Print Date 11.03.2026

		NOEC: 0,268 mg/l Exposure time: 96 d Species: Fish
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: > 1 - 10 mg/l
		NOEC: 2,9 mg/l Exposure time: 32 d
Plant toxicity	:	NOEC: 100 mg/kg Species: Sorghum bicolor (sorghum) Method: OECD 208

### 12.2 Persistence and degradability

#### Product:

Biodegradability : Remarks: The surfactant(s) contained in this preparation complies (comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.

#### Components:

##### **orthophosphoric acid, orthophosphoric acid (Solution)**

###### **7664-38-2:**

Biodegradability : Result: Biodegradable  
Remarks: The methods for determining the biological degradability are not applicable to inorganic substances.

##### **Alcohols, C13-15, branched and linear, ethoxylated, Alcohols, C13-15-branched and linear, ethoxylated (11 EO), Alcohols, C13-15-branched and linear, ethoxylated**

###### **157627-86-6:**

Biodegradability : Result: rapidly biodegradable  
Remarks: The surfactant(s) contained in this mixture complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Biochemical Oxygen Demand (BOD) : 390 mg/g

Chemical Oxygen Demand (COD) : 2.060 mg/g

##### **Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts**

###### **68411-30-3:**

Biodegradability : Test Type: aerobic  
Result: rapidly biodegradable  
Exposure time: 28 d  
Kinetic:  
: > 60 %  
Method: OECD 301 B  
Remarks: The surfactant(s) contained in this mixture complies(comply) with the biodegradability criteria as laid down in

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Werner & Mertz  
Professional

## SANET BR 75

WM 1113084

Order number: 0713084

Version 9.0

Revision Date 09.09.2025

Print Date 11.03.2026

Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Result: Readily biodegradable.  
Exposure time: 28 d  
Kinetic:  
: 85 %  
Method: OECD 301 B

Result: Readily biodegradable.  
Exposure time: 122 d  
Kinetic:  
: 70 - 99 %

### 12.3 Bioaccumulative potential

#### Components:

##### **orthophosphoric acid, orthophosphoric acid (Solution)**

###### **7664-38-2:**

Partition coefficient: n-  
octanol/water : log Pow: -0,77

##### **Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts**

###### **68411-30-3:**

Bioaccumulation : Species: Pimephales promelas (fathead minnow)  
Exposure time: 192 h  
Bioconcentration factor (BCF): 87  
Method: see user defined free text  
Remarks: Does not significantly accumulate in organisms.

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### Components:

##### **orthophosphoric acid, orthophosphoric acid (Solution)**

###### **7664-38-2:**

Assessment : This substance is not considered to be very persistent and very bioaccumulating (vPvB).. This substance is not considered to be persistent, bioaccumulating and toxic (PBT).

##### **Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts**

###### **68411-30-3:**

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB).

## SANET BR 75

WM 1113084

Order number: 0713084

Version 9.0

Revision Date 09.09.2025

Print Date 11.03.2026

### 12.6 Endocrine disrupting properties

**Product:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**Components:**

**68411-30-3:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

**Product:**

Additional ecological information : There is no data available for this product.

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : Do not dispose of waste into sewer.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
In accordance with local and national regulations.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

Waste Code : European Waste Catalogue  
20 01 29\*  
According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

---

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADR : 1760  
IMDG : 1760  
IATA : 1760

### 14.2 UN proper shipping name

ADR : CORROSIVE LIQUID, N.O.S.  
(phosphoric acid)

IMDG : CORROSIVE LIQUID, N.O.S.  
(Phosphoric acid)

IATA : Corrosive liquid, n.o.s.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Werner & Mertz  
Professional

## SANET BR 75

WM 1113084

Order number: 0713084

Version 9.0

Revision Date 09.09.2025

Print Date 11.03.2026

### 14.3 Transport hazard class(es)

**ADR** : 8  
**IMDG** : 8  
**IATA** : 8

### 14.4 Packing group

**ADR**  
Classification Code : C9  
Packaging group : III  
Hazard Identification Number : 80  
Labels : 8  
Tunnel restriction code : (E)  
**IMDG**  
Packaging group : III  
Labels : 8  
EmS Number : F-A, S-B  
**IATA**  
**(Cargo)** : Corrosive liquid, n.o.s.  
Packaging group : III  
Labels : 8

### 14.5 Environmental hazards

**ADR**  
Environmentally hazardous : no

**IMDG**  
Marine pollutant : no

**IATA**  
Environmentally hazardous : no

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

For personal protection see section 8.

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : See Annex XVII to Regulation (EC) no 1907/2006 for Conditions of restriction

: Directive 96/82/EC does not apply

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. : Not applicable

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Werner & Mertz  
Professional

## SANET BR 75

WM 1113084

Order number: 0713084

Version 9.0

Revision Date 09.09.2025

Print Date 11.03.2026

TA Luft List (Germany)	: Total dust: Not applicable : Inorganic substances in powdered form: Not applicable : Inorganic substances in vapour or gaseous form: : portionClass 3: < 0,01 % : Organic Substances: : portionClass 1: 0,6 % : Carcinogenic substances: Not applicable : Mutagenic: Not applicable : Toxic to reproduction: Not applicable
Volatile organic compounds (VOC) content	: Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Update: Percent volatile: 0,02 %
according to Detergents Regulation EC 648/2004	: <5% anionic surfactants, non-ionic surfactants, perfumes

### 15.2 Chemical safety assessment

There is no data available for this product.

## SECTION 16: Other information

### Full text of H-Statements

H290	: May be corrosive to metals.
H302	: Harmful if swallowed.
H314	: Causes severe skin burns and eye damage.
H315	: Causes skin irritation.
H318	: Causes serious eye damage.
H412	: Harmful to aquatic life with long lasting effects.

### Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Eye Dam.	: Serious eye damage
Met. Corr.	: Corrosive to metals
Skin Corr.	: Skin corrosion
Skin Irrit.	: Skin irritation
2000/39/EC	: Europe. Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values
2000/39/EC / TWA	: Limit Value - eight hours
2000/39/EC / STEL	: Short term exposure limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Werner & Mertz  
Professional

## SANET BR 75

WM 1113084

Order number: 0713084

Version 9.0

Revision Date 09.09.2025

Print Date 11.03.2026

Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### Classification of the mixture:

Eye Irrit. 2	H319
Skin Irrit. 2	H315
Met. Corr. 1	H290

#### Classification procedure:

On basis of test data.
Calculation method
On basis of test data.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REG\_EU / EN

50000001189