

## SANET TASONIL

WM 1206153

Order number: 0406153

Version 9.0

Revision Date 21.01.2026

Print Date 11.03.2026

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : SANET TASONIL  
UFI : VMX1-NOYS-300A-2DTC

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Cleaning agent  
Restricted to professional users.

#### 1.3 Details of the supplier of the safety data sheet

Company : Tana Chemie GmbH  
Rheinallee 96  
55120 Mainz  
Telephone : +49613196403  
Telefax : +4961319642526  
E-mail address : Produktsicherheit@werner-mertz.com  
Responsible/issuing person  
Contact person : Product development / product safety

#### 1.4 Emergency telephone

EU: 112

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Eye irritation, Category 2 H319: Causes serious eye irritation.

Skin irritation, Category 2 H315: Causes skin irritation.

#### 2.2 Label elements

##### Labeling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H315 Causes skin irritation.  
H319 Causes serious eye irritation.

Precautionary Statements : P102 Keep out of reach of children.  
**Prevention:**  
P264 Wash hands thoroughly after handling.  
P280 Wear protective gloves/ eye protection/ face protection.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Werner & Mertz  
Professional

## SANET TASONIL

WM 1206153

Order number: 0406153

Version 9.0

Revision Date 21.01.2026

Print Date 11.03.2026

### Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337 + P313 If eye irritation persists: Get medical advice/attention.

Safety data sheet available on request.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Chemical nature : Aqueous surfactant solution.

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
sulphamidic acid	5329-14-6 226-218-8 016-026-00-0 01-2119846728-23, 01-2119488633-28	Eye Irrit. 2; H319 Skin Irrit. 2; H315 Aquatic Chronic 3; H412	$\geq 10 - < 15$
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	68439-57-6 270-407-8931-534-0 01-2119513401-57	Skin Irrit. 2; H315 Eye Dam. 1; H318  specific concentration limit Skin Irrit. 2; H315 $\geq 5$ % Eye Irrit. 2; H319 $> 5 - 38$ % Eye Dam. 1; H318 $> 38$ %	$\geq 3 - < 5$
Citric acid	77-92-9 201-069-1 607-750-00-3 01-2119457026-42	STOT SE 3; H335 Eye Irrit. 2; H319	$\geq 1 - < 3$

## SANET TASONIL

WM 1206153

Order number: 0406153

Version 9.0

Revision Date 21.01.2026

Print Date 11.03.2026

### SECTION 4: First aid measures

#### 4.1 Description of first-aid measures

- General advice : Move out of dangerous area.  
Consult a physician.  
Show this material safety data sheet to the doctor in attendance.
- If inhaled : Move to fresh air.  
If symptoms persist, call a physician.
- In case of skin contact : Take off contaminated clothing and shoes immediately.  
Wash off with soap and plenty of water.  
If symptoms persist, call a physician.
- In case of eye contact : Protect unharmed eye.  
If easy to do, remove contact lens, if worn.  
Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.  
If eye irritation persists, consult a specialist.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
Obtain medical attention.

#### 4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Irritation
- Risks : No information available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : For specialist advice physicians should contact the Poisons Information Service.

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### 5.2 Special hazards arising from the substance or mixture

- Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : No hazardous combustion products are known

#### 5.3 Advice for firefighters

- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Werner & Mertz  
Professional

## SANET TASONIL

WM 1206153

Order number: 0406153

Version 9.0

Revision Date 21.01.2026

Print Date 11.03.2026

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.  
Ensure adequate ventilation.

#### 6.2 Environmental precautions

Environmental precautions : Try to prevent the material from entering drains or water courses.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Neutralize with chalk, alkali solution or ammonia.  
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For personal protection see section 8., Treat recovered material as described in the section "Disposal considerations"., Refer to section 15 for specific national regulation.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Advice on safe handling : Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke.  
Wash hands before breaks and at the end of workday.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in original container. Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container.

Further information on storage stability : No decomposition if stored and applied as directed.

#### 7.3 Specific end use(s)

Specific use(s) : Cleaning agent

## SANET TASONIL

WM 1206153

Order number: 0406153

Version 9.0

Revision Date 21.01.2026

Print Date 11.03.2026

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of exposure	Potential health effects	Value
sulphamidic acid	Consumers	Ingestion		1,06 mg/kg
	Workers	Inhalation		7,5 mg/m <sup>3</sup>
	Consumers	Inhalation		1,85 mg/m <sup>3</sup>
	Consumers	Ingestion	Long-term systemic effects	5 mg/kg bw/day
	Workers	Skin contact	Long-term systemic effects	10 mg/kg bw/day
	Consumers	Skin contact	Long-term systemic effects	5 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	70,5 mg/m <sup>3</sup>
	Consumers	Inhalation	Long-term systemic effects	17,4 mg/m <sup>3</sup>
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	Workers	Skin contact	Long-term exposure, Systemic effects	2158,33 mg/kg
	Workers	Inhalation	Long-term exposure, Systemic effects	152,22 mg/m <sup>3</sup>
	Consumers	Skin contact	Long-term exposure, Systemic effects	1295 mg/kg
	Consumers	Inhalation	Long-term exposure, Systemic effects	45,04 mg/m <sup>3</sup>
	Consumers	Ingestion	Long-term exposure, Systemic effects	12,95 mg/kg

#### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
sulphamidic acid	Fresh water	0,3 mg/l
	Sea water	0,03 mg/l

## SANET TASONIL

WM 1206153

Order number: 0406153

Version 9.0

Revision Date 21.01.2026

Print Date 11.03.2026

	intermittent release	0,3 mg/l
	STP	200 mg/l
	Fresh water sediment	0,3 mg/kg
	Sea sediment	0,3 mg/kg
	Soil	3 mg/kg
	Fresh water	0,048 mg/l
	Sea water	0,0048 mg/l
	STP	2 mg/l
	Fresh water sediment	0,173 mg/kg
	Sea sediment	0,0173 mg/kg
	Soil	0,00638 mg/kg
	Fresh water	1,8 mg/l
	Sea water	0,18 mg/l
	STP	20 mg/l
	Fresh water sediment	8,36 mg/kg
	Sea sediment	0,84 mg/kg
	Soil	5 mg/kg
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	Fresh water	0,042 mg/l
	Sea water	0,0042 mg/l
	Fresh water sediment	2,025 mg/l
	Sea sediment	0,2025 mg/l
	Soil	0,0061 mg/l
	STP	4 mg/l
Citric acid, citric acid	Fresh water	0,44 mg/l
	Sea water	0,044 mg/l
	STP	> 1000 mg/l
	Fresh water sediment	34,6 mg/kg

## SANET TASONIL

WM 1206153

Order number: 0406153

Version 9.0

Revision Date 21.01.2026

Print Date 11.03.2026

	Sea sediment	3,46 mg/kg
	Soil	33,1 mg/kg

### 8.2 Exposure controls

#### Personal protective equipment

Eye/face protection : If splashes are likely to occur, wear:  
Tightly fitting safety goggles

Hand protection

Material : For prolonged or repeated contact use protective gloves.

It is suggested the usage of chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374.

As alternative, a different type of gloves might be used if, accordingly to the recommendations of the producer, guarantee the same level of protection.

Remarks : Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).

Skin and body protection : not required under normal use

Respiratory protection : Not required; except in case of aerosol formation.

Recommended Filter type:

ABEK-P3-filter

---

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state : liquid

Color : red

## SANET TASONIL

WM 1206153

Order number: 0406153

Version 9.0

Revision Date 21.01.2026

Print Date 11.03.2026

Odor	: fruity
Melting point/freezing point	: No data available
Boiling point/boiling range	: No information available.
Flammability (solid, gas)	: No data available
Flammability (liquids)	: No data available
Lower explosion limit	: No data available
Upper explosion limit	: No data available
Flash point	: does not flash
Ignition temperature	: No data available
Decomposition temperature	: No data available
pH	: ca. 0,5, 100 % at 20 °C
Viscosity, dynamic	: ca. 1.250 mPa.s at 20 °C
Viscosity, kinematic	: No data available
Water solubility	: soluble
Solubility in other solvents	: No data available
Partition coefficient: n- octanol/water	: No data available
Vapor pressure	: No data available
Density	: ca. 1,071 g/cm <sup>3</sup> at 20 °C
Relative density	: No data available
Relative vapor density	: No data available
Particle characteristics	: No data available

### 9.2 Other information

none

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Stable under recommended storage conditions.  
No dangerous reaction known under conditions of normal use.

### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.  
No decomposition if used as directed.

### 10.4 Conditions to avoid

Conditions to avoid : No data available

## SANET TASONIL

WM 1206153

Order number: 0406153

Version 9.0

Revision Date 21.01.2026

Print Date 11.03.2026

### 10.5 Incompatible materials

Materials to avoid : No data available

### 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Our company is strongly against animal testing.

Our company does not place any orders for animal testing for the finished product or the ingredients.

However, as a result of EU legislation (REACH Regulation), the manufacturers of ingredients or EU importers are obliged to test ingredients with regard to their effects on human health and the environment before they are brought onto the market. Some of the tests made necessary by this took place decades ago.

#### Acute toxicity

Acute toxicity : Not Rated

#### Components:

##### **sulphamidic acid**

##### **5329-14-6:**

Acute oral toxicity : LD50 (Rat): 3.160 mg/kg  
LD50 Oral (Rat): > 2.000 mg/kg  
Method: OECD Test Guideline 401  
GLP: yes

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
GLP: yes

##### **Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts**

##### **68439-57-6:**

Acute oral toxicity : LD50 Oral (Rat): > 2.000 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): 52 mg/l  
Exposure time: 4 h  
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 Dermal (Rabbit): 6.300 mg/kg  
Method: OECD Test Guideline 402

#### **Citric acid**

##### **77-92-9:**

Acute oral toxicity : LD50 Oral (Mouse): 5.400 mg/kg  
Method: OECD Test Guideline 401

LD50 Oral (Rat): > 2.000 mg/kg  
Method: OECD Test Guideline 402

## SANET TASONIL

WM 1206153

Order number: 0406153

Version 9.0

Revision Date 21.01.2026

Print Date 11.03.2026

Acute dermal toxicity : LD50 Dermal (Rat): > 2.000 mg/kg  
Method: OECD Test Guideline 402

### Skin corrosion/irritation

**Product:**

Remarks : May cause skin irritation and/or dermatitis.

**Components:**

**sulphamidic acid**

**5329-14-6:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Irritating to skin.

**Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts**

**68439-57-6:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Irritating to skin.

### Serious eye damage/eye irritation

**Product:**

Remarks : Causes serious eye irritation.

Remarks : May cause irreversible eye damage.  
Causes serious eye irritation.

**Components:**

**sulphamidic acid**

**5329-14-6:**

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Eye irritation

**Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts**

**68439-57-6:**

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Risk of serious damage to eyes.

**Citric acid**

**77-92-9:**

Result : Eye irritation

### Respiratory or skin sensitization

**Product:**

Remarks : No data available

## SANET TASONIL

WM 1206153

Order number: 0406153

Version 9.0

Revision Date 21.01.2026

Print Date 11.03.2026

### Components:

#### Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts

##### 68439-57-6:

Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : Did not cause sensitization on laboratory animals.

#### Citric acid

##### 77-92-9:

Result : Does not cause skin sensitization.

Germ cell mutagenicity : Not Rated

Carcinogenicity : Not Rated

Reproductive toxicity : Not Rated

STOT-single exposure : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

#### Repeated dose toxicity

### Components:

#### sulphamidic acid

##### 5329-14-6:

Species : Rat  
NOAEL : 1000 mg/kg  
Application Route : 1.000 mg/kg  
Exposure time : Oral  
Method : 90 h  
OECD Test Guideline 408

#### Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts

##### 68439-57-6:

Species : Rat  
NOAEL : 259 mg/kg  
Application Route : Dermal  
Exposure time : 2 Years

#### Citric acid

##### 77-92-9:

Species : Rat  
NOAEL : 4.000 mg/kg  
LOAEL : 8.000 mg/kg  
Application Route : Oral  
Exposure time : 10 d

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Werner & Mertz  
Professional

## SANET TASONIL

WM 1206153

Order number: 0406153

Version 9.0

Revision Date 21.01.2026

Print Date 11.03.2026

Aspiration toxicity : Not Rated

### 11.2 Information on other hazards

#### Endocrine disrupting properties

##### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### Further information

##### Product:

Remarks : No data available

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Components:

##### **sulphamidic acid**

##### **5329-14-6:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 70,3 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 71,9 mg/l  
Exposure time: 24 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): 48 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
  
NOEC (Desmodesmus subspicatus (green algae)): 18 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to microorganisms : (activated sludge): > 200 mg/l  
Exposure time: 3 h

#### **Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts**

##### **68439-57-6:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 4,2 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : (Daphnia magna (Water flea)): 4,53 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : (Skeletonema costatum (marine diatom)): 5,2 mg/l  
Exposure time: 72 h

## SANET TASONIL

WM 1206153

Order number: 0406153

Version 9.0

Revision Date 21.01.2026

Print Date 11.03.2026

Toxicity to microorganisms : Method: OECD Test Guideline 201  
: EC50 (Bacteria): 230 mg/l  
Method: OECD Test Guideline 209

Sediment toxicity : 2025 mg/l  
Duration: 10 d

### Citric acid, citric acid

#### 77-92-9:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 440 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 203

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 1.535 mg/l  
aquatic invertebrates : Exposure time: 24 h  
Test Type: static test

EC50 (Daphnia magna (Water flea)): ca. 120 mg/l  
Exposure time: 72 h

Toxicity to algae/aquatic plants : NOEC (Scenedesmus quadricauda (Green algae)): 425 mg/l  
Exposure time: 8 Days  
Test Type: static test

Toxicity to microorganisms : (Pseudomonas putida): > 10.000 mg/l  
Exposure time: 16 h

## 12.2 Persistence and degradability

### Product:

Biodegradability : Remarks: The surfactant(s) contained in this preparation complies (comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.

### Components:

#### sulphamidic acid

##### 5329-14-6:

Biodegradability : Result: Not rapidly biodegradable

#### Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts

##### 68439-57-6:

Biodegradability : Result: rapidly biodegradable  
Biodegradation: > 80 %  
Method: OECD 301 B  
Remarks: According to the results of tests of biodegradability this product is considered as being readily biodegradable.

Chemical Oxygen Demand : 790 mg/g  
(COD)

Dissolved organic carbon (DOC) : 190 mg/g

### Citric acid, citric acid

#### 77-92-9:

## SANET TASONIL

WM 1206153

Order number: 0406153

Version 9.0

Revision Date 21.01.2026

Print Date 11.03.2026

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 97 %  
Exposure time: 28 d  
Method: OECD 301 B

Result: Readily biodegradable.  
Biodegradation: 100 %  
Exposure time: 19 d  
Method: OECD 301 E

Biochemical Oxygen Demand (BOD) : 526 mg/g

Chemical Oxygen Demand (COD) : 728 mg/g

ThOD : 0,75 g/g

### 12.3 Bioaccumulative potential

#### Components:

##### **sulphamidic acid**

##### **5329-14-6:**

Bioaccumulation : Remarks: No bioaccumulation is to be expected (log Pow <= 4).

Partition coefficient: n-octanol/water : log Pow: -4,34

##### **Citric acid, citric acid**

##### **77-92-9:**

Bioaccumulation : Remarks: No bioaccumulation is to be expected (log Pow <= 4).

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### Components:

##### **Citric acid, citric acid**

##### **77-92-9:**

Assessment : Not persistent, bioaccumulative, and toxic (PBT).. Not very persistent and very bioaccumulative (vPvB).

### 12.6 Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SANET TASONIL

WM 1206153

Order number: 0406153

Version 9.0

Revision Date 21.01.2026

Print Date 11.03.2026

### 12.7 Other adverse effects

**Product:**

Additional ecological information : There is no data available for this product.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product	: Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. In accordance with local and national regulations.
Contaminated packaging	: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.
Waste Code	European Waste Catalog 20 01 29* According to the European Waste Catalog, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

## SECTION 14: Transport information

### 14.1 UN number or ID number

**ADR**

Not dangerous goods

**IMDG**

Not dangerous goods

**IATA**

Not dangerous goods

### 14.2 UN proper shipping name

Not regulated as a dangerous good

### 14.3 Transport hazard class(es)

**ADR**

Not dangerous goods

**IMDG**

Not dangerous goods

**IATA**

Not dangerous goods

### 14.4 Packing group

**ADR**

Not dangerous goods

**IMDG**

Not dangerous goods

**IATA**

Not dangerous goods

### 14.5 Environmental hazards

**ADR**

Not dangerous goods

**IMDG**

## SANET TASONIL

WM 1206153

Order number: 0406153

Version 9.0

Revision Date 21.01.2026

Print Date 11.03.2026

Not regulated as a dangerous good  
**IATA**  
Not dangerous goods

### 14.6 Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regulations.

For personal protection see section 8.

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : See Annex XVII to Regulation (EC) no 1907/2006 for Conditions of restriction

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. : Not applicable

TA Luft List (Germany) : Total dust: Not applicable  
: Inorganic substances in powdered form: Not applicable  
: Inorganic substances in vapor or gaseous form: : portionClass 3: < 0,01 %  
: Organic Substances: : portionClass 1: 2 %  
: Carcinogenic substances: Not applicable  
: mutagenic: Not applicable  
: Toxic to reproduction: Not applicable

Volatile organic compounds (VOC) content : Directive 2010/75/EU of 24 November 2010 on industrial and livestock rearing emissions (integrated pollution prevention and control)  
Update: Percent volatile: 0,13 %

according to Detergents Regulation EC 648/2004 : <5% anionic surfactants, perfumes

### 15.2 Chemical Safety Assessment

There is no data available for this product.

## SECTION 16: Other information

### Full text of H-Statements

H315 : Causes skin irritation.  
H318 : Causes serious eye damage.  
H319 : Causes serious eye irritation.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Werner & Mertz  
Professional

## SANET TASONIL

WM 1206153

Order number: 0406153

Version 9.0

Revision Date 21.01.2026

Print Date 11.03.2026

H335 : May cause respiratory irritation.  
H412 : Harmful to aquatic life with long lasting effects.

### Full text of other abbreviations

Aquatic Chronic : Long-term (chronic) aquatic hazard  
Eye Dam. : Serious eye damage  
Eye Irrit. : Eye irritation  
Skin Irrit. : Skin irritation  
STOT SE : Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### Classification of the mixture:

Eye Irrit. 2 H319  
Skin Irrit. 2 H315

#### Classification procedure:

On basis of test data.  
Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REG\_EU / EN

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Werner & Mertz  
Professional

## SANET TASONIL

**WM 1206153**

**Order number: 0406153**

Version 9.0

Revision Date 21.01.2026

Print Date 11.03.2026

50000000915