

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



## SANET daily zero% Q&E 6X325ML SCAN

WM 0717144

Order number: 0717144

Version 4.2

Revision Date 22.01.2026

Print Date 11.03.2026

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : SANET daily zero% Q&E 6X325ML SCAN  
UFI : JXWC-80V2-N00D-EDCT

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Cleaning agent  
Restricted to professional users.

#### 1.3 Details of the supplier of the safety data sheet

Company : Tana Chemie GmbH  
Rheinallee 96  
55120 Mainz  
Telephone : +49613196403  
Telefax : +4961319642526  
E-mail address : Produktsicherheit@werner-mertz.com  
Responsible/issuing person  
Contact person : Product development / product safety

#### 1.4 Emergency telephone

EU: 112

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Corrosive to Metals, Category 1	H290: May be corrosive to metals.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Skin irritation, Category 2	H315: Causes skin irritation.
Skin corrosion, Sub-category 1C	H314: Causes severe skin burns and eye damage.
Serious eye damage, Category 1	H318: Causes serious eye damage.

#### 2.2 Label elements

##### Labeling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal Word : Warning

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Werner & Mertz  
Professional

## SANET daily zero% Q&E 6X325ML SCAN

WM 0717144

Order number: 0717144

Version 4.2

Revision Date 22.01.2026

Print Date 11.03.2026

Hazard Statements	: H290 H315 H319	May be corrosive to metals. Causes skin irritation. Causes serious eye irritation.
Precautionary Statements	: P102 <b>Prevention:</b> P260 P280 <b>Response:</b> P305 + P351 + P338 + P310  P302 + P352	Keep out of reach of children.  Do not breathe spray. Wear protective gloves/ eye protection/ face protection.  IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.  IF ON SKIN: Wash with plenty of soap and water.

Hazardous ingredients which must be listed on the label:

l-(+)-lactic acid  
methanesulphonic acid

Safety data sheet available on request.

### Classification in use concentration

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
l-(+)-lactic acid	79-33-4 201-196-2 607-743-00-5 01-2119474164-39	Skin Corr. 1C; H314 Eye Dam. 1; H318  specific concentration	>= 5 - < 10

## SANET daily zero% Q&E 6X325ML SCAN

WM 0717144

Order number: 0717144

Version 4.2

Revision Date 22.01.2026

Print Date 11.03.2026

		limit Skin Irrit. 2; H315 3 - < 5 % Eye Dam. 1; H318 >= 3 % Eye Irrit. 2; H319 1 - < 3 % Skin Corr. 1C; H314 >= 5 %	
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3 500-234-8 01-2119488639-16	Skin Irrit. 2; H315 Eye Dam. 1; H318  specific concentration limit Eye Irrit. 2; H319 5 - < 10 % Eye Dam. 1; H318 >= 10,0 % Skin Irrit. 2; H315 >= 10 %	>= 5 - < 10
D-Glucopyranose, oligomers, decyl octyl glycosides	68515-73-1 500-220-1 01-2119488530-36	Eye Dam. 1; H318  specific concentration limit Eye Dam. 1; H318 > 10 % Eye Irrit. 2; H319 10 %	>= 3 - < 5
methanesulphonic acid	75-75-2 200-898-6 607-145-00-4 01-2119491166-34	Skin Corr. 1B; H314 Met. Corr. 1; H290 Acute Tox. 4; H302 Acute Tox. 4; H312 STOT SE 3; H335 Eye Dam. 1; H318	>= 1 - < 3

### SECTION 4: First aid measures

#### 4.1 Description of first-aid measures

- General advice : Move out of dangerous area.  
Consult a physician.  
Show this material safety data sheet to the doctor in attendance.
- If inhaled : Move to fresh air.  
If symptoms persist, call a physician.
- In case of skin contact : Take off contaminated clothing and shoes immediately.  
Wash off with soap and plenty of water.  
If symptoms persist, call a physician.
- In case of eye contact : Protect unharmed eye.  
If easy to do, remove contact lens, if worn.  
Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.  
If eye irritation persists, consult a specialist.

## SANET daily zero% Q&E 6X325ML SCAN

WM 0717144

Order number: 0717144

Version 4.2

Revision Date 22.01.2026

Print Date 11.03.2026

If swallowed : Clean mouth with water and drink afterwards plenty of water.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
Obtain medical attention.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : corrosive effects  
Irritation

Risks : No information available.  
  
Causes serious eye damage.  
Causes severe burns.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : For specialist advice physicians should contact the Poisons Information Service.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : No hazardous combustion products are known

### 5.3 Advice for firefighters

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.  
Ensure adequate ventilation.

### 6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Werner & Mertz  
Professional

## SANET daily zero% Q&E 6X325ML SCAN

WM 0717144

Order number: 0717144

Version 4.2

Revision Date 22.01.2026

Print Date 11.03.2026

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Neutralize with chalk, alkali solution or ammonia.  
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For personal protection see section 8., Treat recovered material as described in the section "Disposal considerations"., Refer to section 15 for specific national regulation.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
To avoid spills during handling keep bottle on a metal tray.  
Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke.  
Wash hands before breaks and at the end of workday.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in original container. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store at room temperature in the original container.

Further information on storage stability : No decomposition if stored and applied as directed.

### 7.3 Specific end use(s)

Specific use(s) : Cleaning agent

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

**Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:**

Substance name	End Use	Routes of exposure	Potential health effects	Value
l-(+)-lactic acid	Workers	Inhalation	Short-term exposure, Local effects	592 mg/m3

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Werner & Mertz  
Professional

## SANET daily zero% Q&E 6X325ML SCAN

WM 0717144

Order number: 0717144

Version 4.2

Revision Date 22.01.2026

Print Date 11.03.2026

	Consumers	Ingestion	Short-term exposure, Systemic effects	35,4 mg/kg
	Consumers	Inhalation	Short-term exposure, Local effects	296 mg/m3
Alcohols, C12-14, ethoxylated, sulfates, sodium salts, Poly(oxy- 1,2-ethanediyl), .alpha.- sulfo-.omega.-hydroxy-, C12-14-alkyl ethers, sodium salts	Workers	Inhalation	Long-term systemic effects	175 mg/m3
	Consumers	Inhalation	Long-term systemic effects	52 mg/m3
	Consumers	Ingestion	Long-term systemic effects	15 mg/kg bw/day
	Consumers	Skin contact	Long-term local effects	0,079 mg/cm2
	Workers	Skin contact	Long-term systemic effects	5830 mg/kg bw/day
	Consumers	Skin contact		2500 mg/kg bw/day
D-Glucopyranose, oligomers, decyl octyl glycosides	Workers	Skin contact	Long-term systemic effects	595000 mg/kg
	Workers	Inhalation	Long-term systemic effects	420 mg/m3
	Consumers	Skin contact	Long-term systemic effects	357000 mg/kg
	Consumers	Inhalation	Long-term systemic effects	124 mg/m3
	Consumers	Ingestion	Long-term systemic effects	35,7 mg/kg
methanesulphonic acid	Workers	Inhalation	Long-term local effects	2,89 mg/m3
	Workers	Inhalation	Long-term systemic effects	19,44 mg/kg
	Workers	Skin contact	Long-term systemic effects	19,44 mg/kg
	Consumers	Inhalation	Long-term systemic effects	1,44 mg/kg

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Werner & Mertz  
Professional

## SANET daily zero% Q&E 6X325ML SCAN

WM 0717144

Order number: 0717144

Version 4.2

Revision Date 22.01.2026

Print Date 11.03.2026

	Consumers	Inhalation	Acute systemic effects	1,44 mg/kg
	Consumers	Skin contact	Long-term systemic effects	8,33 mg/kg
	Workers	Inhalation	Long-term systemic effects	6,76 mg/m3
	Consumers	Ingestion	Long-term systemic effects	8,33 mg/kg
	Consumers	Inhalation	Long-term local effects	1,73 mg/m3
	Workers	Inhalation	Long-term exposure	0,7 mg/m3
	Consumers	Inhalation	Long-term local effects	0,42 mg/m3

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
l-(+)-lactic acid	Fresh water	1,3 mg/l
	STP	10 mg/l
Alcohols, C12-14, ethoxylated, sulfates, sodium salts, Poly(oxy-1,2-ethanediyl), .alpha.-sulfo-.omega.-hydroxy-, C12-14-alkyl ethers, sodium salts	Fresh water	0,129 mg/l
	Sea water	0,0129 mg/l
	Fresh water sediment	4,835 mg/kg dry weight (d.w.)
	Sea sediment	0,4835 mg/kg dry weight (d.w.)
	Soil	7,5 mg/kg dry weight (d.w.)
	STP	10000 mg/l
	intermittent release	0,071 mg/l
D-Glucopyranose, oligomers, decyl octyl glycosides	Fresh water	0,176 mg/l
	Sea water	0,0176 mg/l
	intermittent release	0,27 mg/l
	STP	560 mg/l

**SANET daily zero% Q&E 6X325ML SCAN**

WM 0717144

Order number: 0717144

Version 4.2

Revision Date 22.01.2026

Print Date 11.03.2026

	Fresh water sediment	1,516 mg/kg
	Sea sediment	0,152 mg/kg
	Soil	0,654 mg/kg
methanesulphonic acid	Fresh water	0,012 mg/l
	Sea water	0,0012 mg/l
	Fresh water sediment	0,0251 mg/kg
	Soil	0,00183 mg/kg
	Intermittent use/release	0,12 mg/l
	Sewage treatment plant	100 mg/l

**8.2 Exposure controls**

**Personal protective equipment**

Eye/face protection : If splashes are likely to occur, wear:

Tightly fitting safety goggles

Hand protection

Material : For prolonged or repeated contact use protective gloves.

It is suggested the usage of chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374.

As alternative, a different type of gloves might be used if, accordingly to the recommendations of the producer, guarantee the same level of protection.

Remarks : Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).

Skin and body protection : not required under normal use

Respiratory protection : Not required; except in case of aerosol formation.

Recommended Filter type:

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Werner & Mertz  
Professional

## SANET daily zero% Q&E 6X325ML SCAN

WM 0717144

Order number: 0717144

Version 4.2

Revision Date 22.01.2026

Print Date 11.03.2026

ABEK-P3-filter

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Physical state	: liquid
Color	: colorless
Odor	: characteristic
Melting point/freezing point	: No data available
Boiling point/boiling range	: No information available.
Flammability (solid, gas)	: No data available
Flammability (liquids)	: No data available
Lower explosion limit	: No data available
Upper explosion limit	: No data available
Flash point	: does not flash
Ignition temperature	: No data available
Decomposition temperature	: No data available
pH	: ca. 1,2, 100 % at 20 °C
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Water solubility	: soluble
Solubility in other solvents	: No data available
Partition coefficient: n- octanol/water	: No data available
Vapor pressure	: No data available
Density	: ca. 1,04 g/cm <sup>3</sup> at 20 °C
Relative density	: No data available
Relative vapor density	: No data available
Particle characteristics	: No data available

#### 9.2 Other information

none

## SANET daily zero% Q&E 6X325ML SCAN

WM 0717144

Order number: 0717144

Version 4.2

Revision Date 22.01.2026

Print Date 11.03.2026

### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

Stable under recommended storage conditions.  
No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

No decomposition if stored and applied as directed.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.  
No decomposition if used as directed.

#### 10.4 Conditions to avoid

Conditions to avoid : No data available

#### 10.5 Incompatible materials

Materials to avoid : No data available

#### 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

### SECTION 11: Toxicological information

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Our company is strongly against animal testing.  
Our company does not place any orders for animal testing for the finished product or the ingredients.  
However, as a result of EU legislation (REACH Regulation), the manufacturers of ingredients or EU importers are obliged to test ingredients with regard to their effects on human health and the environment before they are brought onto the market. Some of the tests made necessary by this took place decades ago.

#### Acute toxicity

Not classified due to lack of data.

#### Product:

Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg  
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2.000 mg/kg  
Method: Calculation method

#### Components:

##### I-(+)-lactic acid

##### 79-33-4:

Acute oral toxicity : LD50 (Rat): 3.730 mg/kg  
LD50 (Mouse): 4.875 mg/kg  
LD50 Oral (Guinea pig): 1.810 mg/kg

Acute inhalation toxicity : LC50 (Rat): 7,94 mg/l  
Exposure time: 4 h

## SANET daily zero% Q&E 6X325ML SCAN

WM 0717144

Order number: 0717144

Version 4.2

Revision Date 22.01.2026

Print Date 11.03.2026

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

### Alcohols, C12-14, ethoxylated, sulfates, sodium salts

#### 68891-38-3:

Acute oral toxicity : LD50 Oral (Rat): 4.100 mg/kg  
Method: OECD Test Guideline 401  
GLP: no

LD50 Oral (Rat): 2.870 mg/kg  
Method: OECD Test Guideline 401

LD50 (Rat): 7.400 mg/kg  
Method: OECD Test Guideline 401

LD50 (Rat): 2.000 - 5.000 mg/kg  
Method: OECD Test Guideline 401

LD50 (Rat): > 2.000 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
GLP: yes

### D-Glucopyranose, oligomers, decyl octyl glycosides

#### 68515-73-1:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 401

Acute dermal toxicity : (Rabbit): > 2.000 mg/kg  
Method: OECD Test Guideline 402

### methanesulphonic acid

#### 75-75-2:

Acute oral toxicity : LD50 (Rat): 200 mg/kg

LD50 (Rat): 649 mg/kg

LD50 (Rat): > 300 - 2.000 mg/kg

Acute inhalation toxicity : LC0 (Mouse): > 1,88 mg/l  
Exposure time: 1 h

LC0 (Rat): 0,74 mg/l  
Exposure time: 6 h

Acute dermal toxicity : LD50 (Rabbit): > 1.000 - 2.000 mg/kg

### Skin corrosion/irritation

Causes severe burns.

### Product:

Remarks : May cause skin irritation and/or dermatitis.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Werner & Mertz  
Professional

## SANET daily zero% Q&E 6X325ML SCAN

WM 0717144

Order number: 0717144

Version 4.2

Revision Date 22.01.2026

Print Date 11.03.2026

### Components:

#### Alcohols, C12-14, ethoxylated, sulfates, sodium salts

##### 68891-38-3:

Species : Rabbit  
Assessment : Irritating to skin.  
Method : OECD Test Guideline 404

#### D-Glucopyranose, oligomers, decyl octyl glycosides

##### 68515-73-1:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Mild skin irritation

#### methanesulphonic acid

##### 75-75-2:

Result : Causes severe burns.

#### Serious eye damage/eye irritation

Causes serious eye damage.

### Product:

Remarks : Vapors may cause irritation to the eyes, respiratory system and the skin.  
Causes serious eye irritation.

### Components:

#### Alcohols, C12-14, ethoxylated, sulfates, sodium salts

##### 68891-38-3:

Species : Rabbit  
Assessment : Risk of serious damage to eyes.  
Method : OECD Test Guideline 405

#### D-Glucopyranose, oligomers, decyl octyl glycosides

##### 68515-73-1:

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Irreversible effects on the eye

#### methanesulphonic acid

##### 75-75-2:

Result : Causes serious eye damage.

#### Respiratory or skin sensitization

##### Skin sensitization

Not classified due to lack of data.

##### Respiratory sensitization

Not classified due to lack of data.

## SANET daily zero% Q&E 6X325ML SCAN

WM 0717144

Order number: 0717144

Version 4.2

Revision Date 22.01.2026

Print Date 11.03.2026

### Product:

Remarks : No data available

### Components:

**Alcohols, C12-14, ethoxylated, sulfates, sodium salts**

#### **68891-38-3:**

Result : Does not cause skin sensitization.

**D-Glucopyranose, oligomers, decyl octyl glycosides**

#### **68515-73-1:**

Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitization.

### **Germ cell mutagenicity**

Not classified due to lack of data.

Germ cell mutagenicity : Not Rated

### Components:

**Alcohols, C12-14, ethoxylated, sulfates, sodium salts**

#### **68891-38-3:**

Genotoxicity in vitro : Method: OECD Test Guideline 471  
Result: negative

**D-Glucopyranose, oligomers, decyl octyl glycosides**

#### **68515-73-1:**

Genotoxicity in vitro : Test Type: Ames test  
Method: OECD Test Guideline 471  
Result: negative

### **Carcinogenicity**

Not classified due to lack of data.

Carcinogenicity : Not Rated

### **Reproductive toxicity**

Not classified due to lack of data.

Reproductive toxicity : Not Rated

### **STOT-single exposure**

Not classified due to lack of data.

STOT-single exposure : The substance or mixture is not classified as specific target organ toxicant, single exposure.

### **STOT-repeated exposure**

Not classified due to lack of data.

STOT-repeated exposure : The substance or mixture is not classified as specific target organ

## SANET daily zero% Q&E 6X325ML SCAN

WM 0717144

Order number: 0717144

Version 4.2

Revision Date 22.01.2026

Print Date 11.03.2026

toxicant, repeated exposure.

### Aspiration toxicity

Not classified due to lack of data.

Aspiration toxicity : Not Rated

## 11.2 Information on other hazards

### Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### Further information

#### Product:

Remarks : No data available

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Components:

##### I-(+)-lactic acid

#### 79-33-4:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 130 mg/l  
Exposure time: 96 h

LC50 (Fish): 320 mg/l  
Exposure time: 48 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 130 mg/l  
Exposure time: 48 h

EC50 (Daphnia pulex (Water flea)): 240 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Selenastrum capricornutum): 3.500 mg/l

ErC50 (Pseudokirchneriella subcapitata (microalgae)): 2.800 mg/l  
Exposure time: 72 h

Toxicity to microorganisms : EC50 : > 100 mg/l  
Exposure time: 3 h

#### Alcohols, C12-14, ethoxylated, sulfates, sodium salts, Poly(oxy-1,2-ethanediyl), .alpha.-sulfo-omega.-hydroxy-, C12-14-alkyl ethers, sodium salts

#### 68891-38-3:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 7,1 mg/l  
Exposure time: 96 h  
Test Type: flow-through test

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Werner & Mertz  
Professional

## SANET daily zero% Q&E 6X325ML SCAN

WM 0717144

Order number: 0717144

Version 4.2

Revision Date 22.01.2026

Print Date 11.03.2026

Method: OECD Test Guideline 203  
GLP: yes

LC50 (Fish): > 1 - 10 mg/l  
Test Type: flow-through test  
Method: OECD Test Guideline 203

LC50 (Leuciscus idus (Golden orfe)): 10 - 100 mg/l  
Method: OECD Test Guideline 203

NOEC (Oncorhynchus mykiss (rainbow trout)): 0,14 mg/l  
Exposure time: 28 d  
Test Type: flow-through test  
Method: OECD Test Guideline 204

LC50 (Brachydanio rerio (zebrafish)): 1 - 10 mg/l  
Test Type: flow-through test  
Method: OECD Test Guideline 203

LC50 (Brachydanio rerio (zebrafish)): 7,1 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia pulex (Water flea)): 7,4 mg/l  
Exposure time: 48 h  
Test Type: Immobilization  
Method: OECD Test Guideline 202

EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202

NOEC (Daphnia magna (Water flea)): 0,27 mg/l  
Exposure time: 21 d  
Test Type: flow-through test  
Method: OECD Test Guideline 211

(Daphnia magna (Water flea)): 7,2 mg/l  
Exposure time: 48 h

LC50 : 1,17 mg/l  
Exposure time: 96 h

EC50 : 7,2 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 27,7 mg/l  
Exposure time: 72 h  
Test Type: Growth inhibition  
Method: OECD Test Guideline 201  
GLP: yes

EC50 (Desmodesmus subspicatus (green algae)): > 10 - 100 mg/l  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201

NOEC : 0,95 mg/l  
Test Type: Growth inhibition  
Method: OECD Test Guideline 201

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Werner & Mertz  
Professional

## SANET daily zero% Q&E 6X325ML SCAN

WM 0717144

Order number: 0717144

Version 4.2

Revision Date 22.01.2026

Print Date 11.03.2026

- NOEC (Desmodesmus subspicatus (green algae)): 0,93 mg/l  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201
- ErC50 (algae): 27 mg/l  
Exposure time: 72 h
- NOEC (algae): 0,93 mg/l  
Exposure time: 72 h
- Toxicity to microorganisms : EC50 (Pseudomonas putida): > 10 g/l  
Exposure time: 16 h  
Test Type: Cell multiplication inhibition test  
Method: DIN 38412  
GLP: yes
- EC10 (Pseudomonas putida): > 10 g/l  
Test Type: Cell multiplication inhibition test
- Toxicity to fish (Chronic toxicity) : NOEC: 1 - 10 mg/l  
Species: Leuciscus idus (Golden orfe)
- NOEC: 0,14 mg/l  
Exposure time: 28 d  
Species: Oncorhynchus mykiss (rainbow trout)  
Method: OECD Test Guideline 204
- NOEC: 0,2 mg/l  
Exposure time: 28 d  
Species: Fish
- NOEC: > 0,1 - 1 mg/l  
Exposure time: 28 d  
Species: Oncorhynchus mykiss (rainbow trout)  
Method: OECD Test Guideline 204
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: > 0,1 - 1 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211
- EC50: 0,37 mg/l  
Exposure time: 21 d
- 0,74 mg/l  
Exposure time: 21 d
- NOEC: 0,27 mg/l  
Exposure time: 21 d
- Toxicity to soil dwelling organisms : NOEC: 750 mg/kg  
Exposure time: 56 d  
Species: Eisenia fetida (earthworms)  
Method: OECD Test Guideline 222  
Remarks: Information taken from reference works and the literature.

### D-Glucopyranose, oligomers, decyl octyl glycosides

68515-73-1:

- Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): 100,81 mg/l

## SANET daily zero% Q&E 6X325ML SCAN

WM 0717144

Order number: 0717144

Version 4.2

Revision Date 22.01.2026

Print Date 11.03.2026

Exposure time: 96 h

NOEC (Brachydanio rerio (zebrafish)): 1,8 mg/l

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h

NOEC (Daphnia magna (Water flea)): 1,0 mg/l

Toxicity to algae/aquatic plants : EC50 (Scenedesmus subspicatus): 27,22 mg/l  
Exposure time: 72 h

### methanesulphonic acid

#### 75-75-2:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 10 - 100 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10 - 100 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Scenedesmus capricornutum (fresh water algae)): 10 - 100 mg/l  
Exposure time: 72 h  
Test Type: Growth inhibition  
Method: OECD Test Guideline 201

## 12.2 Persistence and degradability

### Components:

#### I-(+)-lactic acid

##### 79-33-4:

Biodegradability : Result: rapidly biodegradable

Biochemical Oxygen Demand (BOD) : 450 mg/g  
Incubation time: 5 d

600 mg/g  
Incubation time: 20 d

Chemical Oxygen Demand (COD) : 900 mg/g

ThOD : 1.067 mg/g

#### Alcohols, C12-14, ethoxylated, sulfates, sodium salts, Poly(oxy-1,2-ethanediyl), .alpha.-sulfo.-omega.-hydroxy-, C12-14-alkyl ethers, sodium salts

##### 68891-38-3:

Biodegradability : Test Type: aerobic  
Result: rapidly biodegradable  
Biodegradation: > 70 %  
Exposure time: 28 d  
Method: OECD 301 A

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Werner & Mertz  
Professional

## SANET daily zero% Q&E 6X325ML SCAN

WM 0717144

Order number: 0717144

Version 4.2

Revision Date 22.01.2026

Print Date 11.03.2026

Test Type: anaerobic  
Result: Biodegradable  
Biodegradation: > 60 %  
Exposure time: 41 d  
Method: OECD 301 D

### D-Glucopyranose, oligomers, decyl octyl glycosides

#### 68515-73-1:

Biodegradability : Result: rapidly biodegradable  
Biodegradation: 100 %  
Exposure time: 28 d  
Method: OECD 301 E

### methanesulphonic acid

#### 75-75-2:

Biodegradability : Result: rapidly biodegradable  
Biodegradation: > 99 %  
Exposure time: 28 d

## 12.3 Bioaccumulative potential

### Components:

Alcohols, C12-14, ethoxylated, sulfates, sodium salts, Poly(oxy-1,2-ethanediyl), .alpha.-sulfo.-omega.-hydroxy-, C12-14-alkyl ethers, sodium salts

#### 68891-38-3:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

### methanesulphonic acid

#### 75-75-2:

Partition coefficient: n-octanol/water : log Pow: -2,38

## 12.4 Mobility in soil

### Components:

### methanesulphonic acid

#### 75-75-2:

Distribution among environmental compartments : Koc: 1  
Remarks: Highly mobile in soils

## 12.5 Results of PBT and vPvB assessment

### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### Components:

Alcohols, C12-14, ethoxylated, sulfates, sodium salts, Poly(oxy-1,2-ethanediyl), .alpha.-sulfo.-omega.-hydroxy-, C12-14-alkyl ethers, sodium salts

#### 68891-38-3:

Assessment : Not very persistent and very bioaccumulative (vPvB).. Not persistent, bioaccumulative, and toxic (PBT).

## SANET daily zero% Q&E 6X325ML SCAN

WM 0717144

Order number: 0717144

Version 4.2

Revision Date 22.01.2026

Print Date 11.03.2026

### 12.6 Endocrine disrupting properties

**Product:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

**Product:**

Additional ecological information : There is no data available for this product.

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : Do not dispose of waste into sewer.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
In accordance with local and national regulations.

Contaminated packaging : Only give completely emptied packaging to special waste disposer.  
  
Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

Waste Code : European Waste Catalog  
20 01 29\*  
According to the European Waste Catalog, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

---

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADR : 3265  
IMDG : 3265  
IATA : 3265

### 14.2 UN proper shipping name

ADR : CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.  
(l-(+)-lactic acid)

IMDG : CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.  
(l-(+)-lactic acid)

IATA : Corrosive liquid, acidic, organic, n.o.s.

### 14.3 Transport hazard class(es)

ADR : 8  
IMDG : 8  
IATA : 8

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Werner & Mertz  
Professional

## SANET daily zero% Q&E 6X325ML SCAN

WM 0717144

Order number: 0717144

Version 4.2

Revision Date 22.01.2026

Print Date 11.03.2026

### 14.4 Packing group

#### ADR

Classification Code : C3  
Packaging group : III  
Hazard Identification Number : 80  
Labels : 8  
Tunnel restriction code : (E)

#### IMDG

Packaging group : III  
Labels : 8  
EmS Number : F-A, S-B

#### IATA

(Cargo) : Corrosive liquid, acidic, organic, n.o.s.  
Packaging group : III  
Labels : 8

### 14.5 Environmental hazards

#### ADR

Environmentally hazardous : no

#### IMDG

Marine pollutant : no

#### IATA

Environmentally hazardous : no

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

For personal protection see section 8.

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : See Annex XVII to Regulation (EC) no 1907/2006 for Conditions of restriction

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. : Not applicable

TA Luft List (Germany) : Total dust: Not applicable  
: Inorganic substances in powdered form: Not applicable  
: Inorganic substances in vapor or gaseous form: Not applicable  
: Organic Substances: : portionClass 1: 1,4 %  
: Carcinogenic substances: Not applicable  
: mutagenic: Not applicable

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



## SANET daily zero% Q&E 6X325ML SCAN

WM 0717144

Order number: 0717144

Version 4.2

Revision Date 22.01.2026

Print Date 11.03.2026

- : Toxic to reproduction: Not applicable
- Volatile organic compounds (VOC) content : Directive 2010/75/EU of 24 November 2010 on industrial and livestock rearing emissions (integrated pollution prevention and control)  
Update: Not applicable
- according to Detergents Regulation EC 648/2004 : 5 - <15% anionic surfactants, <5% non-ionic surfactants

### 15.2 Chemical Safety Assessment

#### SECTION 16: Other information

##### Full text of H-Statements

- H290 : May be corrosive to metals.  
H302 : Harmful if swallowed.  
H312 : Harmful in contact with skin.  
H314 : Causes severe skin burns and eye damage.  
H315 : Causes skin irritation.  
H318 : Causes serious eye damage.  
H335 : May cause respiratory irritation.

##### Full text of other abbreviations

- Acute Tox. : Acute toxicity  
Eye Dam. : Serious eye damage  
Met. Corr. : Corrosive to Metals  
Skin Corr. : Skin corrosion  
Skin Irrit. : Skin irritation  
STOT SE : Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail;

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Werner & Mertz  
Professional

## SANET daily zero% Q&E 6X325ML SCAN

WM 0717144

Order number: 0717144

Version 4.2

Revision Date 22.01.2026

Print Date 11.03.2026

SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### Classification of the mixture:

Met. Corr. 1	H290
Eye Irrit. 2	H319
Skin Irrit. 2	H315
Skin Corr. 1C	H314
Eye Dam. 1	H318

#### Classification procedure:

On basis of test data.
On basis of test data.
On basis of test data.
Calculation method
Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REG\_EU / EN

50000004728