

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Werner & Mertz  
Professional

## TANET SR 15

WM 0712480

Order number: 0712480

Version 14.0

Revision Date 21.01.2026

Print Date 11.03.2026

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : TANET SR 15  
UFI : 6F08-306C-8004-EATH

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Cleaning agent  
Restricted to professional users.

#### 1.3 Details of the supplier of the safety data sheet

Company : Tana Chemie GmbH  
Rheinallee 96  
55120 Mainz  
Telephone : +49613196403  
Telefax : +4961319642526  
E-mail address : Produktsicherheit@werner-mertz.com  
Responsible/issuing person  
Contact person : Product development / product safety

#### 1.4 Emergency telephone

EU: 112

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

#### 2.2 Label elements

##### Labeling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

Safety data sheet available on request.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## TANET SR 15

WM 0712480

Order number: 0712480

Version 14.0

Revision Date 21.01.2026

Print Date 11.03.2026

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

Chemical nature : Aqueous surfactant solution.

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
ethanol	64-17-5 200-578-6 603-002-00-5 01-2119457610-43	Flam. Liq. 2; H225 Eye Irrit. 2; H319  specific concentration limit Eye Irrit. 2; H319 ≥ 50 %	≥ 1 - < 3
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3 500-234-8 01-2119488639-16	Skin Irrit. 2; H315 Eye Dam. 1; H318  specific concentration limit Eye Irrit. 2; H319 5 - < 10 % Eye Dam. 1; H318 ≥ 10,0 % Skin Irrit. 2; H315 ≥ 10 %	≥ 1 - < 3
Alcohols, C10-16, ethoxylated propoxylated	69227-22-1 614-942-0	Eye Dam. 1; H318 Acute Tox. 4; H302  specific concentration limit Eye Irrit. 2; H319 1 - 10,0 % Eye Dam. 1; H318 > 10,0 %	≥ 1 - < 3
D-Glucopyranose, oligomers, decyl octyl glycosides	68515-73-1 500-220-1 01-2119488530-36	Eye Dam. 1; H318  specific concentration limit Eye Dam. 1; H318 > 10 % Eye Irrit. 2; H319 10 %	≥ 1 - < 3
1-phenoxypropan-2-ol	770-35-4 212-222-7 01-2119486566-23	Eye Irrit. 2; H319	≥ 1 - < 3

## TANET SR 15

WM 0712480

Order number: 0712480

Version 14.0

Revision Date 21.01.2026

Print Date 11.03.2026

### SECTION 4: First aid measures

#### 4.1 Description of first-aid measures

- General advice : No hazards which require special first aid measures.
- If inhaled : Move to fresh air in case of accidental inhalation of dust or fumes from overheating or combustion.  
If symptoms persist, call a physician.
- In case of skin contact : Take off contaminated clothing and shoes immediately.  
Wash off with soap and plenty of water.
- In case of eye contact : Protect unharmed eye.  
If easy to do, remove contact lens, if worn.  
Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.

#### 4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : No information available.
- Risks : No information available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : For specialist advice physicians should contact the Poisons Information Service.

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### 5.2 Special hazards arising from the substance or mixture

- Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : No hazardous combustion products are known

#### 5.3 Advice for firefighters

- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

## TANET SR 15

WM 0712480

Order number: 0712480

Version 14.0

Revision Date 21.01.2026

Print Date 11.03.2026

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

#### 6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Sweep up and shovel.  
Wipe up with absorbent material (e.g. cloth, fleece).  
Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For personal protection see section 8., Treat recovered material as described in the section "Disposal considerations"., Refer to section 15 for specific national regulation.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8.  
No special handling advice required.  
  
For personal protection see section 8.  
No special handling advice required.  
Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : Wash hands before breaks and at the end of workday.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container.

Advice on common storage : No special restrictions on storage with other products.

Further information on storage stability : No decomposition if stored and applied as directed.  
Protect from frost.

#### 7.3 Specific end use(s)

Specific use(s) : Cleaning agent

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

**Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Werner & Mertz  
Professional

## TANET SR 15

WM 0712480

Order number: 0712480

Version 14.0

Revision Date 21.01.2026

Print Date 11.03.2026

Substance name	End Use	Routes of exposure	Potential health effects	Value
ethanol	Workers	Inhalation	Acute local effects	1900 mg/m <sup>3</sup>
	Workers	Inhalation	Long-term systemic effects	950 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	343 mg/kg
	Consumers	Inhalation	Acute local effects	950 mg/m <sup>3</sup>
	Consumers	Skin contact	Long-term systemic effects	206 mg/kg
	Consumers	Inhalation	Long-term systemic effects	114 mg/m <sup>3</sup>
	Consumers	Ingestion	Long-term systemic effects	87 mg/kg
	Consumers	Skin contact	Acute local effects	950 mg/m <sup>3</sup>
Alcohols, C12-14, ethoxylated, sulfates, sodium salts, Poly(oxy-1,2-ethanediyl), .alpha.-sulfo-.omega.-hydroxy-, C12-14-alkyl ethers, sodium salts	Workers	Inhalation	Long-term systemic effects	175 mg/m <sup>3</sup>
	Consumers	Inhalation	Long-term systemic effects	52 mg/m <sup>3</sup>
	Consumers	Ingestion	Long-term systemic effects	15 mg/kg bw/day
	Consumers	Skin contact	Long-term local effects	0,079 mg/cm <sup>2</sup>
	Workers	Skin contact	Long-term systemic effects	5830 mg/kg bw/day
	Consumers	Skin contact		2500 mg/kg bw/day
D-Glucopyranose, oligomers, decyl octyl glycosides	Workers	Skin contact	Long-term systemic effects	595000 mg/kg
	Workers	Inhalation	Long-term systemic effects	420 mg/m <sup>3</sup>
	Consumers	Skin contact	Long-term systemic	357000 mg/kg

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Werner & Mertz  
Professional

## TANET SR 15

WM 0712480

Order number: 0712480

Version 14.0

Revision Date 21.01.2026

Print Date 11.03.2026

			effects	
	Consumers	Inhalation	Long-term systemic effects	124 mg/m <sup>3</sup>
	Consumers	Ingestion	Long-term systemic effects	35,7 mg/kg
1-phenoxypropan-2-ol	Workers	Skin contact	Long-term systemic effects	42 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	25,7 mg/m <sup>3</sup>
	Consumers	Skin contact	Long-term systemic effects	21 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	3,65 mg/kg bw/day
	Consumers	Inhalation	Long-term exposure, Systemic effects	12,7 mg/m <sup>3</sup>

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
ethanol	Fresh water	0,96 mg/l
	Sea water	0,79 mg/l
	Fresh water sediment	3,6 mg/kg
	Soil	0,63 mg/kg
	STP	580 mg/l
	intermittent release	2,75 mg/l
	Alcohols, C12-14, ethoxylated, sulfates, sodium salts, Poly(oxy-1,2-ethanediyl), .alpha.-sulfo-.omega.-hydroxy-, C12-14-alkyl ethers, sodium salts	Fresh water
Sea water		0,0129 mg/l
Fresh water sediment		4,835 mg/kg dry weight (d.w.)
Sea sediment		0,4835 mg/kg dry weight (d.w.)
	Soil	7,5 mg/kg dry

**TANET SR 15**

**WM 0712480**

**Order number: 0712480**

Version 14.0

Revision Date 21.01.2026

Print Date 11.03.2026

		weight (d.w.)
	STP	10000 mg/l
	intermittent release	0,071 mg/l
D-Glucopyranose, oligomers, decyl octyl glycosides	Fresh water	0,176 mg/l
	Sea water	0,0176 mg/l
	intermittent release	0,27 mg/l
	STP	560 mg/l
	Fresh water sediment	1,516 mg/kg
	Sea sediment	0,152 mg/kg
	Soil	0,654 mg/kg
1-phenoxypropan-2-ol	Fresh water	0,1 mg/l
	Sea water	0,01 mg/l
	Fresh water sediment	0,38 mg/kg
	Sea sediment	0,038 mg/kg
	Soil	0,02 mg/kg
	STP	10 mg/l
	intermittent release	1 mg/l

**8.2 Exposure controls**

**Personal protective equipment**

Eye/face protection : not required under normal use

Hand protection

Material : not required under normal use

Material : For prolonged or repeated contact use protective gloves.

It is suggested the usage of chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374.

As alternative, a different type of gloves might be used if,

## TANET SR 15

WM 0712480

Order number: 0712480

Version 14.0

Revision Date 21.01.2026

Print Date 11.03.2026

accordingly to the recommendations of the producer, guarantee the same level of protection.

Remarks : Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).

Skin and body protection : not required under normal use

Respiratory protection : not required under normal use

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Physical state : liquid

Color : blue

Odor : characteristic

Melting point/freezing point : No data available

Boiling point/boiling range : No data available

Flammability (solid, gas) : No data available

Flammability (liquids) : Not classified as supporting combustion according to the transport regulations.

Lower explosion limit : No data available

Upper explosion limit : No data available

Flash point : 60,1 °C

Ignition temperature : No data available

Decomposition temperature : No data available

pH : ca. 8,6, 100 %  
at 20 °C

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Water solubility : soluble

Solubility in other solvents : No data available

## TANET SR 15

WM 0712480

Order number: 0712480

Version 14.0

Revision Date 21.01.2026

Print Date 11.03.2026

Partition coefficient: n-octanol/water	:	No data available
Vapor pressure	:	No data available
Density	:	ca. 1,005 g/cm <sup>3</sup> at 20 °C
Relative density	:	No data available
Relative vapor density	:	No data available
Particle characteristics	:	No data available

### 9.2 Other information

none

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Stable under recommended storage conditions.  
No dangerous reaction known under conditions of normal use.

### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

### 10.4 Conditions to avoid

Conditions to avoid : Protect from frost.

### 10.5 Incompatible materials

Materials to avoid : No data available

### 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Our company is strongly against animal testing.  
Our company does not place any orders for animal testing for the finished product or the ingredients.  
However, as a result of EU legislation (REACH Regulation), the manufacturers of ingredients or EU importers are obliged to test ingredients with regard to their effects on human health and the environment before they are brought onto the market. Some of the tests made necessary by this took place decades ago.

#### Acute toxicity

Acute toxicity : Not Rated

## TANET SR 15

WM 0712480

Order number: 0712480

Version 14.0

Revision Date 21.01.2026

Print Date 11.03.2026

### Components:

#### ethanol

##### 64-17-5:

Acute oral toxicity	:	LD50 Oral (Rat): 10.470 mg/kg Method: OECD Test Guideline 401
		LD50 (Rat): 5.000 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	:	LC50 (Rat): 51 mg/l Exposure time: 4 h
Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 2.000 mg/kg Method: OECD Test Guideline 402
		LD50 Dermal (Rabbit): > 10.000 mg/kg Method: OECD Test Guideline 402

#### Alcohols, C12-14, ethoxylated, sulfates, sodium salts

##### 68891-38-3:

Acute oral toxicity	:	LD50 Oral (Rat): 4.100 mg/kg Method: OECD Test Guideline 401 GLP: no
		LD50 Oral (Rat): 2.870 mg/kg Method: OECD Test Guideline 401
		LD50 (Rat): 7.400 mg/kg Method: OECD Test Guideline 401
		LD50 (Rat): 2.000 - 5.000 mg/kg Method: OECD Test Guideline 401
		LD50 (Rat): > 2.000 mg/kg
Acute dermal toxicity	:	LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 402 GLP: yes

#### Alcohols, C10-16, ethoxylated propoxylated

##### 69227-22-1:

Acute oral toxicity	:	LD50 Oral: 1.800 mg/kg
---------------------	---	------------------------

#### D-Glucopyranose, oligomers, decyl octyl glycosides

##### 68515-73-1:

Acute oral toxicity	:	LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401
Acute dermal toxicity	:	(Rabbit): > 2.000 mg/kg Method: OECD Test Guideline 402

#### 1-phenoxypropan-2-ol

##### 770-35-4:

## TANET SR 15

WM 0712480

Order number: 0712480

Version 14.0

Revision Date 21.01.2026

Print Date 11.03.2026

Acute oral toxicity	:	LD50 (Rat): > 2.000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 5,4 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rabbit): > 2.000 mg/kg

### Skin corrosion/irritation

#### Product:

Remarks : According to the classification criteria of the European Union, the product is not considered as being a skin irritant.

#### Components:

##### ethanol

###### 64-17-5:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

##### Alcohols, C12-14, ethoxylated, sulfates, sodium salts

###### 68891-38-3:

Species	:	Rabbit
Assessment	:	Irritating to skin.
Method	:	OECD Test Guideline 404

##### Alcohols, C10-16, ethoxylated propoxylated

###### 69227-22-1:

Method	:	OECD Test Guideline 404
Result	:	Mild skin irritation
Remarks	:	According to the classification criteria of the European Union, the product is not considered as being a skin irritant.

##### D-Glucopyranose, oligomers, decyl octyl glycosides

###### 68515-73-1:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	Mild skin irritation

### Serious eye damage/eye irritation

#### Product:

Remarks : According to the classification criteria of the European Union, the product is not considered as being an eye irritant.

#### Components:

##### ethanol

###### 64-17-5:

Species	:	Rabbit
Method	:	OECD Test Guideline 405

## TANET SR 15

WM 0712480

Order number: 0712480

Version 14.0

Revision Date 21.01.2026

Print Date 11.03.2026

| Result : Mild eye irritation

### Alcohols, C12-14, ethoxylated, sulfates, sodium salts

#### 68891-38-3:

| Species : Rabbit  
| Assessment : Risk of serious damage to eyes.  
| Method : OECD Test Guideline 405

### Alcohols, C10-16, ethoxylated propoxylated

#### 69227-22-1:

| Method : OECD Test Guideline 405  
| Result : Risk of serious damage to eyes.

### D-Glucopyranose, oligomers, decyl octyl glycosides

#### 68515-73-1:

| Species : Rabbit  
| Method : OECD Test Guideline 405  
| Result : Irreversible effects on the eye

### 1-phenoxypropan-2-ol

#### 770-35-4:

| Result : Eye irritation

### Respiratory or skin sensitization

#### Product:

Remarks : No data available

#### Components:

##### ethanol

#### 64-17-5:

| Result : Not a skin sensitizer.

### Alcohols, C12-14, ethoxylated, sulfates, sodium salts

#### 68891-38-3:

| Result : Does not cause skin sensitization.

### D-Glucopyranose, oligomers, decyl octyl glycosides

#### 68515-73-1:

| Species : Guinea pig  
| Method : OECD Test Guideline 406  
| Result : Does not cause skin sensitization.

### Germ cell mutagenicity

Germ cell mutagenicity : Not Rated

## TANET SR 15

WM 0712480

Order number: 0712480

Version 14.0

Revision Date 21.01.2026

Print Date 11.03.2026

### Components:

#### Alcohols, C12-14, ethoxylated, sulfates, sodium salts

##### 68891-38-3:

Genotoxicity in vitro : Method: OECD Test Guideline 471  
Result: negative

#### D-Glucopyranose, oligomers, decyl octyl glycosides

##### 68515-73-1:

Genotoxicity in vitro : Test Type: Ames test  
Method: OECD Test Guideline 471  
Result: negative

Carcinogenicity : Not Rated

Reproductive toxicity : Not Rated

STOT-single exposure : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### Repeated dose toxicity

#### Components:

##### ethanol

##### 64-17-5:

Species : Rat, male  
NOAEL : > 20 mg/kg  
Method : OECD Test Guideline 403

Species : Rat, female  
NOAEL : 1.730 mg/kg  
Method : OECD Test Guideline 408

Aspiration toxicity : Not Rated

## 11.2 Information on other hazards

### Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### Further information

#### Product:

Remarks : No data available

## TANET SR 15

WM 0712480

Order number: 0712480

Version 14.0

Revision Date 21.01.2026

Print Date 11.03.2026

### SECTION 12: Ecological information

#### 12.1 Toxicity

##### Components:

ethanol

64-17-5:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 13 g/l Exposure time: 96 h Method: OECD Test Guideline 203
		LC50 (Leuciscus idus (Golden orfe)): 8.150 mg/l Exposure time: 48 h
		LC50 (Pimephales promelas (fathead minnow)): > 0,1 g/l Exposure time: 96 h
		LC50 (Fish): 11.200 mg/l
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 12.340 mg/l Exposure time: 48 h
		EC50 : 5.012 mg/l
Toxicity to algae/aquatic plants	:	EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l Exposure time: 72 h Test Type: Growth inhibition Method: OECD Test Guideline 201
		EC50 (Scenedesmus capricornutum (fresh water algae)): 12.900 mg/l Exposure time: 48 h Test Type: Growth inhibition Method: No information available.
		EC0 (Scenedesmus quadricauda (Green algae)): 5.000 mg/l Exposure time: 168 h
		EC50 : 4.432 mg/l
		EC10 : 11,5 mg/l
		EC10 : 280 mg/l
Toxicity to microorganisms	:	EC50 (Pseudomonas putida): 11.800 mg/l Exposure time: 16 h Test Type: Cell multiplication inhibition test

**Alcohols, C12-14, ethoxylated, sulfates, sodium salts, Poly(oxy-1,2-ethanediyl), .alpha.-sulfo-omega.-hydroxy-, C12-14-alkyl ethers, sodium salts**

68891-38-3:

Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): 7,1 mg/l Exposure time: 96 h Test Type: flow-through test Method: OECD Test Guideline 203 GLP: yes
		LC50 (Fish): > 1 - 10 mg/l

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Werner & Mertz  
Professional

## TANET SR 15

WM 0712480

Order number: 0712480

Version 14.0

Revision Date 21.01.2026

Print Date 11.03.2026

	Test Type: flow-through test Method: OECD Test Guideline 203
	LC50 (Leuciscus idus (Golden orfe)): 10 - 100 mg/l Method: OECD Test Guideline 203
	NOEC (Oncorhynchus mykiss (rainbow trout)): 0,14 mg/l Exposure time: 28 d Test Type: flow-through test Method: OECD Test Guideline 204
	LC50 (Brachydanio rerio (zebrafish)): 1 - 10 mg/l Test Type: flow-through test Method: OECD Test Guideline 203
	LC50 (Brachydanio rerio (zebrafish)): 7,1 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia pulex (Water flea)): 7,4 mg/l Exposure time: 48 h Test Type: Immobilization Method: OECD Test Guideline 202
	EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202
	NOEC (Daphnia magna (Water flea)): 0,27 mg/l Exposure time: 21 d Test Type: flow-through test Method: OECD Test Guideline 211
	(Daphnia magna (Water flea)): 7,2 mg/l Exposure time: 48 h
	LC50 : 1,17 mg/l Exposure time: 96 h
	EC50 : 7,2 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: EC50 (Desmodesmus subspicatus (green algae)): 27,7 mg/l Exposure time: 72 h Test Type: Growth inhibition Method: OECD Test Guideline 201 GLP: yes
	EC50 (Desmodesmus subspicatus (green algae)): > 10 - 100 mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201
	NOEC : 0,95 mg/l Test Type: Growth inhibition Method: OECD Test Guideline 201
	NOEC (Desmodesmus subspicatus (green algae)): 0,93 mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Werner & Mertz  
Professional

## TANET SR 15

WM 0712480

Order number: 0712480

Version 14.0

Revision Date 21.01.2026

Print Date 11.03.2026

	ErC50 (algae): 27 mg/l Exposure time: 72 h
	NOEC (algae): 0,93 mg/l Exposure time: 72 h
Toxicity to microorganisms	: EC50 ( <i>Pseudomonas putida</i> ): > 10 g/l Exposure time: 16 h Test Type: Cell multiplication inhibition test Method: DIN 38412 GLP: yes
	EC10 ( <i>Pseudomonas putida</i> ): > 10 g/l Test Type: Cell multiplication inhibition test
Toxicity to fish (Chronic toxicity)	: NOEC: 1 - 10 mg/l Species: <i>Leuciscus idus</i> (Golden orfe)
	NOEC: 0,14 mg/l Exposure time: 28 d Species: <i>Oncorhynchus mykiss</i> (rainbow trout) Method: OECD Test Guideline 204
	NOEC: 0,2 mg/l Exposure time: 28 d Species: Fish
	NOEC: > 0,1 - 1 mg/l Exposure time: 28 d Species: <i>Oncorhynchus mykiss</i> (rainbow trout) Method: OECD Test Guideline 204
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: > 0,1 - 1 mg/l Exposure time: 21 d Species: <i>Daphnia magna</i> (Water flea) Method: OECD Test Guideline 211
	EC50: 0,37 mg/l Exposure time: 21 d
	0,74 mg/l Exposure time: 21 d
	NOEC: 0,27 mg/l Exposure time: 21 d
Toxicity to soil dwelling organisms	: NOEC: 750 mg/kg Exposure time: 56 d Species: <i>Eisenia fetida</i> (earthworms) Method: OECD Test Guideline 222 Remarks: Information taken from reference works and the literature.

### Alcohols, C10-16, ethoxylated propoxylated

#### 69227-22-1:

Toxicity to fish	: LC50 ( <i>Brachydanio rerio</i> ): > 1 - 10 mg/l Test Type: semi-static test Method: ISO 7346/2
Toxicity to daphnia and other	: EC50 ( <i>Acartia tonsa</i> ): > 1 - 10 mg/l

## TANET SR 15

WM 0712480

Order number: 0712480

Version 14.0

Revision Date 21.01.2026

Print Date 11.03.2026

aquatic invertebrates	Exposure time: 48 h
Toxicity to algae/aquatic plants	: EC50 (Scenedesmus subspicatus): > 1 - 10 mg/l Exposure time: 72 h
	EC10 (Scenedesmus subspicatus): > 1 mg/l Exposure time: 72 h
Toxicity to microorganisms	: EC0 (Pseudomonas putida): > 100 mg/l Exposure time: 30 min Method: OECD Test Guideline 209

### D-Glucopyranose, oligomers, decyl octyl glycosides

#### 68515-73-1:

Toxicity to fish	: LC50 (Brachydanio rerio (zebrafish)): 100,81 mg/l Exposure time: 96 h
	NOEC (Brachydanio rerio (zebrafish)): 1,8 mg/l
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h
	NOEC (Daphnia magna (Water flea)): 1,0 mg/l
Toxicity to algae/aquatic plants	: EC50 (Scenedesmus subspicatus): 27,22 mg/l Exposure time: 72 h

### 1-phenoxypropan-2-ol

#### 770-35-4:

Toxicity to fish	: LC50 (Leuciscus idus (Golden orfe)): > 220 - 460 mg/l Exposure time: 96 h
	LC50 (Pimephales promelas (fathead minnow)): 280 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: LC50 (Daphnia magna (Water flea)): 370 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l Exposure time: 72 h Test Type: static test
	EC50 (Desmodesmus subspicatus (green algae)): 74,5 mg/l Exposure time: 72 h
Toxicity to microorganisms	: EC50 (Bacteria): > 1.000 mg/l Exposure time: 17 h

## 12.2 Persistence and degradability

### Product:

Biodegradability	: Remarks: The surfactant(s) contained in this preparation complies (comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.
------------------	---

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Werner & Mertz  
Professional

## TANET SR 15

WM 0712480

Order number: 0712480

Version 14.0

Revision Date 21.01.2026

Print Date 11.03.2026

### Components:

#### ethanol

##### 64-17-5:

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 97 %  
Method: OECD Test Guideline 301

#### Alcohols, C12-14, ethoxylated, sulfates, sodium salts, Poly(oxy-1,2-ethanediyl), .alpha.-sulfo.-omega.-hydroxy-, C12-14-alkyl ethers, sodium salts

##### 68891-38-3:

Biodegradability : Test Type: aerobic  
Result: rapidly biodegradable  
Biodegradation: > 70 %  
Exposure time: 28 d  
Method: OECD 301 A

Test Type: anaerobic  
Result: Biodegradable  
Biodegradation: > 60 %  
Exposure time: 41 d  
Method: OECD 301 D

#### Alcohols, C10-16, ethoxylated propoxylated

##### 69227-22-1:

Biodegradability : Remarks: Readily biodegradable, according to appropriate OECD test.  
The surfactant(s) contained in this mixture complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

#### D-Glucopyranose, oligomers, decyl octyl glycosides

##### 68515-73-1:

Biodegradability : Result: rapidly biodegradable  
Biodegradation: 100 %  
Exposure time: 28 d  
Method: OECD 301 E

#### 1-phenoxypropan-2-ol

##### 770-35-4:

Biodegradability : Biodegradation: 72 %  
Exposure time: 28 d  
Method: OECD 301 F

### 12.3 Bioaccumulative potential

#### Components:

#### ethanol

##### 64-17-5:

Bioaccumulation : Concentration: 3,2 mg/l

Partition coefficient: n-octanol/water : log Pow: -0,32

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Werner & Mertz  
Professional

## TANET SR 15

WM 0712480

Order number: 0712480

Version 14.0

Revision Date 21.01.2026

Print Date 11.03.2026

**Alcohols, C12-14, ethoxylated, sulfates, sodium salts, Poly(oxy-1,2-ethanediyl), .alpha.-sulfo-omega-hydroxy-, C12-14-alkyl ethers, sodium salts**

**68891-38-3:**

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

**1-phenoxypropan-2-ol**

**770-35-4:**

Bioaccumulation : Remarks: Due to the distribution coefficient n-octanol/water, accumulation in organisms is not expected.

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

**Product:**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

**Components:**

**Alcohols, C12-14, ethoxylated, sulfates, sodium salts, Poly(oxy-1,2-ethanediyl), .alpha.-sulfo-omega-hydroxy-, C12-14-alkyl ethers, sodium salts**

**68891-38-3:**

Assessment : Not very persistent and very bioaccumulative (vPvB).. Not persistent, bioaccumulative, and toxic (PBT).

### 12.6 Endocrine disrupting properties

**Product:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

**Product:**

Additional ecological information : There is no data available for this product.

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : In accordance with local and national regulations.

Contaminated packaging : Empty remaining contents.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.

## TANET SR 15

WM 0712480

Order number: 0712480

Version 14.0

Revision Date 21.01.2026

Print Date 11.03.2026

Waste Code

European Waste Catalog  
20 01 29\*

According to the European Waste Catalog, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

### SECTION 14: Transport information

#### 14.1 UN number or ID number

**ADR**

Not dangerous goods

**IMDG**

Not dangerous goods

**IATA**

Not dangerous goods

#### 14.2 UN proper shipping name

Not regulated as a dangerous good

#### 14.3 Transport hazard class(es)

**ADR**

Not dangerous goods

**IMDG**

Not dangerous goods

**IATA**

Not dangerous goods

#### 14.4 Packing group

**ADR**

Not dangerous goods

**IMDG**

Not dangerous goods

**IATA**

Not dangerous goods

#### 14.5 Environmental hazards

**ADR**

Not dangerous goods

**IMDG**

Not regulated as a dangerous good

**IATA**

Not dangerous goods

#### 14.6 Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regulations.

For personal protection see section 8.

#### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Werner & Mertz  
Professional

## TANET SR 15

WM 0712480

Order number: 0712480

Version 14.0

Revision Date 21.01.2026

Print Date 11.03.2026

- REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Not applicable
- Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. : Not applicable
- TA Luft List (Germany) : Total dust: Not applicable  
: Inorganic substances in powdered form: Not applicable  
: Inorganic substances in vapor or gaseous form: : portionClass 3: < 0,01 %  
: Organic Substances: : portionClass 1: 0,09 %  
: Carcinogenic substances: Not applicable  
: mutagenic: Not applicable  
: Toxic to reproduction: Not applicable
- Volatile organic compounds (VOC) content : Directive 2010/75/EU of 24 November 2010 on industrial and livestock rearing emissions (integrated pollution prevention and control)  
Update: Percent volatile: 2,9 %  
236,63 g/l  
VOC content excluding water
- Volatile organic compounds (VOC) content : Directive 2010/75/EU of 24 November 2010 on industrial and livestock rearing emissions (integrated pollution prevention and control)  
Update: Percent volatile: 2,9 %  
29,12 g/l  
VOC content valid only for coating materials used on wood surfaces
- according to Detergents Regulation EC 648/2004 : <5% anionic surfactants, non-ionic surfactants, soap, perfumes, PHENOXYETHANOL

### 15.2 Chemical Safety Assessment

There is no data available for this product.

## SECTION 16: Other information

### Full text of H-Statements

- H225 : Highly flammable liquid and vapor.  
H302 : Harmful if swallowed.  
H315 : Causes skin irritation.  
H318 : Causes serious eye damage.  
H319 : Causes serious eye irritation.

### Full text of other abbreviations

- Acute Tox. : Acute toxicity  
Eye Dam. : Serious eye damage  
Eye Irrit. : Eye irritation  
Flam. Liq. : Flammable liquids  
Skin Irrit. : Skin irritation

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Werner & Mertz  
Professional

## TANET SR 15

WM 0712480

Order number: 0712480

Version 14.0

Revision Date 21.01.2026

Print Date 11.03.2026

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

**Classification of the mixture:**

**Classification procedure:**

On basis of test data.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REG\_EU / EN

50000002785