

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



TANET orange 2x5 l

WM 1112478

Order number: 0712478

Version 1.0

Revision Date 07.05.2026

Print Date 07.05.2026

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : TANET orange 2x5 l
UFI : AWFG-N01M-000A-SPUF

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Cleaning agent
Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Company : Tana Chemie GmbH
Rheinallee 96
55120 Mainz
Telephone : +49613196403
Telefax : +4961319642526
E-mail address : Produktsicherheit@werner-mertz.com
Responsible/issuing person
Contact person : Product development / product safety

1.4 Emergency telephone

EU: 112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labeling (REGULATION (EC) No 1272/2008)

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

Safety data sheet available on request.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

TANET orange 2x5 I

WM 1112478

Order number: 0712478

Version 1.0

Revision Date 07.05.2026

Print Date 07.05.2026

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3 500-234-8 01-2119488639-16	Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 3; H412 specific concentration limit Eye Irrit. 2; H319 5 - < 10 % Eye Dam. 1; H318 >= 10,0 %	>= 1 - < 3
1-phenoxypropan-2-ol	770-35-4 212-222-7 01-2119486566-23	Eye Irrit. 2; H319	>= 1 - < 3
Amide polyglycol ether	85536-23-8 932-164-2 01-2119565130-50	Skin Irrit. 2; H315 Aquatic Chronic 3; H412	>= 1 - < 2,5

SECTION 4: First aid measures

4.1 Description of first-aid measures

- General advice : No hazards which require special first aid measures.
- If inhaled : Move to fresh air in case of accidental inhalation of dust or fumes from overheating or combustion.
If symptoms persist, call a physician.
- In case of skin contact : Take off contaminated clothing and shoes immediately.
Wash off with soap and plenty of water.
- In case of eye contact : Protect unharmed eye.
If easy to do, remove contact lens, if worn.
Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : No information available.
- Risks : No information available.

TANET orange 2x5 I

WM 1112478

Order number: 0712478

Version 1.0

Revision Date 07.05.2026

Print Date 07.05.2026

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : For specialist advice physicians should contact the Poisons Information Service.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : No hazardous combustion products are known

5.3 Advice for firefighters

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

6.2 Environmental precautions

Environmental precautions : Try to prevent the material from entering drains or water courses.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Sweep up and shovel.
Wipe up with absorbent material (e.g. cloth, fleece).
Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8., Treat recovered material as described in the section "Disposal considerations"., Refer to section 15 for specific national regulation.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8.
No special handling advice required.

TANET orange 2x5 l

WM 1112478

Order number: 0712478

Version 1.0

Revision Date 07.05.2026

Print Date 07.05.2026

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container.

Advice on common storage : No special restrictions on storage with other products.

Further information on storage stability : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Cleaning agent

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of exposure	Potential health effects	Value
sodium chloride	Workers	Skin contact	Acute systemic effects	295,52 mg/kg bw/day
	Workers	Inhalation	Acute systemic effects	2068,62 mg/m ³
	Workers	Skin contact	Long-term systemic effects	295,52 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	2068,62 mg/m ³
	Consumer use	Skin contact	Acute systemic effects	126,65 mg/kg
	Consumer use	Inhalation	Acute systemic effects	443,28 mg/m ³
	Consumer use	Ingestion	Acute systemic effects	126,65 mg/kg
	Consumer use	Oral	Long-term systemic effects	126,65 mg/kg bw/day
	Consumer use	Inhalation	Long-term systemic effects	443,28 mg/m ³
	Consumer use	Skin contact	Long-term systemic effects	126,65 mg/kg bw/day
Alcohols, C12-14,	Workers	Inhalation	Long-term systemic	175 mg/m ³

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Werner & Mertz
Professional

TANET orange 2x5 I

WM 1112478

Order number: 0712478

Version 1.0

Revision Date 07.05.2026

Print Date 07.05.2026

ethoxylated, sulfates, sodium salts, Poly(oxy-1,2-ethanediyl), .alpha.-sulfo-.omega.-hydroxy-, C12-14-alkyl ethers, sodium salts			effects	
	Consumers	Inhalation	Long-term systemic effects	52 mg/m3
	Consumers	Ingestion	Long-term systemic effects	15 mg/kg bw/day
	Consumers	Skin contact	Long-term local effects	0,079 mg/cm2
	Workers	Skin contact	Long-term systemic effects	5830 mg/kg bw/day
	Consumers	Skin contact		2500 mg/kg bw/day
1-phenoxypropan-2-ol	Workers	Skin contact	Long-term systemic effects	42 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	25,7 mg/m3
	Consumers	Skin contact	Long-term systemic effects	21 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	3,65 mg/kg bw/day
	Consumers	Inhalation	Long-term exposure, Systemic effects	12,7 mg/m3
Amide polyglycol ether, Reaction mass of Amides, rape-oil, N-(hydroxyethyl), ethoxylated and Glycerol,ethoxylated	Workers	Skin contact	Acute systemic effects	40 mg/kg
	Workers	Skin contact	Long-term systemic effects	0,5 mg/kg
	Workers	Inhalation	Long-term systemic effects	1,76 mg/m3
	Consumers	Skin contact	Acute systemic effects	20 mg/kg
	Consumers	Ingestion	Acute systemic effects	20 mg/kg
	Consumers	Skin contact	Long-term systemic	0,25 mg/kg

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Werner & Mertz
Professional

TANET orange 2x5 l

WM 1112478

Order number: 0712478

Version 1.0

Revision Date 07.05.2026

Print Date 07.05.2026

			effects	
	Consumers	Inhalation	Long-term systemic effects	0,88 mg/m3
	Consumers	Ingestion	Long-term systemic effects	0,25 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
sodium chloride	Fresh water	5 mg/l
	Soil	4,86 mg/kg dry weight (d.w.)
	STP	500 mg/l
Alcohols, C12-14, ethoxylated, sulfates, sodium salts, Poly(oxy-1,2-ethanediyl), .alpha.-sulfo-.omega.-hydroxy-, C12-14-alkyl ethers, sodium salts	Fresh water	0,129 mg/l
	Sea water	0,024 mg/l
	Fresh water sediment	4,835 mg/kg dry weight (d.w.)
	Sea sediment	0,4835 mg/kg dry weight (d.w.)
	Soil	7,5 mg/kg dry weight (d.w.)
	STP	10000 mg/l
	intermittent release	0,071 mg/l
1-phenoxypropan-2-ol	Fresh water	0,1 mg/l
	Sea water	0,01 mg/l
	Fresh water sediment	0,38 mg/kg
	Sea sediment	0,038 mg/kg
	Soil	0,02 mg/kg
	STP	10 mg/l
	intermittent release	1 mg/l
Amide polyglycol ether, Reaction	Fresh water	0,0022 mg/l

TANET orange 2x5 l

WM 1112478

Order number: 0712478

Version 1.0

Revision Date 07.05.2026

Print Date 07.05.2026

mass of Amides, rape-oil, N-(hydroxyethyl), ethoxylated and Glycerol,ethoxylated		
	Sea water	0,00022 mg/l
	STP	10 mg/l
	Fresh water sediment	0,136 mg/kg
	Sea sediment	0,0136 mg/kg
	Soil	0,109 mg/kg

8.2 Exposure controls

Personal protective equipment

Eye/face protection : not required under normal use

Hand protection

Material : not required under normal use

Material : For prolonged or repeated contact use protective gloves.

It is suggested the usage of chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374.

As alternative, a different type of gloves might be used if, accordingly to the recommendations of the producer, guarantee the same level of protection.

Remarks : Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).

Skin and body protection : not required under normal use

Respiratory protection : not required under normal use

TANET orange 2x5 I

WM 1112478

Order number: 0712478

Version 1.0

Revision Date 07.05.2026

Print Date 07.05.2026

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: liquid
Color	: orange
Odor	: fruity
Melting point/freezing point	: No data available
Boiling point/boiling range	: No information available.
Flammability (solid, gas)	: No data available
Flammability (liquids)	: No data available
Lower explosion limit	: No data available
Upper explosion limit	: No data available
Flash point	: does not flash
Ignition temperature	: No data available
Decomposition temperature	: No data available
pH	: ca. 9,2, 100 % at 20 °C
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Water solubility	: soluble
Solubility in other solvents	: No data available
Partition coefficient: n- octanol/water	: No data available
Vapor pressure	: No data available
Density	: ca. 1,012 g/cm ³ at 20 °C
Relative density	: No data available
Relative vapor density	: No data available
Particle characteristics	: No data available

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions.
No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

No decomposition if stored and applied as directed.

TANET orange 2x5 I

WM 1112478

Order number: 0712478

Version 1.0

Revision Date 07.05.2026

Print Date 07.05.2026

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No hazardous decomposition products are known.
No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Our company is strongly against animal testing.
Our company does not place any orders for animal testing for the finished product or the ingredients.
However, as a result of EU legislation (REACH Regulation), the manufacturers of ingredients or EU importers are obliged to test ingredients with regard to their effects on human health and the environment before they are brought onto the market. Some of the tests made necessary by this took place decades ago.

Acute toxicity

Not classified due to lack of data.
Acute toxicity : Not Rated

Components:

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

Acute oral toxicity : LD50 (Rat): 2.000 - 5.000 mg/kg
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 Dermal (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 402
GLP: yes

1-phenoxypropan-2-ol

770-35-4:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): 5,4 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

Amide polyglycol ether

85536-23-8:

Acute oral toxicity : LD50 Oral (Rat): > 2.000 mg/kg

TANET orange 2x5 I

WM 1112478

Order number: 0712478

Version 1.0

Revision Date 07.05.2026

Print Date 07.05.2026

Acute dermal toxicity : LD50 Dermal (Rat): > 2.000 mg/kg

Skin corrosion/irritation

Not classified due to lack of data.

Product:

Remarks : According to the classification criteria of the European Union, the product is not considered as being a skin irritant.

Components:

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

Species : Rabbit
Assessment : Irritating to skin.
Method : OECD Test Guideline 404

Amide polyglycol ether

85536-23-8:

Species : Rabbit
Result : Skin irritation

Serious eye damage/eye irritation

Not classified due to lack of data.

Product:

Remarks : According to the classification criteria of the European Union, the product is not considered as being an eye irritant.

Components:

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

Species : Rabbit
Assessment : Risk of serious damage to eyes.
Method : OECD Test Guideline 405

1-phenoxypropan-2-ol

770-35-4:

Result : Eye irritation

Amide polyglycol ether

85536-23-8:

Species : Rabbit
Result : No eye irritation

Respiratory or skin sensitization

Skin sensitization

Not classified due to lack of data.

TANET orange 2x5 I

WM 1112478

Order number: 0712478

Version 1.0

Revision Date 07.05.2026

Print Date 07.05.2026

Respiratory sensitization

Not classified due to lack of data.

Product:

Remarks : No data available

Components:

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

Routes of exposure : Dermal
Species : Guinea pig
Result : Does not cause skin sensitization.

Amide polyglycol ether

85536-23-8:

Species : Guinea pig
Result : Does not cause skin sensitization.

Germ cell mutagenicity

Not classified due to lack of data.

Germ cell mutagenicity : Not Rated

Components:

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

Genotoxicity in vitro : Method: OECD Test Guideline 471
Result: negative

Amide polyglycol ether

85536-23-8:

Genotoxicity in vitro : Test Type: Ames test
Method: OECD Test Guideline 471
Result: negative

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative

Test Type: Micronucleus test
Method: Mutagenicity (micronucleus test)
Result: negative

Carcinogenicity

Not classified due to lack of data.

Carcinogenicity : Not Rated

Reproductive toxicity

Not classified due to lack of data.

Reproductive toxicity : Not Rated

TANET orange 2x5 l

WM 1112478

Order number: 0712478

Version 1.0

Revision Date 07.05.2026

Print Date 07.05.2026

STOT-single exposure

Not classified due to lack of data.

STOT-single exposure : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

Not classified due to lack of data.

STOT-repeated exposure : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

Amide polyglycol ether

85536-23-8:

Species : Rat
NOAEL : 150 mg/kg
Application Route : Oral
Remarks : Subacute toxicity

Aspiration toxicity

Not classified due to lack of data.

Aspiration toxicity : Not Rated

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Further information

Product:

Remarks : No data available

SECTION 12: Ecological information

12.1 Toxicity

Components:

Alcohols, C12-14, ethoxylated, sulfates, sodium salts, Poly(oxy-1,2-ethanediyl), .alpha.-sulfo-omega.-hydroxy-, C12-14-alkyl ethers, sodium salts

68891-38-3:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 7,1 mg/l
Exposure time: 96 h

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Werner & Mertz
Professional

TANET orange 2x5 I

WM 1112478

Order number: 0712478

Version 1.0

Revision Date 07.05.2026

Print Date 07.05.2026

Test Type: flow-through test
Method: OECD Test Guideline 203
GLP: yes

LC50 (Fish): > 1 - 10 mg/l
Test Type: flow-through test
Method: OECD Test Guideline 203

LC50 (Leuciscus idus (Golden orfe)): 10 - 100 mg/l
Method: OECD Test Guideline 203

NOEC (Oncorhynchus mykiss (rainbow trout)): 0,14 mg/l
Exposure time: 28 d
Test Type: flow-through test
Method: OECD Test Guideline 204

LC50 (Brachydanio rerio (zebrafish)): 1 - 10 mg/l
Exposure time: 96 h
Test Type: flow-through test
Method: OECD Test Guideline 203

LC50 (Brachydanio rerio (zebrafish)): 7,1 mg/l
Exposure time: 96 h

NOEC (Fish): 0,1 - 1 mg/l
Exposure time: 28 Days

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia pulex (Water flea)): 7,4 mg/l
Exposure time: 48 h
Test Type: Immobilization
Method: OECD Test Guideline 202

EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202

NOEC (Daphnia magna (Water flea)): 0,27 mg/l
Exposure time: 21 d
Test Type: flow-through test
Method: OECD Test Guideline 211

EC50 (Daphnia): 1 - 10 mg/l
Exposure time: 48 h

NOEC (Daphnia): 0,1 - 1 mg/l
Exposure time: 21 Days

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 27,7 mg/l
Exposure time: 72 h
Test Type: Growth inhibition
Method: OECD Test Guideline 201
GLP: yes

EC50 (Desmodesmus subspicatus (green algae)): > 10 - 100 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201

NOEC : 0,95 mg/l
Test Type: Growth inhibition

TANET orange 2x5 l

WM 1112478

Order number: 0712478

Version 1.0

Revision Date 07.05.2026

Print Date 07.05.2026

Method: OECD Test Guideline 201

NOEC (Desmodesmus subspicatus (green algae)): 0,93 mg/l

Exposure time: 72 h

Test Type: static test

Method: OECD Test Guideline 201

EC50 (algae): 27,7 mg/l

Exposure time: 72 h

Test Type: Growth inhibition

NOEC (algae): 0,93 mg/l

Exposure time: 72 h

EC50 (algae): 10 - 100 mg/l

Exposure time: 72 h

NOEC (algae): 0,1 - 1 mg/l

Exposure time: 72 h

Toxicity to microorganisms : EC50 (Pseudomonas putida): > 10 g/l
Exposure time: 16 h
Test Type: Cell multiplication inhibition test
Method: DIN 38412
GLP: yes

EC10 (Pseudomonas putida): > 10 g/l

Exposure time: 16 h

Test Type: Cell multiplication inhibition test

Toxicity to fish (Chronic toxicity) : NOEC: 1 - 10 mg/l
Species: Leuciscus idus (Golden orfe)

NOEC: 0,14 mg/l

Exposure time: 28 d

Species: Oncorhynchus mykiss (rainbow trout)

Method: OECD Test Guideline 204

NOEC: 0,2 mg/l

Exposure time: 28 d

Species: Fish

NOEC: > 0,1 - 1 mg/l

Exposure time: 28 d

Species: Oncorhynchus mykiss (rainbow trout)

Method: OECD Test Guideline 204

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: > 0,1 - 1 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 211

EC50: 0,37 mg/l

Exposure time: 21 d

0,74 mg/l

Exposure time: 21 d

NOEC: 0,27 mg/l

Exposure time: 21 d

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Werner & Mertz
Professional

TANET orange 2x5 I

WM 1112478

Order number: 0712478

Version 1.0

Revision Date 07.05.2026

Print Date 07.05.2026

Toxicity to soil dwelling organisms : NOEC: 750 mg/kg
Exposure time: 56 d
Species: Eisenia fetida (earthworms)
Method: OECD Test Guideline 222
Remarks: Information taken from reference works and the literature.

1-phenoxypropan-2-ol

770-35-4:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 220 - 460 mg/l
Exposure time: 96 h

LC50 (Pimephales promelas (fathead minnow)): 280 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): 370 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l
Exposure time: 72 h
Test Type: static test

EC50 (Desmodesmus subspicatus (green algae)): 74,5 mg/l
Exposure time: 72 h

Toxicity to microorganisms : EC50 (Bacteria): > 1.000 mg/l
Exposure time: 17 h

Amide polyglycol ether, Reaction mass of Amides, rape-oil, N-(hydroxyethyl), ethoxylated and Glycerol,ethoxylated

85536-23-8:

Toxicity to fish : LC50 (Fish): 2,9 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia): 3,8 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 : 410 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Fresh water

NOEC : 4,9 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,4 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Test Type: Reproduction Test
Method: OECD Test Guideline 211

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Werner & Mertz
Professional

TANET orange 2x5 I

WM 1112478

Order number: 0712478

Version 1.0

Revision Date 07.05.2026

Print Date 07.05.2026

12.2 Persistence and degradability

Components:

Alcohols, C12-14, ethoxylated, sulfates, sodium salts, Poly(oxy-1,2-ethanediyl), .alpha.-sulfo.-omega.-hydroxy-, C12-14-alkyl ethers, sodium salts

68891-38-3:

Biodegradability : Test Type: aerobic
Result: rapidly biodegradable
Biodegradation: > 70 %
Exposure time: 28 d
Method: OECD 301 A

Test Type: anaerobic
Result: Biodegradable
Biodegradation: > 60 %
Exposure time: 41 d
Method: OECD 301 D

Result: Readily biodegradable.
Biodegradation: 93 %
Exposure time: 28 d

Biochemical Oxygen Demand (BOD) : 285 mg/g
Incubation time: 5 d

Chemical Oxygen Demand (COD) : 518 mg/g

1-phenoxypropan-2-ol

770-35-4:

Biodegradability : Biodegradation: 72 %
Exposure time: 28 d
Method: OECD 301 F

Amide polyglycol ether, Reaction mass of Amides, rape-oil, N-(hydroxyethyl), ethoxylated and Glycerol,ethoxylated

85536-23-8:

Biodegradability : Result: rapidly biodegradable

12.3 Bioaccumulative potential

Components:

Alcohols, C12-14, ethoxylated, sulfates, sodium salts, Poly(oxy-1,2-ethanediyl), .alpha.-sulfo.-omega.-hydroxy-, C12-14-alkyl ethers, sodium salts

68891-38-3:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

1-phenoxypropan-2-ol

770-35-4:

Bioaccumulation : Remarks: Due to the distribution coefficient n-octanol/water, accumulation in organisms is not expected.

Amide polyglycol ether, Reaction mass of Amides, rape-oil, N-(hydroxyethyl), ethoxylated and Glycerol,ethoxylated

85536-23-8:

Partition coefficient: n- : log Pow: 5

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Werner & Mertz
Professional

TANET orange 2x5 l

WM 1112478

Order number: 0712478

Version 1.0

Revision Date 07.05.2026

Print Date 07.05.2026

octanol/water

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Components:

Alcohols, C12-14, ethoxylated, sulfates, sodium salts, Poly(oxy-1,2-ethanediyl), .alpha.-sulfo-omega.-hydroxy-, C12-14-alkyl ethers, sodium salts

68891-38-3:

Assessment : Not very persistent and very bioaccumulative (vPvB).. Not persistent, bioaccumulative, and toxic (PBT).

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological information : There is no data available for this product.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : In accordance with local and national regulations.

Contaminated packaging : Empty remaining contents.
Empty containers should be taken to an approved waste handling site for recycling or disposal.

Waste Code : European Waste Catalog
20 01 29*
According to the European Waste Catalog, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

SECTION 14: Transport information

14.1 UN number or ID number

ADR

Not dangerous goods

RID

TANET orange 2x5 I

WM 1112478

Order number: 0712478

Version 1.0

Revision Date 07.05.2026

Print Date 07.05.2026

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADR

Not dangerous goods

RID

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.4 Packing group

ADR

Not dangerous goods

RID

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.5 Environmental hazards

ADR

Not dangerous goods

RID

Not dangerous goods

IMDG

Not regulated as a dangerous good

IATA

Not dangerous goods

14.6 Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regulations.

For personal protection see section 8.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : 105-59-9
5989-27-5
78-70-6
5392-40-5
See Annex XVII to Regulation (EC) no 1907/2006 for Conditions of restriction

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Werner & Mertz
Professional

TANET orange 2x5 I

WM 1112478

Order number: 0712478

Version 1.0

Revision Date 07.05.2026

Print Date 07.05.2026

Seveso III: Directive 2012/18/EU : Not applicable
of the European Parliament and of
the Council on the control of
major-accident hazards involving
dangerous substances.

TA Luft List (Germany) : Total dust: Not applicable
: Inorganic substances in powdered form: Not applicable
: Inorganic substances in gaseous form: Not applicable
: Organic Substances: : portionClass 1: < 0,01 %
: Carcinogenic substance: Not applicable
: Quartz fine dust PM4: Not applicable
: Formaldehyde: Not applicable
: fibers: Not applicable
: Germ cell mutagens: Not applicable
: Substances toxic to reproduction: Not applicable
: Poorly degradable, easily enrichable and highly toxic organic
substances: Not applicable

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial and
(VOC) content : livestock rearing emissions (integrated pollution prevention and
control)
Update: Percent volatile: 0,02 %

according to Detergents : <5% soap, anionic surfactants, non-ionic surfactants, perfumes
Regulation EC 648/2004

15.2 Chemical Safety Assessment

SECTION 16: Other information

Full text of H-Statements

H315 : Causes skin irritation.
H318 : Causes serious eye damage.
H319 : Causes serious eye irritation.
H412 : Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Aquatic Chronic : Long-term (chronic) aquatic hazard
Eye Dam. : Serious eye damage
Eye Irrit. : Eye irritation
Skin Irrit. : Skin irritation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways;
ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian
Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP
- Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or
Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DSL - Domestic Substances
List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -
Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -
Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration
associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory
Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association;
IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk;

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Werner & Mertz
Professional

TANET orange 2x5 l

WM 1112478

Order number: 0712478

Version 1.0

Revision Date 07.05.2026

Print Date 07.05.2026

IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECl - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Classification procedure:

Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REG_EU / EN

50000006704