

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Werner & Mertz  
Professional

## TANEX power

WM 0715931

Order number: 0715931

Version 3.0

Revision Date 21.01.2026

Print Date 11.03.2026

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : TANEX power  
UFI : F6V2-60TY-3004-C2UU

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Cleaning agent  
Restricted to professional users.

#### 1.3 Details of the supplier of the safety data sheet

Company : Tana Chemie GmbH  
Rheinallee 96  
55120 Mainz  
Telephone : +49613196403  
Telefax : +4961319642526  
E-mail address : Produktsicherheit@werner-mertz.com  
Responsible/issuing person  
Contact person : Product development / product safety

#### 1.4 Emergency telephone

EU: 112

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

#### 2.2 Label elements

##### Labeling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Safety data sheet available on request.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## TANEX power

WM 0715931

Order number: 0715931

Version 3.0

Revision Date 21.01.2026

Print Date 11.03.2026

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

##### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
1-butoxypropan-2-ol	5131-66-8 225-878-4 603-052-00-8 01-2119475527-28	Eye Irrit. 2; H319 Skin Irrit. 2; H315  specific concentration limit Eye Irrit. 2; H319 > 20 % Skin Irrit. 2; H315 > 20 %	>= 3 - < 5
2,2'-methyliminodiethanol	105-59-9 203-312-7 603-079-00-5 01-2119488970-24	Eye Irrit. 2; H319	>= 1 - < 3
Decan-1-ol, ethoxylated	26183-52-8 500-046-6	Eye Irrit. 2; H319	>= 1 - < 3

### SECTION 4: First aid measures

#### 4.1 Description of first-aid measures

- General advice : No hazards which require special first aid measures.
- If inhaled : Move to fresh air in case of accidental inhalation of dust or fumes from overheating or combustion.  
If symptoms persist, call a physician.
- In case of skin contact : Take off contaminated clothing and shoes immediately.  
Wash off with soap and plenty of water.
- In case of eye contact : Protect unharmed eye.  
If easy to do, remove contact lens, if worn.  
Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.

#### 4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : No information available.
- Risks : No information available.

## TANEX power

WM 0715931

Order number: 0715931

Version 3.0

Revision Date 21.01.2026

Print Date 11.03.2026

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : For specialist advice physicians should contact the Poisons Information Service.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : No hazardous combustion products are known

### 5.3 Advice for firefighters

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

### 6.2 Environmental precautions

Environmental precautions : Try to prevent the material from entering drains or water courses.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Neutralize with acid.  
Sweep up and shovel.  
Wipe up with absorbent material (e.g. cloth, fleece).  
Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For personal protection see section 8., Treat recovered material as described in the section "Disposal considerations"., Refer to section 15 for specific national regulation.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8.  
No special handling advice required.

## TANEX power

WM 0715931

Order number: 0715931

Version 3.0

Revision Date 21.01.2026

Print Date 11.03.2026

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : Wash hands before breaks and at the end of workday.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container.

Advice on common storage : No special restrictions on storage with other products.

Further information on storage stability : No decomposition if stored and applied as directed.

### 7.3 Specific end use(s)

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

**Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:**

Substance name	End Use	Routes of exposure	Potential health effects	Value
1-butoxypropan-2-ol	Workers	Inhalation	Long-term systemic effects	147 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	52 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	43 mg/m <sup>3</sup>
	Consumers	Dermal	Long-term systemic effects	22 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	12,5 mg/kg bw/day
2,2'-methyliminodiethanol	Workers	Inhalation	Long-term systemic effects	7,9 mg/m <sup>3</sup>
	Workers	Dermal	Long-term systemic effects	5,6 mg/kg
	Consumers	Inhalation	Long-term systemic effects	0,4 mg/m <sup>3</sup>
	Consumers	Dermal	Long-term systemic effects	0,67 mg/kg
	Consumers	Oral	Long-term systemic	0,13 mg/kg

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Werner & Mertz  
Professional

## TANEX power

WM 0715931

Order number: 0715931

Version 3.0

Revision Date 21.01.2026

Print Date 11.03.2026

			effects	
--	--	--	---------	--

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
1-butoxypropan-2-ol	Fresh water	0,525 mg/l
	Sea water	0,0525 mg/l
	Fresh water sediment	2,36 mg/kg
	Sea sediment	0,236 mg/kg
	Soil	0,16 mg/kg
	STP	10 mg/l
	intermittent release	5,25 mg/l
2,2'-methyliminodiethanol	Fresh water	1 mg/l
	Sea water	0,0045 mg/l
	Fresh water	0,278 mg/l
	Sea water	0,0278 mg/l
	Intermittent use/release	1 mg/l
	Fresh water sediment	2,17 mg/kg
	Sea sediment	0,217 mg/kg
	Soil	0,27 mg/kg
	STP	10 mg/l

## 8.2 Exposure controls

### Personal protective equipment

Eye/face protection : not required under normal use

Hand protection

Material : not required under normal use

Material : For prolonged or repeated contact use protective gloves.

It is suggested the usage of chemical resistant gloves made of butyl

## TANEX power

WM 0715931

Order number: 0715931

Version 3.0

Revision Date 21.01.2026

Print Date 11.03.2026

rubber or nitrile rubber category III according to EN 374.

As alternative, a different type of gloves might be used if, accordingly to the recommendations of the producer, guarantee the same level of protection.

Remarks : Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).

Skin and body protection : not required under normal use

Respiratory protection : not required under normal use

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Physical state : liquid

Color : blue

Odor : pleasant

Melting point/freezing point : No data available

Boiling point/boiling range : No data available

Flammability (solid, gas) : No data available

Flammability (liquids) : No data available

Lower explosion limit : No data available

Upper explosion limit : No data available

Flash point : does not flash

Ignition temperature : No data available

Decomposition temperature : No data available

pH : ca. 11,0, 100 %  
at 20 °C

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Water solubility : completely miscible

Solubility in other solvents : No data available

## TANEX power

WM 0715931

Order number: 0715931

Version 3.0

Revision Date 21.01.2026

Print Date 11.03.2026

Partition coefficient: n-octanol/water	:	No data available
Vapor pressure	:	No data available
Density	:	ca. 1,004 g/cm <sup>3</sup> at 20 °C
Relative density	:	No data available
Relative vapor density	:	No data available
Particle characteristics	:	No data available

### 9.2 Other information

none

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Stable under recommended storage conditions.  
No dangerous reaction known under conditions of normal use.

### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

### 10.4 Conditions to avoid

Conditions to avoid : No data available

### 10.5 Incompatible materials

Materials to avoid : No data available

### 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Our company is strongly against animal testing.  
Our company does not place any orders for animal testing for the finished product or the ingredients.  
However, as a result of EU legislation (REACH Regulation), the manufacturers of ingredients or EU importers are obliged to test ingredients with regard to their effects on human health and the environment before they are brought onto the market. Some of the tests made necessary by this took place decades ago.

#### Acute toxicity

Acute toxicity : Not Rated

## TANEX power

WM 0715931

Order number: 0715931

Version 3.0

Revision Date 21.01.2026

Print Date 11.03.2026

### Components:

#### 1-butoxypropan-2-ol

##### 5131-66-8:

Acute oral toxicity	:	LD50 Oral (Rat, male and female): 3.300 mg/kg Method: see user defined free text  LD50 (Rat): > 2.000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 651 mg/l Exposure time: 4 h  LC50 (Rat): 3,5 mg/l Exposure time: 4 h Test atmosphere: vapor
Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 2.000 mg/kg Method: OECD Test Guideline 402

#### 2,2'-methyliminodiethanol

##### 105-59-9:

Acute oral toxicity	:	LD50 (Rat): 4.680 mg/kg Method: OECD Test Guideline 401
Acute dermal toxicity	:	LD50 (Rabbit): > 2.000 mg/kg Method: OECD Test Guideline 402  LD50 (Rabbit): 5.990 mg/kg

#### Decan-1-ol, ethoxylated

##### 26183-52-8:

Acute oral toxicity	:	LD50 (Rat): > 2.000 mg/kg
---------------------	---	---------------------------

### Skin corrosion/irritation

#### Product:

Remarks	:	According to the classification criteria of the European Union, the product is not considered as being a skin irritant.
---------	---	---

### Components:

#### 2,2'-methyliminodiethanol

##### 105-59-9:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

### Serious eye damage/eye irritation

#### Product:

Remarks	:	According to the classification criteria of the European Union, the product is not considered as being an eye irritant.
---------	---	---

## TANEX power

WM 0715931

Order number: 0715931

Version 3.0

Revision Date 21.01.2026

Print Date 11.03.2026

### Components:

#### 2,2'-methyliminodiethanol

##### 105-59-9:

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Irritating to eyes.

#### Decan-1-ol, ethoxylated

##### 26183-52-8:

Species : Rabbit  
Result : irritating

### Respiratory or skin sensitization

#### Product:

Remarks : No data available

### Components:

#### 2,2'-methyliminodiethanol

##### 105-59-9:

Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitization.

Germ cell mutagenicity : Not Rated

Carcinogenicity : Not Rated

Reproductive toxicity : Not Rated

STOT-single exposure : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration toxicity : Not Rated

## 11.2 Information on other hazards

### Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### Further information

#### Product:

Remarks : No data available

## TANEX power

WM 0715931

Order number: 0715931

Version 3.0

Revision Date 21.01.2026

Print Date 11.03.2026

### SECTION 12: Ecological information

#### 12.1 Toxicity

##### Components:

##### **1-butoxypropan-2-ol**

##### **5131-66-8:**

Toxicity to fish	:	LC50 (Poecilia reticulata (guppy)): 560 - 1.000 mg/l Exposure time: 96 h
		NOEC (Poecilia reticulata (guppy)): 180 mg/l Exposure time: 96 h
		LC50 (Fish): 1.000 mg/l Exposure time: 96 h
		LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h
		EC50 (Fish): < 320 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 1.000 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
		NOEC (Daphnia magna (Water flea)): 560 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (microalgae)): > 1.000 mg/l Exposure time: 96 h Test Type: Cell multiplication inhibition test
		NOEC (Selenastrum capricornutum): 560 mg/l Exposure time: 96 h
Toxicity to microorganisms	:	EC50 (Bacteria): > 1.000 mg/l Exposure time: 3 h Method: OECD Test Guideline 209

##### **2,2'-methyliminodiethanol**

##### **105-59-9:**

Toxicity to fish	:	(Leuciscus idus (Golden orfe)): 1.466 mg/l Exposure time: 96 h Test Type: static test
Toxicity to daphnia and other aquatic invertebrates	:	(Daphnia magna (Water flea)): 233 mg/l Exposure time: 48 h Test Type: static test Method: Directive 67/548/EEC, Annex V, C.2.
Toxicity to algae/aquatic plants	:	NOEC (Desmodesmus subspicatus (green algae)): 6,25 mg/l Exposure time: 72 h
		EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l

## TANEX power

WM 0715931

Order number: 0715931

Version 3.0

Revision Date 21.01.2026

Print Date 11.03.2026

Exposure time: 72 h  
Toxicity to microorganisms : EC20 (activated sludge): > 1.000 mg/l  
Exposure time: 0,5 h  
Method: OECD Test Guideline 209

### Decan-1-ol, ethoxylated

#### 26183-52-8:

Toxicity to fish : LC50 (Fish): < 10 mg/l  
Exposure time: 96 h  
Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia): 7,8 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Toxicity to algae/aquatic plants : EC50 (algae): 6,3 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 201

## 12.2 Persistence and degradability

### Components:

#### 1-butoxypropan-2-ol

##### 5131-66-8:

Biodegradability : Biodegradation: 90 %  
Exposure time: 28 d  
Method: OECD 301 E  
Remarks: Readily biodegradable, according to appropriate OECD test.

#### 2,2'-methyliminodiethanol

##### 105-59-9:

Biodegradability : Result: rapidly biodegradable  
Biodegradation: 96 %  
Exposure time: 18 d  
Method: OECD 301 A

#### Decan-1-ol, ethoxylated

##### 26183-52-8:

Biodegradability : Result: rapidly biodegradable  
Biodegradation: > 60 %  
Exposure time: 10 d  
Method: OECD 301 D  
  
Result: rapidly biodegradable  
Biodegradation: > 70 %  
Exposure time: 28 d  
Method: OECD 301 D

## 12.3 Bioaccumulative potential

### Components:

#### 1-butoxypropan-2-ol

##### 5131-66-8:

Bioaccumulation : Bioconcentration factor (BCF): < 100  
Remarks: Does not bioaccumulate.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Werner & Mertz  
Professional

## TANEX power

WM 0715931

Order number: 0715931

Version 3.0

Revision Date 21.01.2026

Print Date 11.03.2026

Partition coefficient: n-octanol/water : log Pow: 3,2  
log Pow: 1,2 (20 °C)  
pH: 7

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

#### Product:

Additional ecological information : There is no data available for this product.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : In accordance with local and national regulations.

Contaminated packaging : Empty remaining contents.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.

Waste Code : European Waste Catalog  
20 01 29\*  
According to the European Waste Catalog, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

## SECTION 14: Transport information

### 14.1 UN number or ID number

#### ADR

Not dangerous goods

#### RID

Not dangerous goods

#### IMDG

Not dangerous goods

#### IATA

## TANEX power

WM 0715931

Order number: 0715931

Version 3.0

Revision Date 21.01.2026

Print Date 11.03.2026

Not dangerous goods

### 14.2 UN proper shipping name

Not regulated as a dangerous good

### 14.3 Transport hazard class(es)

#### ADR

Not dangerous goods

#### RID

Not dangerous goods

#### IMDG

Not dangerous goods

#### IATA

Not dangerous goods

### 14.4 Packing group

#### ADR

Not dangerous goods

#### RID

Not dangerous goods

#### IMDG

Not dangerous goods

#### IATA

Not dangerous goods

### 14.5 Environmental hazards

#### ADR

Not dangerous goods

#### RID

Not dangerous goods

#### IMDG

Not regulated as a dangerous good

#### IATA

Not dangerous goods

### 14.6 Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regulations.

For personal protection see section 8.

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. : Not applicable

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Werner & Mertz  
Professional

## TANEX power

WM 0715931

Order number: 0715931

Version 3.0

Revision Date 21.01.2026

Print Date 11.03.2026

TA Luft List (Germany)	: Total dust: Not applicable : Inorganic substances in powdered form: Not applicable : Inorganic substances in vapor or gaseous form: : portionClass 3: < 0,01 % : Organic Substances: : portionClass 1: < 0,01 % : Carcinogenic substances: Not applicable : mutagenic: Not applicable : Toxic to reproduction: Not applicable
Volatile organic compounds (VOC) content	: Directive 2010/75/EU of 24 November 2010 on industrial and livestock rearing emissions (integrated pollution prevention and control) Update: Percent volatile: 3,01 % 468,82 g/l VOC content excluding water
Volatile organic compounds (VOC) content	: Directive 2010/75/EU of 24 November 2010 on industrial and livestock rearing emissions (integrated pollution prevention and control) Update: Percent volatile: 3,01 % 30,22 g/l VOC content valid only for coating materials used on wood surfaces
according to Detergents Regulation EC 648/2004	: <5% anionic surfactants, non-ionic surfactants, perfumes

## 15.2 Chemical Safety Assessment

### SECTION 16: Other information

#### Full text of H-Statements

H315	: Causes skin irritation.
H319	: Causes serious eye irritation.

#### Full text of other abbreviations

Eye Irrit.	: Eye irritation
Skin Irrit.	: Skin irritation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Werner & Mertz  
Professional

## TANEX power

WM 0715931

Order number: 0715931

Version 3.0

Revision Date 21.01.2026

Print Date 11.03.2026

population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

**Classification of the mixture:**

**Classification procedure:**

Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REG\_EU / EN

500000005574